

Cradle\$

**PLANT LIST****Cradle Mountain / Lake St Clair National Park**

Created 2-Apr-13

Updated 9-May-23

By JB Kirkpatrick, J Balmer, Dick Burns

[Goto Photos](#)

Scientific name	status	Common Name	Description
Athrotaxis cupressoides	e	pencil pine	conifer to 20m high; bark fibrous, furrowed; leaves small, overlapping; cones spherical
Athrotaxis selaginoides	e	king billy pine	conifer to 40m high; leaves to 12mm long, loosely overlapping; cones spherical to 2cm diam
Diselma archeri	e	dwarf pine	shrub to 1.5m high; leaves small, crowded, overlapping, appressed to stems; cones appear to be bulges at ends of branches
Microcachrys tetragona	e	creeping pine	prostrate conifer; leaves tiny, appressed to stem; cones small, terminal, red when ripe
Pherosphaera hookeriana	e	mount mawson pine	shrub to 2.5m high; leaves small, overlapping, appressed to stem; male cones spherical, terminal; female cones pendulous
Phyllocladus aspleniifolius	e	celerytop pine	conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to "leaves", white & red
Podocarpus lawrencei		mountain plumpine	low shrub; leaves crowded, to 15 mm; female cone a fleshy red scale
Abrotanella forsteroides	e	tasmanian cushionplant	hard, bright green cushion plant; tiny white flowers protrude
Acacia dealbata		silver wattle	tree with grey green feathery leaves; golden flowers
Acacia mucronata		caterpillar wattle	erect shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes
Acaena montana	e	mountain buzzy	prostrate herb; spherical flower/seed heads with hooks
Acaena novae-zelandiae		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
Acrothamnus hookeri		mountain beardheath	shrub to 60 cm; leaves blunt, to 10mm; white flowers hairy inside
Acrothamnus montanus		snow beardheath	shrub to 60m; blunt leaves to 10mm; white flowers hairless inside
Actinotus bellidioides		tiny flannelflower	small, herb; leaves in a rosette, hairy; group of small flowers on stem which elongates at fruiting stage
Agastachys odorata	e	fragrant candlebush	shrub to 3m high; leaves hairless, oblong, to 8cm long; white flowers in erect spikes up to 12cm long
Ajuga australis		australian bugle	
Allocasuarina zephyrea	e	western sheoak	shrub to 2m; leaves are small teeth on needle-like branchlets; flowers m & f separate; cones to 3.5cm

Cradle\$

<i>Almaleea subumbellata</i>		wiry bushpea	shrub to 90 cm; leaves oblong to 8 mm; yellow/orange pea flowers in bunches at ends of stems
<i>Anodopetalum biglandulc</i>	e	horizontal	shrub, or tree to 15m high; trunk usually bends over; leaves opposite, narrow elliptical, to 6cm long; flowers 4-petalled, cream/pale green
<i>Anopterus glandulosus</i>	e	tasmanian laurel	shrub/small tree to 4m; leaves glossy, to 17cm; flowers in clusters, 6-petalled, bell shaped, white/pink
<i>Archeria comberi</i>	e	pink summit-heath	shrub to 1m high; leaves to 4mm long, ovate to circular; flowers tubular, deep pink, 8mm long, near branch ends
<i>Archeria eriocarpa</i>	e	hairy rainforest-heath	shrub to 2.5m high; leaves to 9mm long, elliptical, edges finely toothed; flowers tubular, white/pink, to 7mm long
<i>Archeria hirtella</i>	e	smooth rainforest-heath	shrub to 4m high; leaves to 10mm long, elliptical; flowers tubular, white/pink
<i>Archeria serpyllifolia</i>	e	thyme summit-heath	shrub to 75cm high; leaves elliptical to 8mm long; flowers white, tubular to 5mm long
<i>Aristotelia peduncularis</i>	e	heartberry	straggling shrub to 1.5m; leaves to 70mm. lance-shaped, edges serrated; flowers white, bell-shaped, petals three-toothed; fruit heart shaped, white, red or black
<i>Asperula gunnii</i>		mountain woodruff	mat herb; hairless leaves in whorls of 4; tiny white flowers
<i>Atherosperma moschatu</i>		sassafras	tree to 25m; leaves to 8cm elliptical, margins often toothed; flowers white, in pairs, pendulous, 4-petalled. Male and female flowers on same or separate trees
<i>Baeckea gunniana</i>		alpine heathmyrtle	shrub to 2m; leaves to 5mm, oblong; flowers 5mm diam; white petals, red centre
<i>Baeckea leptocaulis</i>	e	slender heathmyrtle	
<i>Banksia marginata</i>		silver banksia	tree with typical banksia cones or yellow flower spikes
<i>Bauera rubioides</i>		wiry bauera	sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink
<i>Bellenden montana</i>	e	mountain rocket	shrub to 1m; leaves to 4cm, variable shape; flowers white in broad spikes; fruit flat, bright red
<i>Billardiera macrantha</i>		forest appleberry	vine clammers over other plants; leaves lance-like to 5cm; flowers tubular, yellow/green; fruit blue/purple
<i>Blandfordia punicea</i>	e	christmas bells	lily-like herb; leaves strap-like to 1.5m; flowers tubular, red/orange externally yellow internally to 45mm long
<i>Boronia citriodora</i>	e	central lemon boronia	shrub to 1.5m high; leaves divided, to 8mm long, strong citrus odour when crushed; flowers 4-petalled, white/pink
<i>Boronia parviflora</i>		swamp boronia	prostrate or dwarf shrub; leaves to 2 cm; flowers small with 4 pointed petals.
<i>Boronia rhomboidea</i>		broadleaf boronia	shrub to 75cm high; leaves rhomboid to 12mm long; flowers 4-petalled, white/pink

Cradle\$

<i>Bossiaea cordigera</i>		wiry bossia	shrub to 40cm; leaves small, heart-shaped; pea flowers yellow with red centre & outside
<i>Bossiaea riparia</i>		leafless bossia	leafless shrub with flattened branches; yellow and red pea flowers
<i>Brachyscome decipiens</i>		field daisy	herb; bright green leaves in rosette; single blue/white daisy flower
<i>Brachyscome graminea</i>		grass daisy	herb perennial, to 70cm high; leaves narrow, to 14cm long, bright green; flower head white/mauve/pink, yellow centred, on long stalk
<i>Cardamine paucijuga</i>		annual bittercress	slender herb to 40cm high; leaves lobed
<i>Celmisia asteliifolia</i>	e	silver snowdaisy	rosette herb to 30cm; leaves to 15cm, green above, silver hairy below; single large white daisy flower on long stem
<i>Celmisia saxifraga</i>	e	small snowdaisy	perennial herb; leaves silver-hairy, overlapping, to 3cm long; flower heads white with yellow centres, on long stems
<i>Cenarrhenes nitida</i>	e	native plum	shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes
<i>Centella cordifolia</i>		swampwort	prostrate marsh herb; leaves almost circular; flowers small, pink in clusters on short stalks
<i>Clematis aristata</i>		mountain clematis	climber; leaves multi-lobed; large white star-like flowers
<i>Coprosma hirtella</i>		coffeeberry	shrub to 2m; leaves dark green, leathery to 6cm long, pointed tip; fruit red/black, fleshy
<i>Coprosma moorei</i>		blue matcurrant	shrub, prostrate, to 30cm diam; leaves ovate, thick, shining, to 5mm long; flowers small, bell-shaped; fruit blue, spherical
<i>Coprosma nitida</i>		mountain currant	shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red
<i>Coprosma perpusilla</i>		orange matcurrant	prostrate shrub; leaves to 9 mm; yellowish flowers protruding
<i>Coprosma pumila</i>		dwarf matcurrant	prostrate shrub; leaves to 8 mm; fruit dark red
<i>Coprosma quadrifida</i>		native currant	erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange
<i>Coronidium scorpioides</i>		curling everlasting	herb with single golden daisy flower heads on long stems
<i>Cotula alpina</i>		alpine buttons	rosette herb; leaves with narrow lobes; flower heads on short stems
<i>Craspedia glauca</i>	e	common billybuttons	herb; tiny cream flowers in almost spherical heads;
<i>Craspedia macrocephala</i>	e	alpine billybuttons	herb; single white spherical daisy flower heads to 2.5 cm diam.
<i>Cryptandra alpina</i>	e	alpine pearflower	small prostrate shrub; leaves cylindrical or 3-angled, to 3mm long; flowers bell-shaped, white, to 4mm long
<i>Cyathodes straminea</i>	e	spreading cheeseberry	shrub to 1m; leaves rounded at ends, to 15mm; flowers tubular; fruit red;
<i>Dichosciadium ranuncula</i>	e	buttercup parsley	prostrate herb; leaves hairy, round, lobed, on long stalks; flowers small, white, on stalks above the leaves

Cradle\$

<i>Donatia novae-zelandiae</i>	t	snow cushionplant	alpine cushion plant in western and central mountains; leaves hairy at base; flowers white, petals 5, each 5mm long
<i>Dracophyllum minimum</i>	e	heath cushionplant	alpine cushion plant to 90cm diam; leaves hard pointed, hairless; flowers white, tubular
<i>Drosera arcturi</i>		alpine sundew	carnivorous rosette herb; leaves elongated; single white flower
<i>Drosera binata</i>		forked sundew	herb; leaves forked, on long stem, blades with glistening hairs; flowers white, to 2cm diam, in groups of up to 40
<i>Drosera gunniana</i>		pale sundew	erect herb to 30cm high; leaves at base round on stem crescent shaped, fringed with glistening hairs; flowers white or pink
<i>Drosera pygmaea</i>		dwarf sundew	tiny carnivorous herb; leaves round, fringed with hairs, in basal rosette; tiny single white flower
<i>Epacris gunnii</i>		coral heath	shrub to 80 cm; leaves heart shaped, prickly; white tube flowers
<i>Epacris impressa</i>		common heath	shrub; white, red or pink tubular flowers with dimples at base
<i>Epacris lanuginosa</i>		swamp heath	erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters
<i>Epacris serpyllifolia</i>	e	alpine heath	shrub to 1 m; blunt leaves to 3 mm long; white tube flowers
<i>Epilobium billardioreanun</i>		robust willowherb	herb to 30cm high; leaves opposite, to 2.5cm long; flowers pink, petals notched at tip; fruit long, narrow cylindrical
<i>Epilobium gunnianum</i>		bog willowherb	erect herb to 30 cm; flowers purplish pink to 20 mm diam., petal tip notched
<i>Epilobium tasmanicum</i>		snow willowherb	prostrate herb; leaves stalkless, glandular teeth; pink flowers on short stalks, petal tip notched
<i>Eucalyptus amygdalina</i>	e	black peppermint	tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+
<i>Eucalyptus archeri</i>	e	alpine cider gum	small tree; trunk smooth above base; young leaves round adult leaves lance shaped; buds in 3's
<i>Eucalyptus coccifera</i>	e	snow peppermint	tree 9-30m tall; adult leaves lance-shaped with hooked tip
<i>Eucalyptus dalrympleana</i>		mountain white gum	tree to 40m high, trunk rough at base, white/yellow/pink/grey, smooth above; leaves lance-shaped, edges wavy, narrow to 20cm long
<i>Eucalyptus delegatensis</i>	e	gumtopped stringybark	tree to 50m; stringy bark on most of trunk, branches white; leaves asymmetrical.
<i>Eucalyptus gunnii</i>	e	cider gum	tree to 20m high, bark rough at base, smooth green/white above; leaves grey-green, ovate, to 8cm long
<i>Eucalyptus pauciflora</i>		cabbage gum	tree to 20m high, bark rough at base, smooth white/cream above; leaves lance-shaped, parallel veined, to 18cm long

Cradle\$

<i>Eucalyptus rodwayi</i>	e	swamp peppermint	tree to 18m high, bark, fibrous, furrowed, rough to lowest branches; leaves lance-shaped, veins faint, to 12cm long
<i>Eucalyptus subcrenulata</i>	e	alpine yellow gum	tree to 50m high, bark smooth, yellowish green to pale grey, with colour blotches; leaves to 11cm long, scalloped edges
<i>Eucalyptus vernicosa</i>	e	varnished gum	shrub to 2m high, smooth, grey; leaves opposite, round with small point, to 2.5cm long
<i>Euchiton japonicus</i>		common cottonleaf	perennial herb to 40cm; stems white, cottony hairy; leaves hairy under; daisy flowers in terminal groups
<i>Euchiton traversii</i>		mat cottonleaf	
<i>Euchiton umbricola</i>		cliff cottonleaf	
<i>Eucryphia lucida</i>	e	leatherwood	tree to 12m; leaves green above whitish below, ends blunt; flowers with 4 rounded white petals & numerous reddish stamens
<i>Euphrasia collina</i>	e	plain tufted-eyebright	erect herb to 50 cm; corolla two-lipped, white to lilac, outer surface hairy
<i>Euphrasia hookeri</i>	e	fingerleaf eyebright	herb to 10cm high; leaves with several, narrow, red-tipped lobes; flowers white with purple stripes, glandular hairy,
<i>Euphrasia striata</i>	e	shiny striped eyebright	perennial herb to 30cm, stems often purple; leaves with toothed ends; flowers white/mauve, lobes with purple lines
<i>Ewartia catipes</i>	e	diamond cushionherb	mat-forming rosette herb; leaves woolly white; flower head pink/white at centre
<i>Ewartia meredithiae</i>	e	rusty cushionherb	herb forming cushion-like mats; leaves to 5mm long, woolly white; flower heads single, white with reddish centre
<i>Ewartia planchonii</i>	e	creeping cushionherb	creeping rosette herb; leaves white woolly; flower heads above rosette
<i>Exocarpos humifusus</i>	e	mountain native-cherry	prostrate shrub; leaf scales alternate; tiny flowers in groups; fruit dark red
<i>Exocarpos nanus</i>		alpine native-cherry	prostrate shrub; leaf scales opposite; fruit dark red
<i>Forstera bellidifolia</i>	e	tasmanian forstera	herb, leaves in rosette at base, thick, 15mm long; flower single white, small, on stalk to 12cm high,
<i>Galium australe</i>		coast bedstraw	perennial herb with straggling stems; leaves in whorls of 4; flowers small, white, in groups of 1-4 along stem
<i>Gaultheria depressa</i>	t	creeping waxberry	prostrate shrub; leaves round, 10 mm diam; fruit to 10 mm diam; red/white
<i>Gaultheria hispida</i>		copperleaf snowberry	shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy
<i>Gaultheria tasmanica</i>	e	tasmanian waxberry	prostrate shrub, forms mat to 30cm diam; leaves to 6mm; flowers white, tubular; fruit red, fleshy, found, flattened,
<i>Gentianella diemensis</i>	e	tasmanian snowgentian	herb to 20cm high; leaves with central vein, in rosette at base; flowers white, 5-petalled, often with purple veins

Cradle\$

<i>Geranium brevicaule</i>	alpine cranesbill	herb; leaves in a rosette, long-stalked. blade round, deeply lobed; flowers nestled among leaves, pink
<i>Geranium potentilloides</i>	geranium	herb; lobed leaves; pink flowers; "storksbill" fruit
<i>Gonocarpus micranthus</i>	common raspwort	herb, more or less prostrate; leaves opposite, round; flowers in terminal groups, tiny, pendulous; fruit tiny, purple/brown
<i>Gonocarpus montanus</i>	mountain raspwort	herb, stems square in x-section, leaves opposite, flowers tiny, red
<i>Gonocarpus serpyllifolius</i>	alpine raspwort	herb, stems creeping, rough to touch; leaves opposite, elliptical, to 12mm; flowers tiny, reddish brown
<i>Gonocarpus teucroides</i>	forest raspwort	perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.
<i>Goodenia montana</i>	mountain velleia	herb; leaves in a rosette, oblong, to 5cm long, often hairy; flowers on very short stalks, yellow
<i>Gratiola nana</i>	matted brooklime	herb prostrate with tips of branches erect; leaves thick, pale green, to 8mm long; flowers pink, tubular
<i>Grevillea australis</i>	southern grevillea	low shrub; leaves narrow sharp-pointed; flowers white
<i>Gunnera cordifolia</i>	e tasmanian mudleaf	fleshy herb forming large matted patches; leaves in rosettes, blade round; flowers small, crowded in spikes
<i>Hakea epiglottis</i>	e beaked needlebush	shrub to 3m high; leaves needle-like, sharply pointed, to 5cm long; flowers yellow, spider-like; fruit woody, S-shaped
<i>Hakea lissosperma</i>	mountain needlebush	small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface
<i>Hakea microcarpa</i>	smallfruit needlebush	sharp needle-like leaves, white flowers, small woody fruits
<i>Hibbertia ericifolia</i>	thyme guineaflower	spreading shrub to 20cm high; narrow leaves hairy under; golden flowers
<i>Hibbertia procumbens</i>	spreading guineaflower	prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous
<i>Hydrocotyle hirta</i>	hairy pennywort	mat-forming herb with hairy stems; leaves to 25 mm, rounded to kidney shaped with lobed edges; flowers in tight clusters on stem opposite the leaves.
<i>Hydrocotyle muscosa</i>	mossy pennywort	
<i>Hydrocotyle pterocarpa</i>	winged pennywort	
<i>Hydrocotyle sibthorpioide</i>	shining pennywort	
<i>Hypericum gramineum</i>	small st johns-wort	small herb; small yellow flowers
<i>Hypericum japonicum</i>	matted st johns-wort	herb, matted, to 15cm high; leaves oval to 8mm long; flowers yellow, propellor-like

Cradle\$

<i>Kelleria dieffenbachii</i>		carpet riceflower	prostrate shrub; leaves narrow, linear, hairy ; tiny white flowers;
<i>Lagenophora stipitata</i>		blue bottledaisy	rosette herb; leaves hairy, to 8cm long; single flower head white or purplish on long hairy stem
<i>Leionema montanum</i>	e	spreading waxflower	shrub; leaves 1 cm long, cylindrical; flowers white or pink
<i>Leionema oldfieldii</i>		mountain waxflower	shrub to 90cm high; leaves narrow-oblong, green above, paler under; flowers white, in compound, terminal heads
<i>Leptecophylla pogonocal</i>	e	bearded pinkberry	shrub to 3m high; leaves narrow, to 17mm long, sharp-pointed; flowers white, tubular; fruit flattened sphere, red
<i>Leptinella filicula</i>		ferny buttons	prostrate herb; leaves divided; single yellow flower head on stout stem,
<i>Leptinella reptans</i>		creeping buttons	herb, creeping stems, prostrate; leaves hairy, twice divided; flower heads 8mm diam, yellow, on slender stems
<i>Leptomeria glomerata</i>	e	creeping currantbush	shrub to 30cm high; leaves tiny scales; flowers tiny, white, in clusters along stems; fruit fleshy red with bluish stalk
<i>Leptorhynchos squamatu</i>		scaly buttons	herb; narrow leaves; solitary daisy flower head on wiry stem to 20 cm tall;
<i>Leptospermum glaucesc</i>	e	smoky teatree	upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery
<i>Leptospermum lanigerur</i>		woolly teatree	shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base
<i>Leptospermum nitidum</i>	e	shiny teatree	shrub to 4m; leaves shiny green, to 2cm. Elliptical; flowers white large, 5 petals; fruit hard, scaly, flat-topped, 5 slits
<i>Leptospermum rupestre</i>	e	mountain teatree	shrub; leaves elliptical, 8 mm long; flowers 5-petaled; fruit woody
<i>Leptospermum scopariur</i>		common teatree	shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody
<i>Leucochrysum albicans</i>		grasslands paperdaisy	herb, light grey, hairy, to 20cm high; leaves narrow, linear, to 12cm long; paper daisy flower heads, white with yellow centre
<i>Leucopogon collinus</i>		white beardheath	shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches
<i>Leucopogon oreophilus</i>	e	highland beardheath	prostrate shrub; leaves to 6mm long, elliptic; flowers white, tubular, bearded inside, crowded in terminal spikes
<i>Lilaeopsis polyantha</i>		jointed swampstalks	small perennial herb, prostrate; leaves in groups, narrow linear, seemingly jointed; flowers tiny, mauve, in groups of 4-8
<i>Liparophyllum exiguum</i>	e	dwarf marshwort	tiny herb, forms tangled masses; leaves elliptical/round, to 6mm long; flowers tiny, yellow, on slim stems
<i>Liparophyllum gunnii</i>	t	alpine marshwort	small herb often forming submerged patches in subalpine tarns; leaves fleshy; flowers small white

Cradle\$

<i>Lobelia surrepens</i>		mud lobelia	perennial herb, creeping; leaves oblong, to 2cm long; flowers tubular, pale blue or white
<i>Lomatia polymorpha</i>	e	mountain guitarplant	shrub to 4m high; leaves usually narrow lance-shaped, hairy under; flowers white, in terminal racemes; fruit woody,
<i>Lomatia tinctoria</i>	e	guitarplant	shrub; divided leaves very variable in form; white flowers
<i>Melaleuca squamea</i>		swamp honeymyrtle	shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in terminal globular heads
<i>Microseris lanceolata</i>		highland yam daisy	rosette herb; leaves erect, to 20 cm long; single yellow flower head on tall stem
<i>Mitrasacme serpyllifolia</i>		thyme mitrewort	herb, stems to 7cm long, prostrate; flowers white, tubular, to 4mm diam
<i>Monotoca empetrifolia</i>	e	mat broomheath	shrub; leaves sharply pointed; flowers white, bell-shaped, 2-3 together
<i>Monotoca glauca</i>		goldey wood	shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups
<i>Monotoca linifolia</i>	e		
<i>Montia australasica</i>		white purslane	prostrate fleshy herb; leaves narrow, to 9 cm long; flowers white
<i>Montitega dealbata</i>	e	carpet cheeseberry	mat shrub; leaves blunt, to 4 mm long, waxy white under; flowers white bell shaped
<i>Muehlenbeckia axillaris</i>		matted lignum	prostrate shrub, to 80cm diam; leaves round, to 5mm long; flowers to 5mm diam, white, 5-lobed; fruit shiny, black
<i>Myriophyllum pedunculat</i>		mat water-milfoil	
<i>Nematolepis squamea</i>		satinwood	shrub/tree to 8m high; leaves lance-shaped, to 8cm long, green above, silver under; flowers white, 5-petalled, 1cm diam
<i>Nothofagus cunninghami</i>		myrtle beech	tree to 50m; leaves roundish, new growth red; flowers inconspicuous
<i>Nothofagus gunnii</i>	e	deciduous beech	shrub to 3m high; leaves to 20mm long, rounded with shallow rounded teeth, crinkled, deciduous;
<i>Olearia algida</i>		alpine daisybush	shrub to 60 cm; leaves 1-3 mm long, in clusters, dark green above, hairy white below; daisy flower heads small
<i>Olearia erubescens</i>		moth daisybush	shrub to 2m; leaves dark green above, lighter below, edges toothed, tips pointed; white daisy flowers, 3-6 "petals"
<i>Olearia ledifolia</i>	e	rock daisybush	shrub to 60cm; leaves oblong to 3cm, folded down, hairy under; daisy flowers white
<i>Olearia myrsinoides</i>	?	silky daisybush	shrub to 1.5m high; leaves elliptical to 15mm long, margins toothed, dark green above, hairy white under; daisy flower heads with 2-3 white "petals"
<i>Olearia obcordata</i>	e	heartleaf daisybush	shrub to 60 cm; leaves wedge shaped with lobed ends; flower heads white
<i>Olearia persoonioides</i>	e	geebung daisybush	shrub to 3m; leaves elliptical to 5cm, shiny above, hairy below; flower heads 3 to 5 on single stem

Cradle\$

<i>Olearia phlogopappa</i>		dusty daisybush	shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.
<i>Olearia pinifolia</i>	e	prickly daisybush	shrub to 3m; leaves rigid, linear, sharp pointed, to 4cm; white daisy flowers on fine stalks, up to 6 "petals"
<i>Olearia stellulata</i>		sawleaf daisybush	shrub to 3m high; leaves elliptical, 5-9cm long, green above, hairy white under; daisy flower heads numerous, white with yellow centres
<i>Olearia tasmanica</i>	e	tasmanian daisybush	shrub to 3m; leaves elliptical to 5cm, shiny above, white & hairy below; white daisy flower heads 3 to 5 on single stem
<i>Oreomyrrhis argentea</i>		silver caraway	herb, silvery white, densely hairy; leaves feathery, twice divided, to 8cm long; flowers small, white, in flat-topped clusters
<i>Oreomyrrhis ciliata</i>		fringed caraway	rosette herb; leaves twice divided; flowers white, in flat-topped clusters on short stems
<i>Oreomyrrhis eriopoda</i>		australian caraway	rosett herb; leaves twice divided somewhat hairy; flowers small in heads
<i>Oreomyrrhis sessiliflora</i>	e	carrotty caraway	rosette herb; leaves divided, hairless; flowers in heads
<i>Orites acicularis</i>	e	yellow orites	shrub to 1.5m; leaves cylindrical, yellowish, sharp-pointed; flowers creamy white
<i>Orites revolutus</i>	e	revolute orites	shrub to 2m; leaves rolled into a cylinder; flowers in pairs, white
<i>Ornduffia reniformis</i>		running marshflower	fleshy herb in water or on wet mud; leaves kidney-shaped to 10cm across; flowers bright yellow, 2-4cm diam, in groups
<i>Ourisia integrifolia</i>	e	mountain whitebell	prostrate herb rooting at nodes; leaves thick, to 12 mm long; flowers white
<i>Oxalis magellanica</i>		snowdrop woodsorrel	herb; leaves with 3 heart-shaped leaflets; flowers white, on stalks longer than leaves
<i>Oxylobium ellipticum</i>		golden shaggypea	shrub to 2.5m leaves elliptical, grey or rusty below; golden pea flowers clustered at ends of branches
<i>Ozothamnus hookeri</i>	e	scaly everlastingbush	shrub to 2m; leaves light green/yellow, tirangular, to 2mm, sticky; flowers cream, small, in terminal clusters
<i>Ozothamnus ledifolius</i>	e	mountain everlastingbush	shrub to 1.5m high, aromatic, sticky; leaves narrow, hairy white under; flower heads red or yellow externally, white centres
<i>Ozothamnus rodwayi</i>			shrub to 1m high; leaves ovate, to 15mm long, grey/green above, white hairy under; flower heads in profuse, terminal clusters
<i>Ozothamnus rosmarinifol</i>		swamp everlastingbush	shrub to 3m high; leaves to 3.5 cm long, linear, hairy white under; flower heads white/pink, in compact, terminal clusters
<i>Pappochroma pappocron</i>	e	violet mountindaisy	rosette herb; leaves spatulate, rough feel; daisy flower head white or purplish
<i>Pappochroma stellatum</i>	e	star mountindaisy	rosette herb; leaves to 2cm long, linear; daisy flower head white or cream
<i>Pentachondra pumila</i>		carpet frillyheath	prostrate mat forming shrub; leaves oblong to 4mm long; flowers tubular, white; fruit red

Cradle\$

<i>Persoonia gunnii</i>	e	mountain geebung	shrub to 3m high; leaves turned up at blunt end; flowers cream/yellow, tubular, fragrant; fruit green then purple
<i>Persoonia juniperina</i>		prickly geebung	shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers
<i>Persoonia muelleri</i>	e		shrub to 5m high; leaves narrow, turned up at end; flowers yellow, tubular; fruit red/purple
<i>Phyllachne colensoi</i>	t	yellow cushionplant	cushion plant, hard, 3-4cm high; leaves small, overlapping; flowers white, 5-petaled, barely above surface of cushion
<i>Pimelea drupacea</i>		cherry riceflower	shrub to 3m;
<i>Pimelea linifolia</i>		slender riceflower	
<i>Pimelea sericea</i>	e	mountain riceflower	shrub to 70 cm; leaves hairy below, to 12 mm long; flowers white to pink, in heads
<i>Pittosporum bicolor</i>		cheesewood	tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow
<i>Planocarpa petiolaris</i>	e	alpine cheeseberry	shrub to 30 cm high; leaves white under, pointed, to 7mm long; flowers white, tubular; fruit flattened, dull red/black drupes
<i>Planocarpa sulcata</i>	e	grooved cheeseberry	shrub to 40cm high; leaves crowded, to 1cm long, margins rolled under; flowers white, tubular; fruit a flattened, red drupe
<i>Plantago daltonii</i>	e	alpine plantain	rosette herb; leaves hairless, to 10cm; sometimes in cushion plants
<i>Plantago gunnii</i>	e	bolster plantain	small herb; always grows in cushion plants; leaves ca. 1cm long in a rosette; flowers in a cluster on short stalk
<i>Plantago tasmanica</i>	e	tasmanian plantain	rosette herb; leaves thick, hairy;
<i>Podolepis jaceoides</i>		eastern copperwire-daisy	not on mainland Tas
<i>Pomaderris apetala</i>		common dogwood	shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.
<i>Prionotes cerinthoides</i>	e	climbing heath	climbing shrub to 10m high; leaves to 14mm long, oblong, margins serrated; flowers pink/red, tubular, to 25mm long
<i>Pterygopappus lawrencei</i>	e	sage cushionplant	sage-green soft cushion plant; leaves form hexagons with tiny flower at centre
<i>Pultenaea dentata</i>		swamp bushpea	shrub to 90cm tall; leaves to 10mm long, crowded near ends of branches; yellow, pea flowers in small terminal bunches
<i>Pultenaea juniperina</i>		prickly beauty	shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches
<i>Ranunculus collicola</i>	e	lake augusta buttercup	herb; leaves in rosette, fleshy, on stalks to 45mm long, three leaflets; flowers golden yellow, 1-5 on stalk to 35mm long
<i>Ranunculus collinus</i>		mountain buttercup	perennial prostrate herb of wet subalpine areas, spreads by rooting of stems; flowers single, yellow on stem above rosette

Cradle\$

<i>Ranunculus decurvus</i>	e	nodding buttercup	perennial herb, fine hairs on stem & leaves; leaves in rosette, on stalks to 13cm long, leaf lobed, to 22mm wide; flowers yellow, on stems to 3cm long, petals 1-5
<i>Ranunculus glabrifolius</i>		shining buttercup	perennial herb, hairless; leaves in rosette, on stalks 3cm long; flowers yellow, 1-3 on stalks to 25cm long
<i>Ranunculus gunnianus</i>		tufted buttercup	rosette herb; leaves erect, divided several times; flowers white/yellow, single
<i>Ranunculus nanus</i>	e	dwarf buttercup	rosette herb. leaves with three lobes; flowers golden on long stems, to 15mm diam.
<i>Ranunculus pascuinus</i>	e	pressed-hair buttercup	perennial herb, hairy; leaves in rosette, on stalks to 10cm long, lobed; flowers yellow, often purple under, on stalks to 20cm long, 5 petals
<i>Ranunculus triplodontus</i>		threetooth buttercup	perennial herb; leaves in rosette & on flowering stems, on stalks to 12cm long; flowers yellow, 1-3 on stalks to 9cm long
<i>Richea acerosa</i>	e	slender candleheath	shrub to 1.2m; leaves narrow, sharp pointed, erect, 14mm long; white flowers at end of branch
<i>Richea gunnii</i>	e	bog candleheath	shrub to 1m; leaves at ends of branches, curved down, to 4cm long, sharp; flowers white
<i>Richea pandanifolia</i>	e		heath to 10m high; leaves strap-like, to 2m long; flowers white/pink maturing to deep pink, in spike to 25cm long
<i>Richea procera</i>	e	lax candleheath	shrub to 3m high; leaves to 25mm long, tapering to long point; flowers lemon, in terminal clusters
<i>Richea scoparia</i>	e	scoparia	shrub to >1m; leave to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red
<i>Richea sprengeioides</i>	e	rigid candleheath	shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches
<i>Rubus gunnianus</i>	e	alpine raspberry	prostrate alpine herb, spreads by rhizomes; leaves dark green, three serrated leaflets; flowers white on short stalks; fruit red
<i>Scaevola hookeri</i>		creeping fanflower	herb, spreading, prostrate; leaves variable, ovate, hairy; flowers white, hairy outside, petals winged
<i>Scapisenecio albogilvus</i>		white alpine groundsel	herb to 30cm high; leaves in rosette, 3-4cm long, edges with 1-2 teeth; daisy flower heads, white/cream, solitary, 3cm diam
<i>Scapisenecio leptocarpus</i>		western groundsel	herb to 30cm high; leaves crowded near base, toothed; daisy flower heads, yellow, to 2.5cm diam, 2-5 on stem,
<i>Scapisenecio pectinatus</i>	e	yellow alpine groundsel	rosette herb; leaves deeply lobed, hairless; single yellow flower head on vertical stem
<i>Schizacme archeri</i>	e	cushion mitrewort	perennial prostrate, matt-forming herb; leaves crowded, overlappin, to 5mm long, margins transparent; flowers white, tubular, 2mm long
<i>Schizacme montana</i>		mountain mitrewort	perennial prostrate herb, forming small patches; leaves crowded, overlapping, circular; flowers white, tubular

Cradle\$

<i>Senecio gunnii</i>	e	mountain fireweed	erect herb to 50cm; leaves green above purple below; flowers, no petals, in groups
<i>Senecio minimus</i>		shrubby fireweed	perennial herb to 1.2m high; leaves vble, toothed, lower ones broader, lanceolate, to 15cm long; flower heads without "petals", yellow, numerous
<i>Sprengelia Montana</i>	e		shrub to 30cm high; leaves sheathing the stem, tapering to a point; flowers white/pink, star-shaped, in groups of up to 10 at ends of branches
<i>Stylidium graminifolium</i>		narrowleaf triggerplant	herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes
<i>Styphelia ericoides</i>		pink beardheath	erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside
<i>Tasmannia lanceolata</i>		mountain pepper	tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black
<i>Telopea truncata</i>	e	tasmanian waratah	tree to 4m; leaves lance-shaped; flowers red, to 8cm diam; fruit a leathery pod
<i>Tetracarpaea tasmannica</i>	e	delicate laurel	shrub to 1m high; leaves leathery, oval, tip serrated, to 3cm long; flowers cream/white, small, in terminal spikes
<i>Tetradlea procumbens</i>		spreading pinkbells	prostrate shrub to 20cm high; leaves narrow, margins rolled under, to 8mm; flowers white to mauve/pink. centres dark purple
<i>Trochocarpa cunninghamii</i>	e	straggling purpleberry	shrub to 1.5m high; leaves ovate, to 5mm long, lighter under; flowers pink/white, tubular, pendulous; fruit flattened, mauve
<i>Trochocarpa gunnii</i>	e	fragrant purpleberry	shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes
<i>Trochocarpa thymifolia</i>	e	thymeleaf purpleberry	shrub to 1.5m; leaves 2-4mm long, crowded; flowers pink/white in spikes; fruit fleshy, mauve/purple
<i>Utricularia dichotoma</i>		fairies aprons	usually in large numbers in damp soil; violet flowers
<i>Veronica calycina</i>		hairy speedwell	perennial herb to 25cm high; leaves hairy, 1-2.5cm long, coarsely toothed; flowers reddish purple, in small groups
<i>Veronica gracilis</i>		slender speedwell	herb to 10cm; leaves narrow lance-shaped, to 3.5cm; flowers blue, four petalled
<i>Veronica nivea</i>		snow speedwell	small shrub to 50 cm; leaves divided; flowers in spikes, white, blue or mauve
<i>Viola betonicifolia</i>		showy violet	rosette herb to 6cm; leaves erect, lance-shaped; flowers violet on long stem
<i>Viola hederacea</i>		ivy-leaf violet	herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks
<i>Wahlenbergia ceracea</i>		waxy bluebell	perennial herb to 80cm high; leaves elliptical, 1-2cm long; flowers bell-shaped, pale blue, 5-petalled, on long stalks
<i>Wahlenbergia saxicola</i>	e	mountain bluebell	herb to 9 cm high; leaves elliptical to 3 cm; flowers blue, bell-shaped

Cradle\$

<i>Xerochrysum milliganii</i>	e	snow paperdaisy	herb to 10cm high; leaves thick, pointed, elliptical in rosette; paper daisy flower head, 2-3cm diam, white with yellow centre
<i>Xerochrysum subundulata</i>		orange paperdaisy	herb to 29cm tall, in colonies; flowers golden, to 5cm diam, single on stems
<i>Brachyscome spathulata</i>			
<i>Leptecophylla juniperina</i>	e	cheeseberry	not in Tas
<i>Blechnum nudum</i>		fishbone waterfern	fronds light green divided only once, fertile fronds different
<i>Blechnum watsii</i>		hard waterfern	fronds dark green, divided only once, fertile fronds different
<i>Dicksonia antarctica</i>		soft treefern	Tall fern, trunks to several metres tall
<i>Gleichenia alpina</i>	e	alpine corallfern	low growing fern; fronds dividing in two at ends; tiny pouched pinnules each contain two spore packets
<i>Hymenophyllum cupressi</i>		common filmyfern	
<i>Hymenophyllum flabellatum</i>		shiny filmyfern	
<i>Microsorium pustulatum</i>		kangaroo fern	growing on trunks of other plants or rocks
<i>Polystichum proliferum</i>		mother shieldfern	note bulbils (new FERN) on fronds
<i>Pteridium esculentum</i>		bracken	common fern to 2.5m tall; leathery much divided frond
<i>Astelia alpina</i>		pineapple grass	tufted herb with hairy, stiff strap like leaves, male flowers yellow, female flowers without petals, small red berries.
<i>Baloskion tetraphyllum</i>		southern cordrush	rush to 1m; leaves replaced by brown sheaths along flowering stems; flowers in terminal clusters
<i>Caladenia alpina</i>		alpine finger-orchid	robust orchid to 30cm high; leaves to 22cm long, base red; flowers 1 to 4, to 35mm across, white inside, pink outside
<i>Campynema lineare</i>	e	green mountainlily	herb to 30cm high; single basal leaf & smaller stem leaves; flower usually single, green
<i>Corybas incurvus</i>		slaty helmet-orchid	small orchid; leaf heart-shaped, green below; flower dark purple with white central patch and a fringe of short teeth
<i>Dianella revoluta</i>		flax lily	strap-like leaves; blue & yellow flowers; blue berries, stamen tips yellow
<i>Dianella tasmanica</i>		forest flaxlily	perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry
<i>Diplarrena latifolia</i>	e	western flag-iris	perennial herb; leaves strap-like, to 100cm long, flowers on long stalks, white with yellow & purple centres
<i>Diplarrena moraea</i>		white flag-iris	strap-like leaves; white flowers
<i>Drymophila cyanocarpa</i>		turquoise berry	
<i>Eriochilus cucullatus</i>		autumn-orchid	to 30 cm tall pink flower like a parson's bands

Cradle\$

<i>Gahnia grandis</i>		cutting grass	tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m
<i>Gymnoschoenus sphaeroc</i>		buttongrass	sedge with dense tufts of leaves to 60cm high; flowers in tight spherical clusters on stalks to 100cm high
<i>Herpolirion novae-zeland</i>		sky lily	small herb spreading by rhizomes; leaves linear, keeled under; flowers blue & white, close to ground
<i>Isophysis tasmanica</i>	e	tasmanian purplestar	herb to 30cm high; leaves tapered, in fan-shaped tufts, flowers purple, star-shaped, on stem longer than leaves
<i>Juncus pauciflorus</i>		looseflower rush	clumped rush to 1m; flowering stems cylindrical, compressible; flowers in loose clusters near ends of stems.
<i>Libertia pulchella</i>		pretty grassflag	perennial herb; leaves narrow in fans to 15cm long; flowers small, white, 6-petalled, in small clusters
<i>Milligania densiflora</i>	e	silky milligania	lily to 75cm high, growing in dense colonies; leaves strap-like, to 50cm long; flowers cream/white, tubular, hairy, in groups at ends of stems
<i>Paraprasophyllum alpinu</i>	e	alpine leek-orchid	orchid to 30cm high; leaf single, to 20cm high, dark green with white base; flowers 5-14, green, in a spike
<i>Patersonia fragilis</i>		short purpleflag	
<i>Poa gunnii</i>	e	gunns snowgrass	tussock grass to 70cm tall; leaves circular in x-section, pointed ends
<i>Pterostylis decurva</i>		summer greenhood	orchid to 30cm high; leaves on stem to 4cm long; flower solitary, green/white/brown with long, thread-like "nose" and "ears"
<i>Townsonia viridis</i>	e	beech orchid	orchid to 15cm high; 1 basal leaf and 1 on stem, ovate; flowers 1-4, green with red markings, small
<i>Trithuria filamentosa</i>		tasmanian watertuft	tiny grass like alpine and subalpine plant that forms cushions in shallow water. Tiny rudimentary red flowers have 3 stamens
<i>Wurmbea uniflora</i>		oneflower early nancy	herb to 10cm high; 3 narrow leaves on stem; flowers usually single, white, 6-petalled
<i>Xyris operculata</i>	e	tall yelloweye	



PLANT LIST

Cradle Mountain / Lake St Clair National Park

Created 02-Apr-13
Updated 09-May-23
By JB Kirkpatrick, J Balmer, Dick Burns

[Goto List](#)



GJ [*Athrotaxis cupressoides*](#)

pencil pine
conifer to 20m high; bark fibrous, furrowed; leaves small, overlapping; cones spherical



GJ [*Athrotaxis selaginoides*](#)

king billy pine
conifer to 40m high; leaves to 12mm long, loosely overlapping; cones spherical to 2cm diam




RW [*Diselma archeri*](#)

dwarf pine
shrub to 1.5m high; leaves small, crowded, overlapping, appressed to stems; cones appear to be bulges at ends of branches



GJ [*Microcachrys tetragona*](#)

creeping pine
prostrate conifer; leaves tiny, appressed to stem; cones small, terminal, red when ripe



GJ [*Pherosphaera hookeriana*](#)

mount mawson pine
shrub to 2.5m high; leaves small, overlapping, appressed to stem; male cones spherical, terminal; female cones pendulous



GJ [*Phyllocladus aspleniifolius*](#)

celerytop pine
conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to "leaves", white & red



GJ [*Podocarpus lawrencei*](#)

mountain plumpine
low shrub; leaves crowded, to 15 mm; female cone a fleshy red scale



RS [*Abrotanella forsteroides*](#)

tasmanian cushionplant
hard, bright green cushion plant; tiny white flowers protrude



GJ *Acacia dealbata*

silver wattle
tree with grey green feathery leaves; golden flowers



RW *Acacia mucronata*

subsp. mucronata
caterpillar wattle
erect shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes



GJ *Acaena montana*

mountain buzzy
prostrate herb; spherical flower/seed heads with hooks



RS *Acaena novae-zelandiae*

common buzzy
herb; leaves divided; balls of flower/seeds with hooks



GJ *Acrothamnus hookeri*

mountain beardheath
shrub to 60 cm; leaves blunt, to 10mm; white flowers hairy inside



GJ [*Acrothamnus montanus*](#)

snow beardheath
shrub to 60m; blunt leaves to 10mm; white flowers hairless inside



GJ [*Actinotus bellidioides*](#)

tiny flannelflower
small, herb; leaves in a rosette, hairy; group of small flowers on stem which elongates at fruiting stage



GJ [*Agastachys odorata*](#)

fragrant candlebush
shrub to 3m high; leaves hairless, oblong, to 8cm long; white flowers in erect spikes up to 12cm long



GJ [*Ajuga australis*](#)

australian bugle



GJ [*Allocasuarina zephyrea*](#)

western sheoak
shrub to 2m; leaves are small teeth on needle-like branchlets; flowers m & f separate; cones to 3.5cm



GJ [*Almaleea subumbellata*](#)

wiry bushpea

shrub to 90 cm; leaves oblong to 8 mm; yellow/orange pea flowers in bunches at ends of stems



RW [*Anodopetalum biglandulosum*](#)

horizontal

shrub, or tree to 15m high; trunk usually bends over; leaves opposite, narrow elliptical, to 6cm long; flowers 4-petalled, cream/pale green



GJ [*Anopterus glandulosus*](#)

tasmanian laurel

shrub/small tree to 4m; leaves glossy, to 17cm; flowers in clusters, 6-petalled, bell shaped, white/pink



GJ [*Archeria comberi*](#)

pink summit-heath

shrub to 1m high; leaves to 4mm long, ovate to circular; flowers tubular, deep pink, 8mm long, near branch ends



GJ [*Archeria eriocarpa*](#)

hairy rainforest-heath

shrub to 2.5m high; leaves to 9mm long, elliptical, edges finely toothed; flowers tubular, white/pink, to 7mm long



GJ [*Archeria hirtella*](#)

smooth rainforest-heath
shrub to 4m high; leaves to 10mm long, elliptical; flowers
tubular, white/pink



GJ [*Archeria serpyllifolia*](#)

thyme summit-heath
shrub to 75cm high; leaves elliptical to 8mm long; flowers
white, tubular to 5mm long



GJ [*Aristotelia peduncularis*](#)

heartberry
straggling shrub to 1.5m; leaves to 70mm, lance-shaped,
edges serrated; flowers white, bell-shaped, petals three-
toothed; fruit heart shaped, white, red or black



GJ [*Asperula gunnii*](#)

mountain woodruff
mat herb; hairless leaves in whorls of 4; tiny white flowers



GJ [*Atherosperma moschatum*](#)

sassafras
tree to 25m; leaves to 8cm elliptical, margins often toothed;
flowers white, in pairs, pendulous, 4-petaled. Male and female
flowers on same or separate trees



GJ *Baeckea gunniana*

alpine heathmyrtle
shrub to 2m; leaves to 5mm, oblong; flowers 5mm diam; white
petals, red centre



GJ *Baeckea leptocaulis*

slender heathmyrtle



GJ *Banksia marginata*

silver banksia
tree with typical banksia cones or yellow flower spikes



GJ *Bauera rubioides*

wiry bauera
sprawling wiry shrub; leaves opposite, each with three leaflets;
flowers white to pink



RS *Bellendenia montana*

mountain rocket
shrub to 1m; leaves to 4cm, variable shape; flowers white in
broad spikes; fruit flat, bright red



GJ [*Billardiera macrantha*](#)

forest appleberry
vine clammers over other plants; leaves lance-like to 5cm;
flowers tubular, yellow/green; fruit blue/purple



GJ [*Blandfordia punicea*](#)

christmas bells
lily-like herb; leaves strap-like to 1.5m; flowers tubular,
red/orange externally yellow internally to 45mm long



GJ [*Boronia citriodora*](#)

subsp. citriodora
central lemon boronia
shrub to 1.5m high; leaves divided, to 8mm long, strong citrus
odour when crushed; flowers 4-petalled, white/pink



GJ [*Boronia parviflora*](#)

swamp boronia
prostrate or dwarf shrub; leaves to 2 cm; flowers small with 4
pointed petals.




GJ [*Boronia rhomboidea*](#)

broadleaf boronia
shrub to 75cm high; leaves rhomboid to 12mm long; flowers 4-
petalled, white/pink



GJ [*Bossiaea cordigera*](#)

wiry bossia
shrub to 40cm; leaves small, heart-shaped; pea flowers yellow with red centre & outside



GJ [*Bossiaea riparia*](#)

leafless bossia
leafless shrub with flattened branches; yellow and red pea flowers



GJ [*Brachyscome decipiens*](#)

field daisy
herb; bright green leaves in rosette; single blue/white daisy flower



GJ [*Brachyscome graminea*](#)

grass daisy
herb perennial, to 70cm high; leaves narrow, to 14cm long, bright green; flower head white/mauve/pink, yellow centred, on long stalk



GJ [*Cardamine paucijuga*](#)

annual bittercress
slender herb to 40cm high; leaves lobed



RS [*Celmisia asteliifolia*](#)

silver snowdaisy
rosette herb to 30cm; leaves to 15cm, green above, silver hairy below; single large white daisy flower on long stem



RW [*Celmisia saxifraga*](#)

small snowdaisy
perennial herb; leaves silver-hairy, overlapping, to 3cm long; flower heads white with yellow centres, on long stems




GJ [*Cenarrhenes nitida*](#)

native plum
shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes



GJ [*Centella cordifolia*](#)

swampwort
prostrate marsh herb; leaves almost circular; flowers small, pink in clusters on short stalks



GJ [*Clematis aristata*](#)

mountain clematis
climber; leaves multi-lobed; large white star-like flowers



GJ [Coprosma hirtella](#)

coffeeberry

shrub to 2m; leaves dark green, leathery to 6cm long, pointed tip; fruit red/black, fleshy



GJ [Coprosma moorei](#)

blue matcurrant

shrub, prostrate, to 30cm diam; leaves ovate, thick, shining, to 5mm long; flowers small, bell-shaped; fruit blue, spherical



RW [Coprosma nitida](#)

mountain currant

shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red



RS [Coprosma perpusilla](#)

subsp. perpusilla

orange matcurrant

prostrate shrub; leaves to 9 mm; yellowish flowers protruding



GJ [Coprosma pumila](#)

dwarf matcurrant

prostrate shrub; leaves to 8 mm; fruit dark red



GJ [*Coprosma quadrifida*](#)

native currant
erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange



RS [*Coronidium scorpioides*](#)

curling everlasting
herb with single golden daisy flower heads on long stems




RS [*Cotula alpina*](#)

alpine buttons
rosette herb; leaves with narrow lobes; flower heads on short stems



GJ [*Craspedia glauca*](#)

common billybuttons
herb; tiny cream flowers in almost spherical heads;



GJ [*Craspedia macrocephala*](#)

alpine billybuttons
herb; single white spherical daisy flower heads to 2.5 cm diam.



GJ [*Cryptandra alpina*](#)

alpine pearlflower
small prostrate shrub; leaves cylindrical or 3-angled, to 3mm long; flowers bell-shaped, white, to 4mm long



GJ [*Cyathodes straminea*](#)

spreading cheeseberry
shrub to 1m; leaves rounded at ends, to 15mm; flowers tubular; fruit red;



GJ [*Dichosciadium ranunculaceum*](#)

var. tasmanicum
buttercup parsley
prostrate herb; leaves hairy, round, lobed, on long stalks; flowers small, white, on stalks above the leaves



GJ [*Donatia novae-zelandiae*](#)

snow cushionplant
alpine cushion plant in western and central mountains; leaves hairy at base; flowers white, petals 5, each 5mm long



GJ [*Dracophyllum minimum*](#)

heath cushionplant
alpine cushion plant to 90cm diam; leaves hard pointed, hairless; flowers white, tubular



RS [*Drosera arcturi*](#)

alpine sundew
carnivorous rosette herb; leaves elongated; single white flower



GJ [*Drosera binata*](#)

forked sundew
herb; leaves forked, on long stem, blades with glistening hairs;
flowers white, to 2cm diam, in groups of up to 40



GJ [*Drosera gunniana*](#)

pale sundew
erect herb to 30cm high; leaves at base round on stem
crescent shaped, fringed with glistening hairs; flowers white or
pink



GJ [*Drosera pygmaea*](#)

dwarf sundew
tiny carnivorous herb; leaves round, fringed with hairs, in basal
rosette; tiny single white flower



GJ [*Epacris gunnii*](#)

coral heath
shrub to 80 cm; leaves heart shaped, prickly; white tube
flowers



GJ *Epacris impressa*

common heath
shrub; white, red or pink tubular flowers with dimples at base



GJ *Epacris lanuginosa*

swamp heath
erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters



GJ *Epacris serpyllifolia*

alpine heath
shrub to 1 m; blunt leaves to 3 mm long; white tube flowers



GJ *Epilobium billardioreanum*

subsp. cinereum
robust willowherb
herb to 30cm high; leaves opposite, to 2.5cm long; flowers pink, petals notched at tip; fruit long, narrow cylindrical



GJ *Epilobium gunnianum*

bog willowherb
erect herb to 30 cm; flowers purplish pink to 20 mm diam., petal tip notched



GJ [*Epilobium tasmanicum*](#)

snow willowherb
prostrate herb; leaves stalkless, glandular teeth; pink flowers
on short stalks, petal tip notched



GJ [*Eucalyptus amygdalina*](#)

black peppermint
tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-
15+



GJ [*Eucalyptus archeri*](#)

alpine cider gum
small tree; trunk smooth above base; young leaves round adult
leaves lance shaped; buds in 3's



GJ [*Eucalyptus coccifera*](#)

snow peppermint
tree 9-30m tall; adult leaves lance-shaped with hooked tip



GJ [*Eucalyptus dalrympleana*](#)

subsp. dalrympleana
mountain white gum
tree to 40m high, trunk rough at base, white/yellow/pink/grey,
smooth above; leaves lance-shaped, edges wavy, narrow to
20cm long



GJ *Eucalyptus delegatensis*
subsp. tasmaniensis
gumtopped stringybark
tree to 50m; stringy bark on most of trunk, branches white;
leaves asymmetrical.



GJ *Eucalyptus gunnii*
cider gum
tree to 20m high, bark rough at base, smooth green/white
above; leaves grey-green, ovate, to 8cm long




GJ *Eucalyptus pauciflora*
subsp. pauciflora
cabbage gum
tree to 20m high, bark rough at base, smooth white/cream
above; leaves lance-shaped, parallel veined, to 18cm long



GJ *Eucalyptus rodwayi*
swamp peppermint
tree to 18m high, bark, fibrous, furrowed, rough to lowest
branches; leaves lance-shaped, veins faint, to 12cm long



GJ *Eucalyptus subcrenulata*
alpine yellow gum
tree to 50m high, bark smooth, yellowish green to pale grey,
with colour blotches; leaves to 11cm long, scalloped edges



GM *Eucalyptus vernicosa*

varnished gum
shrub to 2m high, smooth, grey; leaves opposite, round with small point, to 2.5cm long



GM *Euchiton japonicus*

common cottonleaf
perennial herb to 40cm; stems white, cottony hairy; leaves hairy under; daisy flowers in terminal groups



GJ *Euchiton traversii*

mat cottonleaf



GJ *Euchiton umbricola*

cliff cottonleaf



GJ *Eucryphia lucida*

leatherwood
tree to 12m; leaves green above whitish below, ends blunt; flowers with 4 rounded white petals & numerous reddish stamens



GJ *Euphrasia collina*
subsp. diemenica
plain tufted-eyebright
erect herb to 50 cm; corolla two-lipped, white to lilac, outer surface hairy



GJ *Euphrasia hookeri*
fingerleaf eyebright
herb to 10cm high; leaves with several, narrow, red-tipped lobes; flowers white with purple stripes, glandular hairy,



RW *Euphrasia striata*
shiny striped eyebright
perennial herb to 30cm, stems often purple; leaves with toothed ends; flowers white/mauve, lobes with purple lines



RS *Ewartia catipes*
diamond cushionherb
mat-forming rosette herb; leaves woolly white; flower head pink/white at centre



GJ *Ewartia meredithiae*
rusty cushionherb
herb forming cushion-like mats; leaves to 5mm long, woolly white; flower heads single, white with reddish centre



GJ [*Ewartia planchonii*](#)

creeping cushionherb
creeping rosette herb; leaves white woolly; flower heads above rosette



GJ [*Exocarpos humifusus*](#)

mountain native-cherry
prostrate shrub; leaf scales alternate; tiny flowers in groups;
fruit dark red



GJ [*Exocarpos nanus*](#)

alpine native-cherry
prostrate shrub; leaf scales opposite; fruit dark red



GJ [*Forstera bellidifolia*](#)

tasmanian forstera
herb, leaves in rosette at base, thick, 15mm long; flower single
white, small, on stalk to 12cm high,



GJ [*Galium australe*](#)

coast bedstraw
perennial herb with straggling stems; leaves in whorls of 4;
flowers small, white, in groups of 1-4 along stem



GJ [*Gaultheria depressa*](#)

creeping waxberry
prostrate shrub; leaves round, 10 mm diam; fruit to 10 mm diam; red/white



RS [*Gaultheria hispida*](#)

copperleaf snowberry
shrub to 1m; leaves dark green, edges serrated; flowers urn shaped, white/pink; fruit white, fleshy



GJ [*Gaultheria tasmanica*](#)

tasmanian waxberry
prostrate shrub, forms mat to 30cm diam; leaves to 6mm; flowers white, tubular; fruit red, fleshy, round, flattened,



GJ [*Gentianella diemensis*](#)

subsp. Diemensis
tasmanian snowgiant
herb to 20cm high; leaves with central vein, in rosette at base; flowers white, 5-petaled, often with purple veins



GJ [*Geranium brevicaule*](#)

alpine cranesbill
herb; leaves in a rosette, long-stalked. blade round, deeply lobed; flowers nestled among leaves, pink



RW *Geranium potentilloides*

geranium
herb; lobed leaves; pink flowers; "storksbill" fruit



GJ *Gonocarpus micranthus*

subsp. micranthus
common raspwort
herb, more or less prostrate; leaves opposite, round; flowers in terminal groups, tiny, pendulous; fruit tiny, purple/brown



RS *Gonocarpus montanus*

mountain raspwort
herb, stems square in x-section, leaves opposite, flowers tiny, red



GJ *Gonocarpus serpyllifolius*

alpine raspwort
herb, stems creeping, rough to touch; leaves opposite, elliptical, to 12mm; flowers tiny, reddish brown



GW *Gonocarpus teucrioides*

forest raspwort
perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.



GJ [*Goodenia montana*](#)

mountain velleia
herb; leaves in a rosette, oblong, to 5cm long, often hairy;
flowers on very short stalks, yellow



GJ [*Gratiola nana*](#)

matted brooklime
herb prostrate with tips of branches erect; leaves thick, pale
green, to 8mm long; flowers pink, tubular



GJ [*Grevillea australis*](#)

southern grevillea
low shrub; leaves narrow sharp-pointed; flowers white



GJ [*Gunnera cordifolia*](#)

tasmanian mudleaf
fleshy herb forming large matted patches; leaves in rosettes,
blade round; flowers small, crowded in spikes



GJ [*Hakea epiglottis*](#)

beaked needlebush
shrub to 3m high; leaves needle-like, sharply pointed, to 5cm
long; flowers yellow, spider-like; fruit woody, S-shaped



GJ [Hakea lissosperma](#)

mountain needlebush
small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface



GJ [Hakea microcarpa](#)

smallfruit needlebush
sharp needle-like leaves, white flowers, small woody fruits



GJ [Hibbertia ericifolia](#)

thyme guineaflower
spreading shrub to 20cm high; narrow leaves hairy under; golden flowers



RS [Hibbertia procumbens](#)

spreading guineaflower
prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous



GJ [Hydrocotyle hirta](#)

hairy pennywort
mat-forming herb with hairy stems; leaves to 25 mm, rounded to kidney shaped with lobed edges; flowers in tight clusters on stem opposite the leaves.




GJ [*Hydrocotyle muscosa*](#)

mossy pennywort



GJ [*Hydrocotyle pterocarpa*](#)

winged pennywort



GJ [*Hydrocotyle sibthorpioides*](#)

shining pennywort



GJ [*Hypericum gramineum*](#)

small st johns-wort
small herb; small yellow flowers



GJ [*Hypericum japonicum*](#)

matted st johns-wort
herb, matted, to 15cm high; leaves oval to 8mm long; flowers
yellow, propellor-like



RS [*Kelleria dieffenbachii*](#)

carpet riceflower
prostrate shrub; leaves narrow, linear, hairy ; tiny white flowers;



RS [*Lagenophora stipitata*](#)

blue bottledaisy
rosette herb; leaves hairy, to 8cm long; single flower head white or purplish on long hairy stem



GJ [*Leionema montanum*](#)

spreading waxflower
shrub; leaves 1 cm long, cylindrical; flowers white or pink



GJ [*Leionema oldfieldii*](#)

mountain waxflower
shrub to 90cm high; leaves narrow-oblong, green above, paler under; flowers white, in compound, terminal heads



GJ [*Leptecophylla pogonocalyx*](#)

bearded pinkberry
shrub to 3m high; leaves narrow, to 17mm long, sharp-pointed; flowers white, tubular; fruit flattened sphere, red




GJ [*Leptinella filicula*](#)

ferny buttons
prostrate herb; leaves divided; single yellow flower head on stout stem,



GJ [*Leptinella reptans*](#)

creeping buttons
herb, creeping stems, prostrate; leaves hairy, twice divided;
flower heads 8mm diam, yellow, on slender stems



RW [*Leptomeria glomerata*](#)

creeping currantbush
shrub to 30cm high; leaves tiny scales; flowers tiny, white, in clusters along stems; fruit fleshy red with bluish stalk



GJ [*Leptorhynchos squamatus*](#)

scaly buttons
herb; narrow leaves; solitary daisy flower head on wiry stem to 20 cm tall;



GJ [*Leptospermum glaucescens*](#)

smoky teatree
upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery



RS [*Leptospermum lanigerum*](#)

woolly teatree
shrub or small tree; leaves hairy; flowers white, hairy at base;
fruit hairy at base



GJ [*Leptospermum nitidum*](#)

shiny teatree
shrub to 4m; leaves shiny green, to 2cm. Elliptical; flowers
white large, 5 petals; fruit hard, scaly, flat-topped, 5 slits




RS [*Leptospermum rupestre*](#)

mountain teatree
shrub; leaves elliptical, 8 mm long; flowers 5-petaled; fruit
woody



GJ [*Leptospermum scoparium*](#)

common teatree
shrub to 4m; leaves to 2cm with prickly pointed tips; flowers
white; fruit with 5 slits, top convex, woody



GJ [*Leucochrysum albicans*](#)

var.tricolor
grasslands paperdaisy
herb, light grey, hairy, to 20cm high; leaves narrow, linear, to
12cm long; paper daisy flower heads, white with yellow centre



BC *Leucopogon collinus*

white beardheath
shrub to 50cm; leaves with edges turned down; flowers tiny,
tubular, bearded inside, in clusters at ends of branches



GJ *Leucopogon oreophilus*

highland beardheath
prostrate shrub; leaves to 6mm long, elliptic; flowers white,
tubular, bearded inside, crowded in terminal spikes



GJ *Lilaeopsis polyantha*

jointed swampstalks
small perennial herb, prostrate; leaves in groups, narrow
linear, seemingly jointed; flowers tiny, mauve, in groups of 4-8




GJ *Liparophyllum exiguum*

dwarf marshwort
tiny herb, forms tangled masses; leaves elliptical/round, to
6mm long; flowers tiny, yellow, on slim stems



GJ *Liparophyllum gunnii*

alpine marshwort
small herb often forming submerged patches in subalpine
tarns; leaves fleshy; flowers small white



GJ [*Lobelia surrepens*](#)

mud lobelia

perennial herb, creeping; leaves oblong, to 2cm long; flowers tubular, pale blue or white



GJ [*Lomatia polymorpha*](#)

mountain guitarplant

shrub to 4m high; leaves usually narrow lance-shaped, hairy under; flowers white, in terminal racemes; fruit woody,



GJ [*Lomatia tinctoria*](#)

guitarplant

shrub; divided leaves very variable in form; white flowers



GJ [*Melaleuca squamea*](#)

swamp honeymyrtle

shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in terminal globular heads



RS [*Microseris lanceolata*](#)

highland yam daisy

rosette herb; leaves erect, to 20 cm long; single yellow flower head on tall stem



GJ *Mitrasacme serpyllifolia*

thyme mitrewort

herb, stems to 7cm long, prostrate; flowers white, tubular, to 4mm diam



GJ *Monotoca empetrifolia*

mat broomheath

shrub; leaves sharply pointed; flowers white, bell-shaped, 2-3 together



RW *Monotoca glauca*

goldey wood

shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups



GJ *Monotoca linifolia*

subsp. Algida



RS *Montia australasica*

white purslane

prostrate fleshy herb; leaves narrow, to 9 cm long; flowers white



GJ [*Montitega dealbata*](#)

carpet cheeseberry
mat shrub; leaves blunt, to 4 mm long, waxy white under;
flowers white bell shaped



GJ [*Muehlenbeckia axillaris*](#)

matted lignum
prostrate shrub, to 80cm diam; leaves round, to 5mm long;
flowers to 5mm diam, white, 5-lobed; fruit shiny, black



GJ [*Myriophyllum pedunculatum*](#)

mat water-milfoil



GJ [*Nematolepis squamea*](#)

subsp squamea
satinwood
shrub/tree to 8m high; leaves lance-shaped, to 8cm long,
green above, silver under; flowers white, 5-petaled, 1cm diam



RS [*Nothofagus cunninghamii*](#)

myrtle beech
tree to 50m; leaves roundish, new growth red; flowers
inconspicuous



GJ *Nothofagus gunnii*

deciduous beech
shrub to 3m high; leaves to 20mm long, rounded with shallow rounded teeth, crinkled, deciduous;



RS *Olearia algida*

alpine daisybush
shrub to 60 cm; leaves 1-3 mm long, in clusters, dark green above, hairy white below; daisy flower heads small



GJ *Olearia erubescens*

moth daisybush
shrub to 2m; leaves dark green above, lighter below, edges toothed, tips pointed; white daisy flowers, 3-6 "petals"



GJ *Olearia ledifolia*

rock daisybush
shrub to 60cm; leaves oblong to 3cm, folded down, hairy under; daisy flowers white



GJ *Olearia myrsinoides*

silky daisybush
shrub to 1.5m high; leaves elliptical to 15mm long, margins toothed, dark green above, hairy white under; daisy flower heads with 2-3 white "petals"



GJ [*Olearia obcordata*](#)

heartleaf daisybush
shrub to 60 cm; leaves wedge shaped with lobed ends; flower heads white



RS [*Olearia persoonioides*](#)

geebung daisybush
shrub to 3m; leaves elliptical to 5cm, shiny above, hairy below; flower heads 3 to 5 on single stem



GJ [*Olearia phlogopappa*](#)

dusty daisybush
shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.



RW [*Olearia pinifolia*](#)

prickly daisybush
shrub to 3m; leaves rigid, linear, sharp pointed, to 4cm; white daisy flowers on fine stalks, up to 6 "petals"



GJ [*Olearia stellulata*](#)

sawleaf daisybush
shrub to 3m high; leaves elliptical, 5-9cm long, green above, hairy white under; daisy flower heads numerous, white with yellow centres



RS [*Olearia tasmanica*](#)

tasmanian daisybush
shrub to 3m; leaves elliptical to 5cm, shiny above, white & hairy below; white daisy flower heads 3 to 5 on single stem



GJ [*Oreomyrrhis argentea*](#)

silver caraway
herb, silvery white, densely hairy; leaves feathery, twice divided, to 8cm long; flowers small, white, in flat-topped clusters



GJ [*Oreomyrrhis ciliata*](#)

fringed caraway
rosette herb; leaves twice divided; flowers white, in flat-topped clusters on short stems



GJ [*Oreomyrrhis eriopoda*](#)

australian caraway
rosette herb; leaves twice divided somewhat hairy; flowers small in heads



RS [*Oreomyrrhis sessiliflora*](#)

carrot caraway
rosette herb; leaves divided, hairless; flowers in heads



GJ *Orites acicularis*

yellow orites
shrub to 1.5m; leaves cylindrical, yellowish, sharp-pointed;
flowers creamy white



GJ *Orites revolutus*

revolute orites
shrub to 2m; leaves rolled into a cylinder; flowers in pairs,
white



GJ *Ornduffia reniformis*

running marshflower
fleshy herb in water or on wet mud; leaves kidney-shaped to
10cm across; flowers bright yellow, 2-4cm diam, in groups



RS *Ourisia integrifolia*

mountain whitebell
prostrate herb rooting at nodes; leaves thick, to 12 mm long;
flowers white



GJ *Oxalis magellanica*

snowdrop woodsorrel
herb; leaves with 3 heart-shaped leaflets; flowers white, on
stalks longer than leaves



RS [*Oxylobium ellipticum*](#)

golden shaggy pea
shrub to 2.5m leaves elliptical, grey or rusty below; golden pea
flowers clustered at ends of branches



GJ [*Ozothamnus hookeri*](#)

scaly everlasting bush
shrub to 2m; leaves light green/yellow, triangular, to 2mm,
sticky; flowers cream, small, in terminal clusters



GJ [*Ozothamnus ledifolius*](#)

mountain everlasting bush
shrub to 1.5m high, aromatic, sticky; leaves narrow, hairy white
under; flower heads red or yellow externally, white centres



RS [*Ozothamnus rodwayi*](#)

var rodwayi

shrub to 1m high; leaves ovate, to 15mm long, grey/green
above, white hairy under; flower heads in profuse, terminal
clusters



GJ [*Ozothamnus rosmarinifolius*](#)

swamp everlasting bush
shrub to 3m high; leaves to 3.5 cm long, linear, hairy white
under; flower heads white/pink, in compact, terminal clusters



GJ [*Pappochroma pappocromum*](#)

violet mountain daisy
rosette herb; leaves spatulate, rough feel; daisy flower head
white or purplish




GJ [*Pappochroma stellatum*](#)

star mountain daisy
rosette herb; leaves to 2cm long, linear; daisy flower head
white or cream



RS [*Pentachondra pumila*](#)

carpet frilly heath
prostrate mat forming shrub; leaves oblong to 4mm long;
flowers tubular, white; fruit red



RW [*Persoonia gunnii*](#)

mountain geebung
shrub to 3m high; leaves turned up at blunt end; flowers
cream/yellow, tubular, fragrant; fruit green then purple



GJ [*Persoonia juniperina*](#)

prickly geebung
shrub; to 1.5 m tall; light green prickly leaves; delicate golden
flowers



GJ *Persoonia muelleri*
var. muelleri

shrub to 5m high; leaves narrow, turned up at end; flowers yellow, tubular; fruit red/purple



GJ *Phyllachne colensoi*

yellow cushionplant
cushion plant, hard, 3-4cm high; leaves small, overlapping;
flowers white, 5-petaled, barely above surface of cushion




BC *Pimelea drupacea*

cherry riceflower
shrub to 3m;



GJ *Pimelea linifolia*

slender riceflower



RS *Pimelea sericea*

mountain riceflower
shrub to 70 cm; leaves hairy below, to 12 mm long; flowers white to pink, in heads



AS *Pittosporum bicolor*

cheesewood

tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow



GJ *Planocarpa petiolaris*

alpine cheeseberry

shrub to 30 cm high; leaves white under, pointed, to 7mm long; flowers white, tubular; fruit flattened, dull red/black drupes



GJ *Planocarpa sulcata*

grooved cheeseberry

shrub to 40cm high; leaves crowded, to 1cm long, margins rolled under; flowers white, tubular; fruit a flattened, red drupe



GJ *Plantago daltonii*

alpine plantain

rosette herb; leaves hairless, to 10cm; sometimes in cushion plants



GJ *Plantago gunnii*

bolster plantain

small herb; always grows in cushion plants; leaves ca. 1cm long in a rosette; flowers in a cluster on short stalk



GJ *Plantago tasmanica*

tasmanian plantain
rosette herb; leaves thick, hairy;



GJ *Podolepis jaceoides*

eastern copperwire-daisy
not on mainland Tas



GJ *Pomaderris apetala*

common dogwood
shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.



GJ *Prionotes cerinthoides*

climbing heath
climbing shrub to 10m high; leaves to 14mm long, oblong, margins serrated; flowers pink/red, tubular, to 25mm long



GJ *Pterygopappus lawrencei*

sage cushionplant
sage-green soft cushion plant; leaves form hexagons with tiny flower at centre



GJ *Pultenaea dentata*

swamp bushpea
shrub to 90cm tall; leaves to 10mm long, crowded near ends of branches; yellow, pea flowers in small terminal bunches



RW *Pultenaea juniperina*

prickly beauty
shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches



GJ *Ranunculus collicola*

lake augusta buttercup
herb; leaves in rosette, fleshy, on stalks to 45mm long, three leaflets; flowers golden yellow, 1-5 on stalk to 35mm long



GJ *Ranunculus collinus*

mountain buttercup
perennial prostrate herb of wet subalpine areas, spreads by rooting of stems; flowers single, yellow on stem above rosette



GJ *Ranunculus decurvus*

nodding buttercup
perennial herb, fine hairs on stem & leaves; leaves in rosette, on stalks to 13cm long, leaf lobed, to 22mm wide; flowers yellow, on stems to 3cm long, petals 1-5



GJ [*Ranunculus glabrifolius*](#)

shining buttercup
perennial herb, hairless; leaves in rosette, on stalks 3cm long;
flowers yellow, 1-3 on stalks to 25cm long



RS [*Ranunculus gunnianus*](#)

tufted buttercup
rosette herb; leaves erect, divided several times; flowers
white/yellow, single



GJ [*Ranunculus nanus*](#)

dwarf buttercup
rosette herb. leaves with three lobes; flowers golden on long
stems, to 15mm diam.

[*Ranunculus pascuinus*](#)

pressed-hair buttercup
perennial herb, hairy; leaves in rosette, on stalks to 10cm long,
lobed; flowers yellow, often purple under, on stalks to 20cm
long, 5 petals

[*Ranunculus triplodontus*](#)

threetooth buttercup
perennial herb; leaves in rosette & on flowering stems, on
stalks to 12cm long; flowers yellow, 1-3 on stalks to 9cm long



RS *Richea acerosa*

slender candleheath
shrub to 1.2m; leaves narrow, sharp pointed, erect, 14mm long;
white flowers at end of branch



RS *Richea gunnii*

bog candleheath
shrub to 1m; leaves at ends of branches, curved down, to 4cm
long, sharp; flowers white



GJ *Richea pandanifolia*

heath to 10m high; leaves strap-like, to 2m long; flowers
white/pink maturing to deep pink, in spike to 25cm long



GJ *Richea procera*

lax candleheath
shrub to 3m high; leaves to 25mm long, tapering to long point;
flowers lemon, in terminal clusters



RS *Richea scoparia*

scoparia
shrub to >1m; leaf to 6cm, sharp pointed; flowers in long
dense spikes, white/pink/red



RS [Richea sprengelioides](#)

rigid candleheath
shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow
at ends of branches



GJ [Rubus gunnianus](#)

alpine raspberry
prostrate alpine herb, spreads by rhizomes; leaves dark green,
three serrated leaflets; flowers white on short stalks; fruit red



GJ [Scaevola hookeri](#)

creeping fanflower
herb, spreading, prostrate; leaves variable, ovate, hairy;
flowers white, hairy outside, petals winged



GJ [Scapisenecio albogilvus](#)

white alpine groundsel
herb to 30cm high; leaves in rosette, 3-4cm long, edges with 1-
2 teeth; daisy flower heads, white/cream, solitary, 3cm diam



GJ [Scapisenecio leptocarpus](#)

western groundsel
herb to 30cm high; leaves crowded near base, toothed; daisy
flower heads, yellow, to 2.5cm diam, 2-5 on stem,



GJ *Scapisenecio pectinatus*

var. pectinatus

yellow alpine groundsel

rosette herb; leaves deeply lobed, hairless; single yellow flower head on vertical stem



GJ *Schizacme archeri*

cushion mitrewort

perennial prostrate, matt-forming herb; leaves crowded, overlapping, to 5mm long, margins transparent; flowers white, tubular, 2mm long



GJ *Schizacme montana*

mountain mitrewort

perennial prostrate herb, forming small patches; leaves crowded, overlapping, circular; flowers white, tubular



RS *Senecio gunnii*

mountain fireweed

erect herb to 50cm; leaves green above purple below; flowers, no petals, in groups



GJ *Senecio minimus*

shrubby fireweed

perennial herb to 1.2m high; leaves vble, toothed, lower ones broader, lanceolate, to 15cm long; flower heads without "petals", yellow, numerous



GJ *Sprengelia Montana*

shrub to 30cm high; leaves sheathing the stem, tapering to a point; flowers white/pink, star-shaped, in groups of up to 10 at ends of branches



BC *Stylidium graminifolium*

narrowleaf triggerplant
herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes



GJ *Styphelia ericoides*

pink beardheath
erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside



RS *Tasmannia lanceolata*

mountain pepper
tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black



GJ *Telopea truncata*

tasmanian waratah
tree to 4m; leaves lance-shaped; flowers red, to 8cm diam; fruit a leathery pod



GJ [*Tetracarpaea tasmannica*](#)

delicate laurel
shrub to 1m high; leaves leathery, oval, tip serrated, to 3cm long; flowers cream/white, small, in terminal spikes



GJ [*Tetraheca procumbens*](#)

spreading pinkbells
prostrate shrub to 20cm high; leaves narrow, margins rolled under, to 8mm; flowers white to mauve/pink. centres dark purple



GJ [*Trochocarpa cunninghamii*](#)

straggling purpleberry
shrub to 1.5m high; leaves ovate, to 5mm long, lighter under; flowers pink/white, tubular, pendulous; fruit flattened, mauve



RW [*Trochocarpa gunnii*](#)

fragrant purpleberry
shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes



GJ [*Trochocarpa thymifolia*](#)

thymeleaf purpleberry
shrub to 1.5m; leaves 2-4mm long, crowded; flowers pink/white in spikes; fruit fleshy, mauve/purple



GJ *Utricularia dichotoma*

fairies aprons
usually in large numbers in damp soil; violet flowers



GJ *Veronica calycina*

hairy speedwell
perennial herb to 25cm high; leaves hairy, 1-2.5cm long,
coarsely toothed; flowers reddish purple, in small groups



GJ *Veronica gracilis*

slender speedwell
herb to 10cm; leaves narrow lance-shaped, to 3.5cm; flowers
blue, four petalled



GJ *Veronica nivea*

snow speedwell
small shrub to 50 cm; leaves divided; flowers in spikes, white,
blue or mauve



GJ *Viola betonicifolia*

subsp. betonicifolia
showy violet
rosette herb to 6cm; leaves erect, lance-shaped; flowers violet
on long stem



GJ [Viola hederacea](#)

ivyleaf violet
herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks

[Wahlenbergia ceracea](#)

waxy bluebell
perennial herb to 80cm high; leaves elliptical, 1-2cm long; flowers bell-shaped, pale blue, 5-petalled, on long stalks



GJ [Wahlenbergia saxicola](#)

mountain bluebell
herb to 9 cm high; leaves elliptical to 3 cm; flowers blue, bell-shaped




GJ [Xerochrysum milliganii](#)

snow paperdaisy
herb to 10cm high; leaves thick, pointed, elliptical in rosette; paper daisy flower head, 2-3cm diam, white with yellow centre



RS [Xerochrysum subundulatum](#)

orange paperdaisy
herb to 29cm tall, in colonies; flowers golden, to 5cm diam, single on stems



GJ *Brachyscome spathulata*



RW *Leptecophylla juniperina*
subsp. *Parvifolia*
cheeseberry
not in Tas



GJ *Blechnum nudum*

fishbone waterfern
fronds light green divided only once, fertile fronds different



GJ *Blechnum wattsi*

hard waterfern
fronds dark green, divided only once, fertile fronds different



GJ *Dicksonia antarctica*

soft treefern
Tall fern, trunks to several metres tall



GJ *Gleichenia alpina*

alpine coralfern
low growing fern; fronds dividing in two at ends; tiny pouched
pinnules each contain two spore packets



GJ *Hymenophyllum cupressiforme*

common filmyfern



GJ *Hymenophyllum flabellatum*

shiny filmyfern



GJ *Microsorium pustulatum*

kangaroo fern
growing on trunks of other plants or rocks



GJ *Polystichum proliferum*

mother shieldfern
note bulbils (new FERN) on fronds



GJ *Pteridium esculentum*

subsp. esculentum
bracken
common fern to 2.5m tall; leathery much divided frond



GJ *Astelia alpina*

var. alpina
pineapple grass
tufted herb with hairy, stiff strap like leaves, male flowers yellow, female flowers without petals, small red berries.



GJ *Baloskion tetraphyllum*

southern cordrush
rush to 1m; leaves replaced by brown sheaths along flowering stems; flowers in terminal clusters



JC *Caladenia alpina*

alpine finger-orchid
robust orchid to 30cm high; leaves to 22cm long, base red; flowers 1 to 4, to 35mm across, white inside, pink outside



GJ *Campynema lineare*

green mountainlily
herb to 30cm high; single basal leaf & smaller stem leaves; flower usually single, green



GJ *Corybas incurvus*

slaty helmet-orchid
small orchid; leaf heart-shaped, green below; flower dark purple with white central patch and a fringe of short teeth



GJ *Dianella revoluta*

flax lily
strap-like leaves; blue & yellow flowers; blue berries, stamen tips yellow



BC *Dianella tasmanica*

forest flaxlily
perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry



GJ *Diplarrena latifolia*

western flag-iris
perennial herb; leaves strap-like, to 100cm long, flowers on long stalks, white with yellow & purple centres



GJ *Diplarrena moraea*

white flag-iris
strap-like leaves; white flowers



GJ [*Drymophila cyanocarpa*](#)

turquoise berry



GJ [*Eriochilus cucullatus*](#)

autumn-orchid
to 30 cm tall pink flower like a parson's bands



GJ [*Gahnia grandis*](#)

cutting grass
tufted perennial with narrow grass-like leaves with sharp,
rough edges; flowers in spikes on culms to 3m



GJ [*Gymnoschoenus sphaerocephalus*](#)

buttongrass
sedge with dense tufts of leaves to 60cm high; flowers in tight
spherical clusters on stalks to 100cm high



GJ [*Herpolirion novae-zelandiae*](#)

sky lily
small herb spreading by rhizomes; leaves linear, keeled under;
flowers blue & white, close to ground



MG *Isophysis tasmanica*

tasmanian purplestar
herb to 30cm high; leaves tapered, in fan-shaped tufts, flowers purple, star-shaped, on stem longer than leaves

Juncus pauciflorus

looseflower rush
clumped rush to 1m; flowering stems cylindrical, compressible; flowers in loose clusters near ends of stems.



GJ *Libertia pulchella*

pretty grassflag
perennial herb; leaves narrow in fans to 15cm long; flowers small, white, 6-petalled, in small clusters



GJ *Milligania densiflora*

silky milligania
lily to 75cm high, growing in dense colonies; leaves strap-like, to 50cm long; flowers cream/white, tubular, hairy, in groups at ends of stems



JC *Paraprasophyllum alpinum*

alpine leek-orchid
orchid to 30cm high; leaf single, to 20cm high, dark green with white base; flowers 5-14, green, in a spike



GJ *Patersonia fragilis*

short purpleflag



GJ *Poa gunnii*

gunns snowgrass

tussock grass to 70cm tall; leaves circular in x-section, pointed ends



GC *Pterostylis decurva*

summer greenhood

orchid to 30cm high; leaves on stem to 4cm long; flower solitary, green/white/brown with long, thread-like "nose" and "ears"



GJ *Townsonia viridis*

beech orchid

orchid to 15cm high; 1 basal leaf and 1 on stem, ovate; flowers 1-4, green with red markings, small



GJ *Trithuria filamentosa*

tasmanian watertuft

tiny grass like alpine and subalpine plant that forms cushions in shallow water. Tiny rudimentary red flowers have 3 stamens



GJ *Wurmbea uniflora*

oneflower early nancy
herb to 10cm high; 3 narrow leaves on stem; flowers usually
single, white, 6-petalled



BC *Xyris operculata*

tall yelloweye