

Liawenee



PLANT LIST

Liawenee, Lake Augusta, Lake Ada

Created 11-Jun-13

Updated 9-May-23

By Dick Burns

[Goto Photos](#)

Scientific name	status	Common Name	Description
Athrotaxis cupressoides	e	pencil pine	conifer to 20m high; bark fibrous, furrowed; leaves small, overlapping; cones spherical
Diselma archeri	e	dwarf pine	shrub to 1.5m high; leaves small, crowded, overlapping, appressed to stems; cones appear to be bulges at ends of branches
Microcachrys tetragona	e	creeping pine	prostrate conifer; leaves tiny, appressed to stem; cones small, terminal, red when ripe
Podocarpus lawrencei		mountain plumpine	low shrub; leaves crowded, to 15 mm; female cone a fleshy red scale
Abrotanella forsteroides	e	tasmanian cushionplant	hard, bright green cushion plant; tiny white flowers protrude
Acaena novae-zelandiae		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
Acaena ovina		hairy sheepsburr	herb to 60cm high; leaves feathery, sparsely hairy above, densely hairy below; spikes of hooked flowers/seeds
Acetosella vulgaris	i	sheep sorrel	
Acrothamnus hookeri		mountain beardheath	shrub to 60 cm; leaves blunt, to 10mm; white flowers hairy inside
Acrothamnus montanus		snow beardheath	shrub to 60m; blunt leaves to 10mm; white flowers hairless inside
Ajuga australis		australian bugle	
Almaleea subumbellata		wiry bushpea	shrub to 90 cm; leaves oblong to 8 mm; yellow/orange pea flowers in bunches at ends of stems
Baeckea gunniana		alpine heathmyrtle	shrub to 2m; leaves to 5mm, oblong; flowers 5mm diam; white petals, red centre
Bellendenia montana	e	mountain rocket	shrub to 1m; leaves to 4cm, variable shape; flowers white in broad spikes; fruit flat, bright red
Bossiaea riparia		leafless bossia	leafless shrub with flattened branches; yellow and red pea flowers
Brachyscome radicans		marsh daisy	herb perennial to 30cm high; leaves variable, linear to 9cm long; flower heads white/mauve, yellow centred, on long stalk
Brachyscome spathulata		spoonleaf daisy	herb perennial, to 30cm high; leaves spoon-shaped, to 6cm long; flower head usually mauve, to 4cm diam, on long stalk

Liawenee

<u>Celmisia asteliifolia</u>	e	silver snowdaisy	<i>rosette herb to 30cm; leaves to 15cm, green above, silver hairy below; single large white daisy flower on long stem</i>
<u>Coprosma nitida</u>		mountain currant	<i>shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red</i>
<u>Coprosma perpusilla</u>		orange matcurrant	<i>prostrate shrub; leaves to 9 mm; yellowish flowers protruding</i>
<u>Coprosma pumila</u>		dwarf matcurrant	<i>prostrate shrub; leaves to 8 mm; fruit dark red</i>
<u>Coronidium scorpioides</u>		curling everlasting	<i>herb with single golden daisy flower heads on long stems</i>
<u>Cotula alpina</u>		alpine buttons	<i>rosette herb; leaves with narrow lobes; flower heads on short stems</i>
<u>Craspedia glauca</u>	e	common billybuttons	<i>herb; tiny cream flowers in almost spherical heads;</i>
<u>Craspedia macrocephala</u>	e	alpine billybuttons	<i>herb; single white spherical daisy flower heads to 2.5 cm diam.</i>
<u>Craspedia paludicola</u>		swamp billybuttons	<i>herb to 75cm high; leaves 15-40cm long; flower heads on long stems, yellow, spherical, to 30mm diam</i>
<u>Cryptandra alpina</u>	e	alpine pearlflower	<i>small prostrate shrub; leaves cylindrical or 3-angled, to 3mm long; flowers bell-shaped, white, to 4mm long</i>
<u>Drosera arcturi</u>		alpine sundew	<i>carnivorous rosette herb; leaves elongated; single white flower</i>
<u>Drosera pygmaea</u>		dwarf sundew	<i>tiny carnivorous herb; leaves round, fringed with hairs, in basal rosette; tiny single white flower</i>
<u>Epacris gunnii</u>		coral heath	<i>shrub to 80 cm; leaves heart shaped, prickly; white tube flowers</i>
<u>Epacris lanuginosa</u>		swamp heath	<i>erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters</i>
<u>Epacris petrophila</u>		central snowheath	<i>shrub to 1m high; leaves tiny to 3mm long, appressed to stem; flowers white, bell-shaped</i>
<u>Epacris serpyllifolia</u>	e	alpine heath	<i>shrub to 1 m; blunt leaves to 3 mm long; white tube flowers</i>
<u>Epilobium gunnianum</u>		bog willowherb	<i>erect herb to 30 cm; flowers purplish pink to 20 mm diam., petal tip notched</i>
<u>Eucalyptus coccifera</u>	e	snow peppermint	<i>tree 9-30m tall; adult leaves lance-shaped with hooked tip</i>
<u>Eucalyptus gunnii</u>	e	cider gum	<i>tree to 20m high, bark rough at base, smooth green/white above; leaves grey-green, ovate, to 8cm long</i>
<u>Eucalyptus pauciflora</u>		cabbage gum	<i>tree to 20m high, bark rough at base, smooth white/cream above; leaves lance-shaped, parallel veined, to 18cm long</i>
<u>Eucalyptus rodwayi</u>	e	swamp peppermint	<i>tree to 18m high, bark, fibrous, furrowed, rough to lowest branches; leaves lance-shaped, veins faint, to 12cm long</i>

Liawenee

<i>Euphrasia striata</i>	e	shiny striped eyebright	<i>perennial herb to 30cm, stems often purple; leaves with toothed ends; flowers white/mauve, lobes with purple lines</i>
<i>Ewartia catipes</i>	e	diamond cushionherb	<i>mat-forming rosette herb; leaves woolly white; flower head pink/white at centre</i>
<i>Exocarpos humifusus</i>	e	mountain native- cherry	<i>prostrate shrub; leaf scales alternate; tiny flowers in groups; fruit dark red</i>
<i>Exocarpos nanus</i>		alpine native- cherry	<i>prostrate shrub; leaf scales opposite; fruit dark red</i>
<i>Gaultheria depressa</i>	t	creeping waxberry	<i>prostrate shrub; leaves round, 10 mm diam; fruit to 10 mm diam; red/white</i>
<i>Gaultheria tasmanica</i>	e	tasmanian waxberry	<i>prostrate shrub, forms mat to 30cm diam; leaves to 6mm; flowers white, tubular; fruit red, fleshy, found, flattened,</i>
<i>Geranium brevicale</i>		alpine cranesbill	<i>herb; leaves in a rosette, long-stalked. blade round, deeply lobed; flowers nestled among leaves, pink</i>
<i>Geranium potentilloides</i>		geranium	<i>herb; lobed leaves; pink flowers; "storksbill" fruit</i>
<i>Gonocarpus micranthus</i>		common raspwort	<i>herb, more or less prostrate; leaves opposite, round; flowers in terminal groups, tiny, pendulous; fruit tiny, purple/brown</i>
<i>Gonocarpus serpyllifolius</i>		alpine raspwort	<i>herb, stems creeping, rough to touch; leaves opposite, elliptical, to 12mm; flowers tiny, reddish brown</i>
<i>Goodenia montana</i>		mountain velleia	<i>herb; leaves in a rosette, oblong, to 5cm long, often hairy; flowers on very short stalks, yellow</i>
<i>Gratiola nana</i>		matted brooklime	<i>herb prostrate with tips of branches erect; leaves thick, pale green, to 8mm long; flowers pink, tubular</i>
<i>Grevillea australis</i>		southern grevillea	<i>low shrub; leaves narrow sharp-pointed; flowers white</i>
<i>Hakea epiglottis</i>	e	beaked needlebush	<i>shrub to 3m high; leaves needle-like, sharply pointed, to 5cm long; flowers yellow, spider-like; fruit woody, S-shaped</i>
<i>Hakea lissosperma</i>		mountain needlebush	<i>small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface</i>
<i>Hakea microcarpa</i>		smallfruit needlebush	<i>sharp needle-like leaves, white flowers, small woody fruits</i>
<i>Hibbertia procumbens</i>		spreading guineaflower	<i>prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous</i>
<i>Hibbertia prostrata</i>		prostrate guineaflower	<i>yellow symmetric five-petal flowers; narrow leaves</i>
<i>Hovea montana</i>		mountain purplepea	<i>shrub to 50cm high; leaves dark green above, brown under, to 30mm long; pea flowers, brilliant purple</i>
<i>Hypericum gramineum</i>		small st johns-wort	<i>small herb; small yellow flowers</i>

Liawenee

<i>Hypericum japonicum</i>		matted st johns-wort	<i>herb, matted, to 15cm high; leaves oval to 8mm long; flowers yellow, propellor-like</i>
<i>Isotoma fluviatilis</i>		swamp stars	<i>creeping herb to 1m long; leaves light green, to 10mm long; flowers 5-petalled, blue with dark centre</i>
<i>Kelleria dieffenbachii</i>		carpet riceflower	<i>prostrate shrub; leaves narrow, linear, hairy ; tiny white flowers;</i>
<i>Lagenophora stipitata</i>		blue bottledaisy	<i>rosette herb; leaves hairy, to 8cm long; single flower head white or purplish on long hairy stem</i>
<i>Leionema montanum</i>	e	spreading waxflower	<i>shrub; leaves 1 cm long, cylindrical; flowers white or pink</i>
<i>Leptecophylla parvifolia</i>	e	mountain pinkberry	<i>shrub to 1.2m; leaves prickly, to 7mm, paler under; flowers white tubular, near ends of branches; fruit red spherical</i>
<i>Leptorhynchos nitidulus</i>		shiny buttons	<i>herb to 40cm high; leaves linear, smaller up stem; flower heads yellow, on long upright stems</i>
<i>Leptorhynchos squamatus</i>		scaly buttons	<i>herb; narrow leaves; solitary daisy flower head on wiry stem to 20 cm tall;</i>
<i>Leptospermum lanigerum</i>		woolly teatree	<i>shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base</i>
<i>Leptospermum rupestre</i>	e	mountain teatree	<i>shrub; leaves elliptical, 8 mm long; flowers 5-petalled; fruit woody</i>
<i>Leucopogon fraseri</i>		prickly beardheath	<i>prostrate shrub; leaves to 8mm long, fringed with hairs, pointed; flowers white, tubular, hairy inside, fruit yellow/orange</i>
<i>Leucopogon pilifer</i>		trailing beardheath	<i>shrub to 30cm, branches spreading, hairy; leaves narrow, pointed ends, edges turned up; flowers hairy inside</i>
<i>Linum marginale</i>		native flax	<i>herb; slender stem to 50 cm tall; blue flowers 2 cm diam. on long stems</i>
<i>Liparophyllum gunnii</i>	t	alpine marshwort	<i>small herb often forming submerged patches in subalpine tarns; leaves fleshy; flowers small white</i>
<i>Lobelia surrepens</i>		mud lobelia	<i>perennial herb, creeping; leaves oblong, to 2cm long; flowers tubular, pale blue or white</i>
<i>Melicytus dentatus</i>		spiky violetbush	
<i>Microseris lanceolata</i>		highland yam daisy	<i>rosette herb; leaves erect, to 20 cm long; single yellow flower head on tall stem</i>
<i>Monotoca empetrifolia</i>	e	mat broomheath	<i>shrub; leaves sharply pointed; flowers white, bell-shaped, 2-3 together</i>
<i>Montia australasica</i>		white purslane	<i>prostrate fleshy herb; leaves narrow, to 9 cm long; flowers white</i>
<i>Montitega dealbata</i>	e	carpet cheeseberry	<i>mat shrub; leaves blunt, to 4 mm long, waxy white under; flowers white bell shaped</i>
<i>Muehlenbeckia axillaris</i>		matted lignum	<i>prostrate shrub, to 80cm diam; leaves round, to 5mm long; flowers to 5mm diam, white, 5-lobed; fruit shiny, black</i>

Liawenee

<i>Nertera granadensis</i>		orange cushionbeads	<i>prostrate mat-forming herb; leaves opposite, fleshy, 3-4mm long; flowers small, terminal, cream/green; fruit orange/red, spherical</i>
<i>Olearia algida</i>		alpine daisybush	<i>shrub to 60 cm; leaves 1-3 mm long, in clusters, dark green above, hairy white below; daisy flower heads small</i>
<i>Olearia erubescens</i>		moth daisybush	<i>shrub to 2m; leaves dark green above, lighter below, edges toothed, tips pointed; white daisy flowers, 3-6 "petals"</i>
<i>Olearia obcordata</i>	e	heartleaf daisybush	<i>shrub to 60 cm; leaves wedge shaped with lobed ends; flower heads white</i>
<i>Olearia phlogopappa</i>		dusty daisybush	<i>shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.</i>
<i>Olearia pinifolia</i>	e	prickly daisybush	<i>shrub to 3m; leaves rigid, linear, sharp pointed, to 4cm; white daisy flowers on fine stalks, up to 6 "petals"</i>
<i>Olearia tasmanica</i>	e	tasmanian daisybush	<i>shrub to 3m; leaves elliptical to 5cm, shiny above, white & hairy below; white daisy flower heads 3 to 5 on single stem</i>
<i>Olearia viscosa</i>		viscid daisybush	<i>shrub to 2m; leaves elliptical, 5-8cm long, sticky, dark green above, light green, hairy under; daisy flower heads with 4-6 white "petals" in crowded terminal clusters</i>
<i>Oreomyrrhis argentea</i>		silver caraway	<i>herb, silvery white, densely hairy; leaves feathery, twice divided, to 8cm long; flowers small, white, in flat-topped clusters</i>
<i>Oreomyrrhis eriopoda</i>		australian caraway	<i>rosette herb; leaves twice divided somewhat hairy; flowers small in heads</i>
<i>Orites acicularis</i>	e	yellow orites	<i>shrub to 1.5m; leaves cylindrical, yellowish, sharp-pointed; flowers creamy white</i>
<i>Orites revolutus</i>	e	revolute orites	<i>shrub to 2m; leaves rolled into a cylinder; flowers in pairs, white</i>
<i>Ornduffia reniformis</i>		running marshflower	<i>fleshy herb in water or on wet mud; leaves kidney-shaped to 10cm across; flowers bright yellow, 2-4cm diam, in groups</i>
<i>Oxylobium ellipticum</i>		golden shaggypea	<i>shrub to 2.5m leaves elliptical, grey or rusty below; golden pea flowers clustered at ends of branches</i>
<i>Ozothamnus ericifolius</i>	e	heathy everlastingbush	<i>shrub to 3m high; leaves crowded, 4-7mm long, linear, hairy under, sticky; daisy flower heads, creamy white, in compact terminal groups</i>
<i>Ozothamnus hookeri</i>	e	scaly everlastingbush	<i>shrub to 2m; leaves light green/yellow, tirangular, to 2mm, sticky; flowers cream, small, in terminal clusters</i>
<i>Ozothamnus thyrsoides</i>		arching everlastingbush	<i>shrub to 3m; leaves narrow linear to 5cm, margins rolled under; flowers white, clustered at ends of short branches along top of stem</i>

Liawenee

<i>Pentachondra pumila</i>		carpet frillyheath	<i>prostrate mat forming shrub; leaves oblong to 4mm long; flowers tubular, white; fruit red</i>
<i>Pimelea pygmaea</i>	e	alpine riceflower	<i>soft, blue-green, prostrate cushion shrub; leaves 6mm long; single white flowers</i>
<i>Planocarpa nitida</i>	e	black cheeseberry	<i>shrub to 50cm high; leaves , waxy/white under, to 1cm long, margins rolled under; flowers solitary, white tubular; fruit flattened, black drupe</i>
<i>Plantago daltonii</i>	e	alpine plantain	<i>rosette herb; leaves hairless, to 10cm; sometimes in cushion plants</i>
<i>Plantago gunnii</i>	e	bolster plantain	<i>small herb; always grows in cushion plants; leaves ca. 1cm long in a rosette; flowers in a cluster on short stalk</i>
<i>Podolepis jaceoides</i>		eastern copperwire-daisy	<i>not on mainland Tas</i>
<i>Pterygopappus lawrencei</i>	e	sage cushionplant	<i>sage-green soft cushion plant; leaves form hexagons with tiny flower at centre</i>
<i>Pultenaea fasciculata</i>		alpine bushpea	<i>prostrate shrub; leaves 5-7mm long, edges curled up, crowded in bunches along stem; yellow pea flowers, solitary</i>
<i>Pultenaea juniperina</i>		prickly beauty	<i>shrub to 2.5m; leaves to 12mm, sharp pointed; goledn pea flowers at ends of branches</i>
<i>Ranunculus nanus</i>	e	dwarf buttercup	<i>rosette herb. leaves with three lobes; flowers golden on long stems, to 15mm diam.</i>
<i>Rhodanthe anthemoides</i>		chamomile sunray	<i>herb to 20cm high; leaves linear, to 2cm long, grey/green; paper daisy flowers, pink in bud, then white with yellow centre</i>
<i>Richea acerosa</i>	e	slender candleheath	<i>shrub to 1.2m; leaves narrow, sharp pointed,erect, 14mm long; white flowers at end of branch</i>
<i>Richea gunnii</i>	e	bog candleheath	<i>shrub to 1m; leaves at ends of branches, curved down, to 4cm long, sharp; flowers white</i>
<i>Richea scoparia</i>	e	scoparia	<i>shrub to >1m;leave to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red</i>
<i>Richea sprengelioides</i>	e	rigid candleheath	<i>shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches</i>
<i>Rubus gunnianus</i>	e	alpine raspberry	<i>prostrate alpine herb, spreads by rhizomes; leaves dark green, three serrated leaflets; flowers white on short stalks; fruit red</i>
<i>Scapisenecio albogilvus</i>		white alpine groundsel	<i>herb to 30cm high; leaves in rosette, 3-4cm long, edges with 1-2 teeth; daisy flower heads, white/cream, solitary, 3cm diam</i>
<i>Scapisenecio leptocarpus</i>		western groundsel	<i>herb to 30cm high; leaves crowded near base, toothed; daisy flower heads, yellow, to 2.5cm diam, 2-5 on stem,</i>

Liawenee

<i>Schizacme archeri</i>	e	cushion mitrewort	<i>perennial prostrate, matt-forming herb; leaves crowded, overlappin, to 5mm long, margins transparent; flowers white, tubular, 2mm long</i>
<i>Senecio gunnii</i>	e	mountain fireweed	<i>erect herb to 50cm; leaves green above purple below; flowers, no petals, in groups</i>
<i>Senecio pectinatus</i>	e	alpine groundsel	<i>herb to 25cm high; leaves lobed; daisy flower heads, solitary, golden yellow, 2.5cm diam</i>
<i>Senecio pinnatifolius</i>			
<i>Sprengelia incarnata</i>		pink swampheath	<i>erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters</i>
<i>Stylidium graminifolium</i>		narrowleaf triggerplant	<i>herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes</i>
<i>Tasmannia lanceolata</i>		mountain pepper	<i>tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black</i>
<i>Tetradlea procumbens</i>		spreading pinkbells	<i>prostrate shrub to 20cm high; leaves narrow, margins rolled under, to 8mm; flowers white to mauve/pink. centres dark purple</i>
<i>Utricularia dichotoma</i>		fairies aprons	<i>usuallly in large numbers in damp soil; violet flowers</i>
<i>Utricularia lateriflora</i>		tiny bladderwort	<i>herb with slender stem, growing in wet mud or water, to 12cm high; leaves usually absent; flowers 3-6, purple,</i>
<i>Veronica gracilis</i>		slender speedwell	<i>herb to 10cm; leaves narrow lance-shaped, to 3.5cm; flowers blue, four petalled</i>
<i>Veronica plebeia</i>		trailing speedwell	<i>perennial herb, more or less prostrate; leaves hairy; flowers 4-petalled, purple, in small groups</i>
<i>Viola betonicifolia</i>			<i>herb to 5cm high; leaves oblong, with stem as long as blade; flowers purple/violet, on long fine stalks</i>
<i>Viola hederacea</i>		ivy leaf violet	<i>herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks</i>
<i>Wahlenbergia ceracea</i>		waxy bluebell	<i>perennial herb to 80cm high; leaves elliptical, 1-2cm long; flowers bell-shaped, pale blue, 5-petalled, on long stalks</i>
<i>Wahlenbergia gymnoclada</i>		naked bluebell	<i>herb to 30cm; single large blue, bell-shaped flowers</i>
<i>Wahlenbergia saxicola</i>	e	mountain bluebell	<i>herb to 9 cm high; leaves elliptical to 3 cm; flowers blue, bell-shaped</i>
<i>Xerochrysum milliganii</i>	e	snow paperdaisy	<i>herb to 10cm high; leaves thick, pointed, elliptical in rosette; paper daisy flower head, 2-3cm diam, white with yellow centre</i>
<i>Xerochrysum subundulatum</i>		orange paperdaisy	<i>herb to 29cm tall, in colonies; flowers golden, to 5cm diam, single on stems</i>
<i>Polystichum proliferum</i>		mother shieldfern	<i>note bulbils (new FERN) on fronds</i>
<i>Astelia alpina</i>	e	pineapple grass	<i>mat-forming plant; leaves to 40cm; flowers pale yellow; fruit a red berry</i>

Liawenee

<u>Caladenia alpina</u>	alpine finger-orchid	<i>robust orchid to 30cm high; leaves to 22cm long, base red; flowers 1 to 4, to 35mm across, white inside, pink outside</i>
<u>Pterostylis decurva</u>	summer greenhood	<i>orchid to 30cm high; leaves on stem to 4cm long; flower solitary, green/white/brown with long, thread-like "nose" and "ears"</i>



PLANT LIST

Liawenee, Lake Augusta, Lake Ada

Created 11-Jun-13
Updated 09-May-23
By Dick Burns

[Goto List](#)



GJ [*Athrotaxis cupressoides*](#)

pencil pine

conifer to 20m high; bark fibrous, furrowed; leaves small, overlapping; cones spherical



RW [*Diselma archeri*](#)

dwarf pine

shrub to 1.5m high; leaves small, crowded, overlapping, appressed to stems; cones appear to be bulges at ends of branches



GJ [*Microcachrys tetragona*](#)

creeping pine

prostrate conifer; leaves tiny, appressed to stem; cones small, terminal, red when ripe



GJ [*Podocarpus lawrencei*](#)

mountain plumpine
low shrub; leaves crowded, to 15 mm; female cone a fleshy red scale



RS [*Abrotanella forsteroides*](#)

tasmanian cushionplant
hard, bright green cushion plant; tiny white flowers protrude



RS [*Acaena novae-zelandiae*](#)

common buzzy
herb; leaves divided; balls of flower/seeds with hooks



GJ [*Acaena ovina*](#)

hairy sheepsburr
herb to 60cm high; leaves feathery, sparsely hairy above, densely hairy below; spikes of hooked flowers/seeds



GJ [*Acetosella vulgaris*](#)

sheep sorrel



GJ [*Acrothamnus hookeri*](#)

mountain beardheath
shrub to 60 cm; leaves blunt, to 10mm; white flowers hairy inside



GJ [*Acrothamnus montanus*](#)

snow beardheath
shrub to 60m; blunt leaves to 10mm; white flowers hairless inside



GJ [*Ajuga australis*](#)

australian bugle



GJ [*Almaleea subumbellata*](#)

wiry bushpea
shrub to 90 cm; leaves oblong to 8 mm; yellow/orange pea flowers in bunches at ends of stems




GJ [*Baeckea gunniana*](#)

alpine heathmyrtle
shrub to 2m; leaves to 5mm, oblong; flowers 5mm diam; white petals, red centre



RS [*Bellendena montana*](#)

mountain rocket
shrub to 1m; leaves to 4cm, variable shape; flowers white in
broad spikes; fruit flat, bright red




GJ [*Bossiaea riparia*](#)

leafless bossia
leafless shrub with flattened branches; yellow and red pea
flowers

[*Brachyscome radicans*](#)

marsh daisy
herb perennial to 30cm high; leaves variable, linear to 9cm
long; flower heads white/mauve, yellow centred, on long stalk



AS [*Brachyscome spathulata*](#)

spoonleaf daisy
herb perennial, to 30cm high; leaves spoon-shaped, to 6cm
long; flower head usually mauve, to 4cm diam, on long stalk



RS [*Celmisia asteliifolia*](#)

silver snowdaisy
rosette herb to 30cm; leaves to 15cm, green above, silver
hairy below; single large white daisy flower on long stem



RW *Coprosma nitida*

mountain currant
shrub to 2m; leaves small elliptical; flowers small; fruit
spherical, orange/red



RS *Coprosma perpusilla*

subsp. perpusilla
orange matcurrant
prostrate shrub; leaves to 9 mm; yellowish flowers protruding



GJ *Coprosma pumila*

dwarf matcurrant
prostrate shrub; leaves to 8 mm; fruit dark red



RS *Coronidium scorpioides*

curling everlasting
herb with single golden daisy flower heads on long stems



RS *Cotula alpina*

alpine buttons
rosette herb; leaves with narrow lobes; flower heads on short
stems



GJ [*Craspedia glauca*](#)

common billybuttons
herb; tiny cream flowers in almost spherical heads;



GJ [*Craspedia macrocephala*](#)

alpine billybuttons
herb; single white spherical daisy flower heads to 2.5 cm diam.

[*Craspedia paludicola*](#)

swamp billybuttons
herb to 75cm high; leaves 15-40cm long; flower heads on long stems, yellow, spherical, to 30mm diam



GJ [*Cryptandra alpina*](#)

alpine pearflower
small prostrate shrub; leaves cylindrical or 3-angled, to 3mm long; flowers bell-shaped, white, to 4mm long



RS [*Drosera arcturi*](#)

alpine sundew
carnivorous rosette herb; leaves elongated; single white flower



GJ [*Drosera pygmaea*](#)

dwarf sundew

tiny carnivorous herb; leaves round, fringed with hairs, in basal rosette; tiny single white flower



GJ [*Epacris gunnii*](#)

coral heath

shrub to 80 cm; leaves heart shaped, prickly; white tube flowers



GJ [*Epacris lanuginosa*](#)

swamp heath

erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters



GJ [*Epacris petrophila*](#)

central snowheath

shrub to 1m high; leaves tiny to 3mm long, appressed to stem; flowers white, bell-shaped



GJ [*Epacris serpyllifolia*](#)

alpine heath

shrub to 1 m; blunt leaves to 3 mm long; white tube flowers



GJ *Epilobium gunnianum*

bog willowherb
erect herb to 30 cm; flowers purplish pink to 20 mm diam.,
petal tip notched



GJ *Eucalyptus coccifera*

snow peppermint
tree 9-30m tall; adult leaves lance-shaped with hooked tip



GJ *Eucalyptus gunnii*

cider gum
tree to 20m high, bark rough at base, smooth green/white
above; leaves grey-green, ovate, to 8cm long



GJ *Eucalyptus pauciflora*

subsp. pauciflora
cabbage gum
tree to 20m high, bark rough at base, smooth white/cream
above; leaves lance-shaped, parallel veined, to 18cm long



GJ *Eucalyptus rodwayi*

swamp peppermint
tree to 18m high, bark, fibrous, furrowed, rough to lowest
branches; leaves lance-shaped, veins faint, to 12cm long



RW *Euphrasia striata*

shiny striped eyebright
perennial herb to 30cm, stems often purple; leaves with
toothed ends; flowers white/mauve, lobes with purple lines



RS *Ewartia catipes*

diamond cushionherb
mat-forming rosette herb; leaves woolly white; flower head
pink/white at centre



GJ *Exocarpos humifusus*

mountain native-cherry
prostrate shrub; leaf scales alternate; tiny flowers in groups;
fruit dark red



GJ *Exocarpos nanus*

alpine native-cherry
prostrate shrub; leaf scales opposite; fruit dark red



GJ *Gaultheria depressa*

creeping waxberry
prostrate shrub; leaves round, 10 mm diam; fruit to 10 mm
diam; red/white



GJ [*Gaultheria tasmanica*](#)

tasmanian waxberry
prostrate shrub, forms mat to 30cm diam; leaves to 6mm;
flowers white, tubular; fruit red, fleshy, flattened,



GJ [*Geranium brevicaule*](#)

alpine cranesbill
herb; leaves in a rosette, long-stalked. blade round, deeply
lobed; flowers nestled among leaves, pink



RW [*Geranium potentilloides*](#)

geranium
herb; lobed leaves; pink flowers; "storksbill" fruit



GJ [*Gonocarpus micranthus*](#)

subsp. micranthus
common raspwort
herb, more or less prostrate; leaves opposite, round; flowers in
terminal groups, tiny, pendulous; fruit tiny, purple/brown



GJ [*Gonocarpus serpyllifolius*](#)

alpine raspwort
herb, stems creeping, rough to touch; leaves opposite,
elliptical, to 12mm; flowers tiny, reddish brown



GJ [Goodenia montana](#)

mountain velleia
herb; leaves in a rosette, oblong, to 5cm long, often hairy;
flowers on very short stalks, yellow



GJ [Gratiola nana](#)

matted brooklime
herb prostrate with tips of branches erect; leaves thick, pale
green, to 8mm long; flowers pink, tubular



GJ [Grevillea australis](#)

southern grevillea
low shrub; leaves narrow sharp-pointed; flowers white



GJ [Hakea epiglottis](#)

beaked needlebush
shrub to 3m high; leaves needle-like, sharply pointed, to 5cm
long; flowers yellow, spider-like; fruit woody, S-shaped



GJ [Hakea lissosperma](#)

mountain needlebush
small tree to 6m; leaves cylindrical sharply pointed; flowers
white; fruit almost round with short beak and warty surface



GJ [Hakea microcarpa](#)

smallfruit needlebush
sharp needle-like leaves, white flowers, small woody fruits



RS [Hibbertia procumbens](#)

spreading guineaflower
prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous



GJ [Hibbertia prostrata](#)

prostrate guineaflower
yellow symmetric five-petal flowers; narrow leaves



GJ [Hovea montana](#)

mountain purplepea
shrub to 50cm high; leaves dark green above, brown under, to 30mm long; pea flowers, brilliant purple



GJ [Hypericum gramineum](#)

small st johns-wort
small herb; small yellow flowers



GJ *Hypericum japonicum*

matted st johns-wort
herb, matted, to 15cm high; leaves oval to 8mm long; flowers
yellow, propellor-like



GJ *Isotoma fluviatilis*

swamp stars
creeping herb to 1m long; leaves light green, to 10mm long;
flowers 5-petalled, blue with dark centre




RS *Kellera dieffenbachii*

carpet riceflower
prostrate shrub; leaves narrow, linear, hairy ; tiny white
flowers;



RS *Lagenophora stipitata*

blue bottledaisy
rosette herb; leaves hairy, to 8cm long; single flower head
white or purplish on long hairy stem



GJ *Leonema montanum*

spreading waxflower
shrub; leaves 1 cm long, cylindrical; flowers white or pink



RW [*Leptecophylla parvifolia*](#)

mountain pinkberry
shrub to 1.2m; leaves prickly, to 7mm, paler under; flowers white tubular, near ends of branches; fruit red spherical



GJ [*Leptorhynchos nitidulus*](#)

shiny buttons
herb to 40cm high; leaves linear, smaller up stem; flower heads yellow, on long upright stems



GJ [*Leptorhynchos squamatus*](#)

scaly buttons
herb; narrow leaves; solitary daisy flower head on wiry stem to 20 cm tall;



RS [*Leptospermum lanigerum*](#)

woolly teatree
shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base



RS [*Leptospermum rupestre*](#)

mountain teatree
shrub; leaves elliptical, 8 mm long; flowers 5-petaled; fruit woody

Leucopogon fraseri

prickly beardheath

prostrate shrub; leaves to 8mm long, fringed with hairs, pointed; flowers white, tubular, hairy inside, fruit yellow/orange



GJ *Leucopogon pilifer*

trailing beardheath

shrub to 30cm, branches spreading, hairy; leaves narrow, pointed ends, edges turned up; flowers hairy inside



GJ *Linum marginale*

native flax

herb; slender stem to 50 cm tall; blue flowers 2 cm diam. on long stems



GJ *Liparophyllum gunnii*

alpine marshwort

small herb often forming submerged patches in subalpine tarns; leaves fleshy; flowers small white



GJ *Lobelia surrepens*

mud lobelia

perennial herb, creeping; leaves oblong, to 2cm long; flowers tubular, pale blue or white



GJ *Melicytus dentatus*

spiky violetbush



RS *Microseris lanceolata*

highland yam daisy
rosette herb; leaves erect, to 20 cm long; single yellow flower head on tall stem



GJ *Monotoca empetrifolia*

mat broomheath
shrub; leaves sharply pointed; flowers white, bell-shaped, 2-3 together



RS *Montia australasica*

white purslane
prostrate fleshy herb; leaves narrow, to 9 cm long; flowers white




GJ *Montitega dealbata*

carpet cheeseberry
mat shrub; leaves blunt, to 4 mm long, waxy white under; flowers white bell shaped



GJ [Muehlenbeckia axillaris](#)

matted lignum
prostrate shrub, to 80cm diam; leaves round, to 5mm long;
flowers to 5mm diam, white, 5-lobed; fruit shiny, black



GJ [Nertera granadensis](#)

orange cushionbeads
prostrate mat-forming herb; leaves opposite, fleshy, 3-4mm
long; flowers small, terminal, cream/green; fruit orange/red,
spherical



RS [Olearia algida](#)

alpine daisybush
shrub to 60 cm; leaves 1-3 mm long, in clusters, dark green
above, hairy white below; daisy flower heads small



GJ [Olearia erubescens](#)

moth daisybush
shrub to 2m; leaves dark green above, lighter below, edges
toothed, tips pointed; white daisy flowers, 3-6 "petals"



GJ [Olearia obcordata](#)

heartleaf daisybush
shrub to 60 cm; leaves wedge shaped with lobed ends; flower
heads white



GJ [*Olearia phlogopappa*](#)

dusty daisybush
shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.



RW [*Olearia pinifolia*](#)

prickly daisybush
shrub to 3m; leaves rigid, linear, sharp pointed, to 4cm; white daisy flowers on fine stalks, up to 6 "petals"



RS [*Olearia tasmanica*](#)

tasmanian daisybush
shrub to 3m; leaves elliptical to 5cm, shiny above, white & hairy below; white daisy flower heads 3 to 5 on single stem



GJ [*Olearia viscosa*](#)

viscid daisybush
shrub to 2m; leaves elliptical, 5-8cm long, sticky, dark green above, light green, hairy under; daisy flower heads with 4-6 white "petals" in crowded terminal clusters



GJ [*Oreomyrrhis argentea*](#)

silver caraway
herb, silvery white, densely hairy; leaves feathery, twice divided, to 8cm long; flowers small, white, in flat-topped clusters



GJ *Oreomyrrhis eriopoda*

australian caraway
rosette herb; leaves twice divided somewhat hairy; flowers small
in heads



GJ *Orites acicularis*

yellow orites
shrub to 1.5m; leaves cylindrical, yellowish, sharp-pointed;
flowers creamy white



GJ *Orites revolutus*

revolute orites
shrub to 2m; leaves rolled into a cylinder; flowers in pairs,
white



GJ *Ornduffia reniformis*

running marshflower
fleshy herb in water or on wet mud; leaves kidney-shaped to
10cm across; flowers bright yellow, 2-4cm diam, in groups



RS *Oxylobium ellipticum*

golden shaggypea
shrub to 2.5m leaves elliptical, grey or rusty below; golden pea
flowers clustered at ends of branches



GJ [*Ozothamnus ericifolius*](#)

heathy everlastingbush
shrub to 3m high; leaves crowded, 4-7mm long, linear, hairy
under, sticky; daisy flower heads, creamy white, in compact
terminal groups



GJ [*Ozothamnus hookeri*](#)

scaly everlastingbush
shrub to 2m; leaves light green/yellow, tirangular, to 2mm,
sticky; flowers cream, small, in terminal clusters




GJ [*Ozothamnus thyrsoides*](#)

arching everlastingbush
shrub to 3m; leaves narrow linear to 5cm, margins rolled
under; flowers white, clustered at ends of short branches along
top of stem




RS [*Pentachondra pumila*](#)

carpet frillyheath
prostrate mat forming shrub; leaves oblong to 4mm long;
flowers tubular, white; fruit red



GJ [*Pimelea pygmaea*](#)

alpine riceflower
soft, blue-green, prostrate cushion shrub; leaves 6mm long;
single white flowers



GJ [Planocarpa nitida](#)

black cheeseberry
shrub to 50cm high; leaves , waxy/white under, to 1cm long,
margins rolled under; flowers solitary, white tubular; fruit
flattened, black drupe



GJ [Plantago daltonii](#)

alpine plantain
rosette herb; leaves hairless, to 10cm; sometimes in cushion
plants



GJ [Plantago gunnii](#)

bolster plantain
small herb; always grows in cushion plants; leaves ca. 1cm
long in a rosette; flowers in a cluster on short stalk



GJ [Podolepis jaceoides](#)

eastern copperwire-daisy
not on mainland Tas



GJ [Pterygopappus lawrencei](#)

sage cushionplant
sage-green soft cushion plant; leaves form hexagons with tiny
flower at centre



GJ *Pultenaea fasciculata*

alpine bushpea

prostrate shrub; leaves 5-7mm long, edges curled up, crowded in bunches along stem; yellow pea flowers, solitary



RW *Pultenaea juniperina*

prickly beauty

shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches



GJ *Ranunculus nanus*

dwarf buttercup

rosette herb. leaves with three lobes; flowers golden on long stems, to 15mm diam.



GJ *Rhodanthe anthemoides*

chamomile sunray

herb to 20cm high; leaves linear, to 2cm long, grey/green; paper daisy flowers, pink in bud, then white with yellow centre



RS *Richea acerosa*

slender candleheath

shrub to 1.2m; leaves narrow, sharp pointed, erect, 14mm long; white flowers at end of branch



RS [*Richea gunnii*](#)

bog candleheath
shrub to 1m; leaves at ends of branches, curved down, to 4cm long, sharp; flowers white



RS [*Richea scoparia*](#)

scoparia
shrub to >1m; leaf to 6cm, sharp pointed; flowers in long dense spikes, white/pink/red



RS [*Richea sprengelioides*](#)

rigid candleheath
shrub to 40cm; leaves to 13cm, sharply pointed; flowers yellow at ends of branches



GJ [*Rubus gunnianus*](#)

alpine raspberry
prostrate alpine herb, spreads by rhizomes; leaves dark green, three serrated leaflets; flowers white on short stalks; fruit red



GJ [*Scapisenecio albogilvus*](#)

white alpine groundsel
herb to 30cm high; leaves in rosette, 3-4cm long, edges with 1-2 teeth; daisy flower heads, white/cream, solitary, 3cm diam



GJ *Scapisenecio leptocarpus*

western groundsel
herb to 30cm high; leaves crowded near base, toothed; daisy
flower heads, yellow, to 2.5cm diam, 2-5 on stem,



GJ *Schizacme archeri*

cushion mitrewort
perennial prostrate, matt-forming herb; leaves crowded,
overlapping, to 5mm long, margins transparent; flowers white,
tubular, 2mm long



RS *Senecio gunnii*

mountain fireweed
erect herb to 50cm; leaves green above purple below; flowers,
no petals, in groups



GJ *Senecio pectinatus*

alpine groundsel
herb to 25cm high; leaves lobed; daisy flower heads, solitary,
golden yellow, 2.5cm diam



RS *Senecio pinnatifolius*
var pinnatifolius



GJ [*Sprengelia incarnata*](#)

pink swampheath
erect shrub to 2m; leaves hard, pointed, sheathing stem;
flowers pink/white, in terminal clusters



BC [*Stylidium graminifolium*](#)

narrowleaf triggerplant
herb to 50cm; leaves narrow, strap-like; flowers pink, four-
petalled, in spikes



RS [*Tasmannia lanceolata*](#)

mountain pepper
tree to 5m; leaves lance-shaped on red stems; flowers yellow;
fruit red turning black



GJ [*Tetratheca procumbens*](#)

spreading pinkbells
prostrate shrub to 20cm high; leaves narrow, margins rolled
under, to 8mm; flowers white to mauve/pink. centres dark
purple



GJ [*Utricularia dichotoma*](#)

fairies aprons
usually in large numbers in damp soil; violet flowers



GJ *Utricularia lateriflora*

tiny bladderwort
herb with slender stem, growing in wet mud or water, to 12cm high; leaves usually absent; flowers 3-6, purple,



GJ *Veronica gracilis*

slender speedwell
herb to 10cm; leaves narrow lance-shaped, to 3.5cm; flowers blue, four petalled



RS *Veronica plebeia*

trailing speedwell
perennial herb, more or less prostrate; leaves hairy; flowers 4-petalled, purple, in small groups



GJ *Viola betonicifolia*

herb to 5cm high; leaves oblong, with stem as long as blade; flowers purple/violet, on long fine stalks



GJ *Viola hederacea*

ivyleaf violet
herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks

[Wahlenbergia ceracea](#)

waxy bluebell
perennial herb to 80cm high; leaves elliptical, 1-2cm long;
flowers bell-shaped, pale blue, 5-petalled, on long stalks



GJ [Wahlenbergia gymnoclada](#)

naked bluebell
herb to 30cm; single large blue, bell-shaped flowers



GJ [Wahlenbergia saxicola](#)

mountain bluebell
herb to 9 cm high; leaves elliptical to 3 cm; flowers blue, bell-shaped



GJ [Xerochrysum milliganii](#)

snow paperdaisy
herb to 10cm high; leaves thick, pointed, elliptical in rosette;
paper daisy flower head, 2-3cm diam, white with yellow centre



RS [Xerochrysum subundulatum](#)

orange paperdaisy
herb to 29cm tall, in colonies; flowers golden, to 5cm diam,
single on stems




GJ *Polystichum proliferum*

mother shieldfern
note bulbils (new FERN) on fronds




GJ *Astelia alpina*

var. alpina
pineapple grass
mat-forming plant; leaves to 40cm; flowers pale yellow; fruit a red berry



JC *Caladenia alpina*

alpine finger-orchid
robust orchid to 30cm high; leaves to 22cm long, base red;
flowers 1 to 4, to 35mm across, white inside, pink outside



GC *Pterostylis decurva*

summer greenhood
orchid to 30cm high; leaves on stem to 4cm long; flower
solitary, green/white/brown with long, thread-like "nose" and
"ears"