

List



**PLANT LIST**

**Orford Thumbs Reserve**

Created 21-Jan-15  
 Updated 26-May-23  
 By APST, R Skabo, C Howells

[Goto Photos](#)

Scientific name	status	Common Name	Description
<a href="#">Acacia dealbata</a>		silver wattle	tree with grey green feathery leaves; golden flowers
<a href="#">Acacia genistifolia</a>		spreading wattle	shrub; golden flowers in spheres; stiff dagger-like leaves
<a href="#">Acacia melanoxylon</a>		blackwood	tree to 30m; leaves with parallel veins; round flower heads
<a href="#">Acacia mucronata</a>		caterpillar wattle	erect shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes
<a href="#">Acacia riceana</a>	e	arching wattle	shrub/tree to 6 m; phyllodes clustered, to 3 cm long with sharp point; flowers yellow in spikes.
<a href="#">Acacia verticillata</a>		prickly moses	shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical yellow spikes
<a href="#">Acaena novae-zelandiae</a>		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
<a href="#">Acrotriche serrulata</a>		ants delight	dark green low shrub; prickly leaves; flowers underneath
<a href="#">Allocasuarina littoralis</a>		black sheoak	tree; fruit like small pine cones; segmented needle-like "leaves"
<a href="#">Allocasuarina verticillata</a>		drooping sheoak	tree with "leaves" hanging down or drooping
<a href="#">Arthropodium milleflorum</a>		pale vanilla-lily	herb to 50 cm; grass-like leaves; flowers white/mauve drooping
<a href="#">Banksia marginata</a>		silver banksia	tree with typical banksia cones or yellow flower spikes
<a href="#">Bauera rubioides</a>		wiry bauera	sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink
<a href="#">Bedfordia salicina</a>	e	tasmanian blanketleaf	shrub/tree to 5m; leaves dark green above silver hairy below; yellow daisy flowers in groups
<a href="#">Beyeria viscosa</a>		pinkwood	small tree; inconspicuous flower; female plants have 3-lobed fruit
<a href="#">Billardiera longiflora</a>	e	purple appleberry	vine to 3m, clammers over other plants; leaves lance-like to 3cm; flowers tubular 2.5cm, yellow/green; fruit blue, sometimes white
<a href="#">Blechnum nudum</a>		fishbone waterfern	fronds light green divided only once, fertile fronds different
<a href="#">Blechnum wattsii</a>		hard waterfern	fronds dark green, divided only once, fertile fronds different
<a href="#">Bursaria spinosa</a>		prickly box	small tree; distinctive "purses" (seed cases); white starry flowers
<a href="#">Caladenia carnea</a>		pink fingers	herb to 25 cm; single narrow narrow; 1 to 6 showy pink flowers

## List

<a href="#"><i>Callitris oblonga</i></a>	south esk pine	<i>Narrow tree to 5m, blue-green leaves to 1mm in whorls of 3, pear shaped female cones 1cm, with 3 large and 3 small scales</i>
<a href="#"><i>Callitris rhomboidea</i></a>	oyster bay pine	<i>Narrow tree to 6m, green leaves to 2-5mm in whorls of 3, pear shaped female cones 2cm, with 6 pointed scales of sililar size</i>
<a href="#"><i>Cassinia aculeata</i></a>	dolly bush	<i>shrub to 3 m; large clusters of small white flowers</i>
<a href="#"><i>Cassytha glabella</i></a>	slender dodderlaurel	<i>slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks</i>
<a href="#"><i>Chiloglottis cornuta</i></a>	green bird-orchid	<i>orchid with pair of opposite, broad ovate leaves; flowers green, on scapes to 4cm high</i>
<a href="#"><i>Chrysocephalum apiculatur</i></a>	common everlasting	<i>perennial herb to 50cm; stem &amp; leaves densely hairy; golden daisy flowers in clusters</i>
<a href="#"><i>Clematis aristata</i></a>	mountain clematis	<i>climber; leaves multi-lobed; large white star-like flowers</i>
<a href="#"><i>Comesperma volubile</i></a>	blue lovecreeper	<i>wiry climber; small leaves; blue flowers along stems</i>
<a href="#"><i>Coprosma hirtella</i></a>	coffeeberry	<i>shrub to 2m; leaves dark green, leathery to 6cm long, pointed tip; fruit red/black, fleshy</i>
<a href="#"><i>Coprosma nitida</i></a>	mountain currant	<i>shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red</i>
<a href="#"><i>Coprosma quadrifida</i></a>	native currant	<i>erect shrub to 4m; leaves to 10mm; flowers, male &amp; female on separate plants, 4 white petals; fruit shiny red/orange</i>
<a href="#"><i>Coronidium scorpioides</i></a>	curling everlasting	<i>herb with single golden daisy flower heads on long stems</i>
<a href="#"><i>Correa reflexa</i></a>	common correa	<i>shrub, variable from prostrate to 3 m; leaves to 5 cm, reflexed with indented veins; flowers tubular, pendant, greenish.</i>
<a href="#"><i>Cotula australis</i></a>	southern buttons	<i>small herb, often prostrate; leaves once or twice divided, hairy; flower head solitary, 5mm diam, cream on long stalk</i>
<a href="#"><i>Cyathodes glauca</i></a>	e purple cheeseberry	<i>shrub to 3m; leaves pointed, to 5cm, green above whitish below; flowers tubular, white; fruit fleshy, white to red</i>
<a href="#"><i>Cyrtostylis reniformis</i></a>	small gnat-orchid	<i>tiny orchid; single heart-shaped leaf on ground; tiny flower</i>
<a href="#"><i>Dianella revoluta</i></a>	flax lily	<i>strap-like leaves; blue &amp; yellow flowers; blue berries, stamen tips yellow</i>
<a href="#"><i>Dianella tasmanica</i></a>	forest flaxlily	<i>perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry</i>
<a href="#"><i>Diplarrena moraea</i></a>	white flag-iris	<i>strap-like leaves; white flowers</i>
<a href="#"><i>Dodonaea viscosa</i></a>	native hop	<i>shrub/small tree to 6m high; leaves glossy, oblong, to 6cm long; flowers small, yellow; fruit 3-winged, green to reddish</i>
<a href="#"><i>Drosera gunniana</i></a>	pale sundew	<i>erect herb to 30cm high; leaves at base round on stem crescent shaped, fringed with glistening hairs; flowers white or pink</i>
<a href="#"><i>Drymophila cyanocarpa</i></a>	turquoise berry	
<a href="#"><i>Epacris impressa</i></a>	common heath	<i>shrub; white, red or pink tubular flowers with dimples at base</i>

## List

<a href="#">Epacris marginata</a>	e	rigid heath	<i>erect much branched shrub to 90 cm; leaves sharply pointed, to 12 mm with distinct margin; flowers white with stamens above throat, crowded towards ends of branches, scented.</i>
<a href="#">Epacris virgata</a>		pretty heath	<i>erect woody bush to 2m, shiny rounded and pointed leaves, single white 5-petalled tubular flowers in the axils of top 2/3 of stems</i>
<a href="#">Eucalyptus amygdalina</a>	e	black peppermint	<i>tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+</i>
<a href="#">Eucalyptus delegatensis</a>	e	gumtopped stringybark	<i>tree to 50m; stringy bark on most of trunk, branches white; leaves asymmetrical.</i>
<a href="#">Eucalyptus globulus</a>		tasmanian bluegum	<i>tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed</i>
<a href="#">Eucalyptus obliqua</a>		stringybark	<i>tree to 90m; trunk &amp; branches covered in soft, ridged bark; leaves very unsymmetrical;</i>
<a href="#">Eucalyptus pulchella</a>		white peppermint	<i>Small tree to 20m, smooth white-grey bark, very narrow leaves 5-10cm, 5mm buds in clusters up to 18, nuts with valves level with rim</i>
<a href="#">Eucalyptus viminalis</a>		white gum	<i>tree to 50 m, bark rough at base then smooth; leaves green; buds 3</i>
<a href="#">Exocarpos cupressiformis</a>		common native-cherry	<i>tree; conifer-like foliage; edible orange coloured fruit</i>
<a href="#">Gahnia grandis</a>		cutting grass	<i>tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m</i>
<a href="#">Gahnia radula</a>		thatch sawsedge	<i>Narrow tufted perennial sedge; leaves to 70cm; flowers brown to black on ends of leafy stems; nuts brown to black</i>
<a href="#">Galium australe</a>		coast bedstraw	<i>perennial herb with straggling stems; leaves in whorls of 4; flowers small, white, in groups of 1-4 along stem</i>
<a href="#">Geranium potentilloides</a>		geranium	<i>herb; lobed leaves; pink flowers; "storksbill" fruit</i>
<a href="#">Gonocarpus teucrioides</a>		forest raspwort	<i>perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.</i>
<a href="#">Goodenia lanata</a>		trailing native-primrose	<i>prostrate herb; leaves to 7cm, dark green above lighter below; flowers golden, asymmetric on long stem</i>
<a href="#">Goodenia ovata</a>		hop native-primrose	<i>shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups</i>
<a href="#">Hakea lissosperma</a>		mountain needlebush	<i>small tree to 6m; leaves cylindrical sharply pointed; flowers white; fruit almost round with short beak and warty surface</i>
<a href="#">Hibbertia riparia</a>		erect guineaflower	<i>shrub; narrow leaves; golden 5-petalled flowers</i>
<a href="#">Hovea heterophylla</a>		winter purplepea	<i>small shrub; dark green leaves; violet pea flowers</i>

## List

<a href="#"><i>Indigofera australis</i></a>	native indigo	<i>shrub to 1.5m high; leaves feather-like, to 10 leaflets; pea flowers pink/mauve, crowded along branches</i>
<a href="#"><i>Kennedia prostrata</i></a>	running postman	<i>herb; prostrate &amp; sprawling; leaves with 3 leaflets; crimson pea flower</i>
<a href="#"><i>Lagenophora stipitata</i></a>	blue bottledaisy	<i>rosette herb; leaves hairy, to 8cm long; single flower head white or purplish on long hairy stem</i>
<a href="#"><i>Leptecophylla divaricata</i></a>	spreading pinkberry	<i>woody shrub to 1m; crowded narrow convex leaves, green on top, whitish below; single green/cream tubular flowers towards branch ends; fruit bright pink, rarely white</i>
<a href="#"><i>Leptomeria drupacea</i></a>	erect currantbush	<i>Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.</i>
<a href="#"><i>Leptospermum lanigerum</i></a>	woolly teatree	<i>shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base</i>
<a href="#"><i>Leptospermum scoparium</i></a>	common teatree	<i>shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody</i>
<a href="#"><i>Leucopogon collinus</i></a>	white beardheath	<i>shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches</i>
<a href="#"><i>Linum marginale</i></a>	native flax	<i>herb; slender stem to 50 cm tall; blue flowers 2 cm diam. on long stems</i>
<a href="#"><i>Lomandra longifolia</i></a>	sagg	<i>tussock of strap-like leaves with notched ends; flowers in spiny clusters</i>
<a href="#"><i>Lomatia tinctoria</i></a>	e guitarplant	<i>shrub; divided leaves very variable in form; white flowers</i>
<a href="#"><i>Melaleuca pallida</i></a>	yellow bottlebrush	<i>shrub/tree to 5 m; leaves blue/green; flowers yellow bottlebrush to 8 cm long.</i>
<a href="#"><i>Microsorium pustulatum</i></a>	kangaroo fern	<i>Climbing fern on rocks or trees; fronds erect to pendant, widely separated; long creeping fleshy grey-green rooting stem</i>
<a href="#"><i>Notelaea ligustrina</i></a>	native olive	<i>small tree; leaves lance-shaped to 5cm; small green to purple fruit</i>
<a href="#"><i>Olearia archeri</i></a>	lanceleaf daisybush	<i>Shrub to 2m; leathery dull green leaves 2-7cm; flowers daisy 7-9 white "petals", yellow centre in clusters with long stalks</i>
<a href="#"><i>Olearia lirata</i></a>	forest daisybush	<i>shrub to 5m; numerous white daisy flowers at ends of branches</i>
<a href="#"><i>Olearia viscosa</i></a>	viscid daisybush	<i>shrub to 2m; leaves elliptical, 5-8cm long, sticky, dark green above, light green, hairy under; daisy flower heads with 4-6 white "petals" in crowded terminal clusters</i>
<a href="#"><i>Oxalis perennans</i></a>	grassland woodsorrel	<i>Small herb to 20cm; leaves trifoliolate hearts often folded; flowers 5-petals, yellow, broad petals 12mm wide</i>
<a href="#"><i>Oxylobium ellipticum</i></a>	golden shaggy pea	<i>shrub to 2.5m leaves elliptical, grey or rusty below; golden pea flowers clustered at ends of branches</i>
<a href="#"><i>Ozothamnus obcordatus</i></a>	yellow everlastingbush	<i>Shrub .5-1.5m, heart-shaper alternate leaves, glossy on top, hairy below, terminal tight clusters of yellow flowers massed in spring</i>

## List

<a href="#"><u>Pimelea nivea</u></a>	e	bushmans bootlace	shrub to 2m; leaves round, dark green, shiny above, white & hairy below; flowers tubular, in spherical heads
<a href="#"><u>Pomaderris apetala</u></a>		common dogwood	shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.
<a href="#"><u>Pomaderris pilifera</u></a>			shrub to 4m high; leaves ovate, to 5cm long, hairy under; flowers cream/yellow, 5-petalled, in pyramidal clusters
<a href="#"><u>Pteridium esculentum</u></a>		bracken	common fern to 2.5m tall; leathery much divided frond
<a href="#"><u>Pterostylis melagramma</u></a>	*	blackstripe greenhood	herb, grows as scattered plants. Central sepal and petals form a hood over the column and lip. Lateral sepals ending in fine points.
<a href="#"><u>Pterostylis pedunculata</u></a>		maroonhood	orchid with single green flower with maroon "nose" on stem to 25cm
<a href="#"><u>Pultenaea juniperina</u></a>		prickly beauty	shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches
<a href="#"><u>Pultenaea pedunculata</u></a>		matted bushpea	shrub; prostrate; golden pea flowers on stalks
<a href="#"><u>Senecio linearifolius</u></a>		common fireweed	perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters
<a href="#"><u>Stackhousia monogyna</u></a>		forest candles	herb to 50cm. several erect stems; leaves narrow; flowers white tubular in dense spikes at ends of stems.
<a href="#"><u>Stylidium graminifolium</u></a>		narrowleaf triggerplant	herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes
<a href="#"><u>Styphelia humifusa</u></a>		native cranberry	ground cover; prickly leaves; red tube flowers in winter
<a href="#"><u>Tasmannia lanceolata</u></a>		mountain pepper	tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black
<a href="#"><u>Tetradthea pilosa</u></a>		hairy pinkbells	shrub to 60 cm tall; pink flowers pendulous on stalks
<a href="#"><u>Veronica formosa</u></a>		common speedwell bush	shrub to 2 m; leaves crowded, green, to 1.5 cm long; flowers 4 petals usually pale blue/mauve, clustered.
<a href="#"><u>Viola hederacea</u></a>		ivyleaf violet	herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks
<a href="#"><u>Wahlenbergia stricta</u></a>		tall bluebell	Branching herb to 60cm; leaves ovate, hairy with wavy margins; 5-petalled bell flowers light blue with white centre; clumping, long taproot
<a href="#"><u>Zieria arborescens</u></a>		stinkwood	shrub/tree to 8 m; leaves with 3 leaflets to 10 cm with unpleasant smell when crushed; flowers with 4 white/pink petals.



## PLANT LIST

### Orford Thumbs Reserve

Created 21-Jan-15  
Updated 26-May-23  
By APST, R Skabo, C Howells

[Goto List](#)



GJ [\*Acacia dealbata\*](#)

silver wattle  
tree with grey green feathery leaves; golden flowers



GJ [\*Acacia genistifolia\*](#)

spreading wattle  
shrub; golden flowers in spheres; stiff dagger-like leaves



GJ [\*Acacia melanoxylon\*](#)

blackwood  
tree to 30m; leaves with parallel veins; round flower heads



RW [Acacia mucronata](#)

subsp. longifolia

caterpillar wattle

erect shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes



GJ [Acacia riceana](#)

arching wattle

shrub/tree to 6 m; phyllodes clustered, to 3 cm long with sharp point; flowers yellow in spikes.



GJ [Acacia verticillata](#)

prickly moses

shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical yellow spikes



RS [Acaena novae-zelandiae](#)

common buzzy

herb; leaves divided; balls of flower/seeds with hooks



GJ [Acrotriche serrulata](#)

ants delight

dark green low shrub; prickly leaves; flowers underneath



RS? [Allocasuarina littoralis](#)

black sheoak  
tree; fruit like small pine cones; segmented needle-like  
"leaves"



GJ [Allocasuarina verticillata](#)

drooping sheoak  
tree with "leaves" hanging down or drooping



GJ [Arthropodium milleflorum](#)

pale vanilla-lily  
herb to 50 cm; grass-like leaves; flowers white/mauve  
drooping



GJ [Banksia marginata](#)

silver banksia  
tree with typical banksia cones or yellow flower spikes



GJ [Bauera rubioides](#)

wiry bauera  
sprawling wiry shrub; leaves opposite, each with three leaflets;  
flowers white to pink





GJ [\*Bedfordia salicina\*](#)

tasmanian blanketleaf  
shrub/tree to 5m; leaves dark green above silver hairy below;  
yellow daisy flowers in groups



GJ [\*Beyeria viscosa\*](#)

pinkwood  
small tree; inconspicuous flower; female plants have 3-lobed  
fruit



GJ [\*Billardiera longiflora\*](#)

purple appleberry  
vine to 3m, clammers over other plants; leaves lance-like to  
3cm; flowers tubular 2.5cm, yellow/green; fruit blue,  
sometimes white



GJ [\*Blechnum nudum\*](#)

fishbone waterfern  
fronds light green divided only once, fertile fronds different



GJ [\*Blechnum wattsi\*](#)

hard waterfern  
fronds dark green, divided only once, fertile fronds different



GJ [Bursaria spinosa](#)

prickly box  
small tree; distinctive "purses" (seed cases); white starry flowers



JC [Caladenia carnea](#)

pink fingers  
herb to 25 cm; single narrow narrow; 1 to 6 showy pink flowers



RS [Callitris oblonga](#)

south esk pine  
Narrow tree to 5m, blue-green leaves to 1mm in whorls of 3, pear shaped female cones 1cm, with 3 large and 3 small scales



GJ [Callitris rhomboidea](#)

oyster bay pine  
Narrow tree to 6m, green leaves to 2-5mm in whorls of 3, pear shaped female cones 2cm, with 6 pointed scales of similar size



GJ [Cassinia aculeata](#)

dolly bush  
shrub to 3 m; large clusters of small white flowers



GJ *Cassytha glabella*

slender dodderlaurel  
slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks




BC *Chiloglottis cornuta*

green bird-orchid  
orchid with pair of opposite, broad ovate leaves; flowers green, on scapes to 4cm high



GJ *Chrysocephalum apiculatum*

common everlasting  
perennial herb to 50cm; stem & leaves densely hairy; golden daisy flowers in clusters



GJ *Clematis aristata*

mountain clematis  
climber; leaves multi-lobed; large white star-like flowers



GJ *Comesperma volubile*

blue lovecreeper  
wiry climber; small leaves; blue flowers along stems



GJ *Coprosma hirtella*

coffeeberry  
shrub to 2m; leaves dark green, leathery to 6cm long, pointed tip; fruit red/black, fleshy



RW *Coprosma nitida*

mountain currant  
shrub to 2m; leaves small elliptical; flowers small; fruit spherical, orange/red



GJ *Coprosma quadrifida*

native currant  
erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange



RS *Coronidium scorpioides*

curling everlasting  
herb with single golden daisy flower heads on long stems



GJ *Correa reflexa*

var. reflexa  
common correa  
shrub, variable from prostrate to 3 m; leaves to 5 cm, reflexed with indented veins; flowers tubular, pendant, greenish.




GJ *Cotula australis*

southern buttons  
small herb, often prostrate; leaves once or twice divided, hairy;  
flower head solitary, 5mm diam, cream on long stalk



RS *Cyathodes glauca*

purple cheeseberry  
shrub to 3m; leaves pointed, to 5cm, green above whitish  
below; flowers tubular, white; fruit fleshy, white to red




GJ *Cyrtostylis reniformis*

small gnat-orchid  
tiny orchid; single heart-shaped leaf on ground; tiny flower



GJ *Dianella revoluta*

flax lily  
strap-like leaves; blue & yellow flowers; blue berries, stamen  
tips yellow



BC *Dianella tasmanica*

forest flaxlily  
perennial to 1.5m; leaves long, narrow, margins serrated;  
flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny  
berry



GJ [\*Diplarrena moraea\*](#)

white flag-iris  
strap-like leaves; white flowers



GJ [\*Dodonaea viscosa\*](#)

subsp. *spathulata*  
native hop  
shrub/small tree to 6m high; leaves glossy, oblong, to 6cm long; flowers small, yellow; fruit 3-winged, green to reddish



GJ [\*Drosera gunniana\*](#)

pale sundew  
erect herb to 30cm high; leaves at base round on stem  
crescent shaped, fringed with glistening hairs; flowers white or pink



GJ [\*Drymophila cyanocarpa\*](#)

turquoise berry



GJ [\*Epacris impressa\*](#)

common heath  
shrub; white, red or pink tubular flowers with dimples at base



GJ [Epacris marginata](#)

rigid heath

erect much branched shrub to 90 cm; leaves sharply pointed, to 12 mm with distinct margin; flowers white with stamens above throat, crowded towards ends of branches, scented.



GJ [Epacris virgata](#)

pretty heath

erect woody bush to 2m, shiny rounded and pointed leaves, single white 5-petalled tubular flowers in the axils of top 2/3 of stems



GJ [Eucalyptus amygdalina](#)

black peppermint

tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+



GJ [Eucalyptus delegatensis](#)

gumtopped stringybark

tree to 50m; stringy bark on most of trunk, branches white; leaves asymmetrical.



GJ [Eucalyptus globulus](#)

tasmanian bluegum

tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed



GJ [\*Eucalyptus obliqua\*](#)

stringybark  
tree to 90m; trunk & branches covered in soft, ridged bark;  
leaves very unsymmetrical;



GJ [\*Eucalyptus pulchella\*](#)

white peppermint  
Small tree to 20m, smooth white-grey bark, very narrow leaves  
5-10cm, 5mm buds in clusters up to 18, nuts with valves level  
with rim



GJ [\*Eucalyptus viminalis\*](#)

white gum  
tree to 50 m, bark rough at base then smooth; leaves green;  
buds 3



GJ [\*Exocarpos cupressiformis\*](#)

common native-cherry  
tree; conifer-like foliage; edible orange coloured fruit



GJ [\*Gahnia grandis\*](#)

cutting grass  
tufted perennial with narrow grass-like leaves with sharp,  
rough edges; flowers in spikes on culms to 3m



[Gahnia radula](#)

thatch sawsedge

Narrow tufted perennial sedge; leaves to 70cm; flowers brown to black on ends of leafy stems; nuts brown to black



GJ [Galium australe](#)

coast bedstraw

perennial herb with straggling stems; leaves in whorls of 4; flowers small, white, in groups of 1-4 along stem



RW [Geranium potentilloides](#)

geranium

herb; lobed leaves; pink flowers; "storksbill" fruit



GW [Gonocarpus teucrioides](#)

forest raspwort

perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.



RS [Goodenia lanata](#)

trailing native-primrose

prostrate herb; leaves to 7cm, dark green above lighter below; flowers golden, asymmetric on long stem



GJ [\*Goodenia ovata\*](#)

hop native-primrose  
shrub to 2m; leaves bright green, to 6cm, edges toothed;  
flowers yellow with petals in two groups



GJ [\*Hakea lissosperma\*](#)

mountain needlebush  
small tree to 6m; leaves cylindrical sharply pointed; flowers  
white; fruit almost round with short beak and warty surface



BC [\*Hibbertia riparia\*](#)

erect guineaflower  
shrub; narrow leaves; golden 5-petalled flowers



GJ [\*Hovea heterophylla\*](#)

winter purplepea  
small shrub; dark green leaves; violet pea flowers



RW [\*Indigofera australis\*](#)

native indigo  
shrub to 1.5m high; leaves feather-like, to 10 leaflets; pea  
flowers pink/mauve, crowded along branches



GJ *Kennedia prostrata*

running postman  
herb; prostrate & sprawling; leaves with 3 leaflets; crimson pea flower



RS *Lagenophora stipitata*

blue bottledaisy  
rosette herb; leaves hairy, to 8cm long; single flower head white or purplish on long hairy stem



BC *Leptecophylla divaricata*

spreading pinkberry  
woody shrub to 1m; crowded narrow convex leaves, green on top, whitish below; single green/cream tubular flowers towards branch ends; fruit bright pink, rarely white



GJ *Leptomeria drupacea*

erect currantbush  
Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.



RS *Leptospermum lanigerum*

woolly teatree  
shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base




GJ [\*Leptospermum scoparium\*](#)

common teatree  
shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody



BC [\*Leucopogon collinus\*](#)

white beardheath  
shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches



GJ [\*Linum marginale\*](#)

native flax  
herb; slender stem to 50 cm tall; blue flowers 2 cm diam. on long stems



GJ [\*Lomandra longifolia\*](#)

sagg  
tussock of strap-like leaves with notched ends; flowers in spiny clusters



GJ [\*Lomatia tinctoria\*](#)

guitarplant  
shrub; divided leaves very variable in form; white flowers



GJ [Melaleuca pallida](#)

yellow bottlebrush  
shrub/tree to 5 m; leaves blue/green; flowers yellow  
bottlebrush to 8 cm long.



GJ [Microsorium pustulatum](#)

subsp. pustulatum  
kangaroo fern  
Climbing fern on rocks or trees; fronds erect to pendant, widely separated; long creeping fleshy grey-green rooting stem



GJ [Notelaea ligustrina](#)

native olive  
small tree; leaves lance-shaped to 5cm; small green to purple fruit



BC [Olearia archeri](#)

lanceleaf daisybush  
Shrub to 2m; leathery dull green leaves 2-7cm; flowers daisy  
7-9 white "petals", yellow centre in clusters with long stalks



GJ [Olearia lirata](#)

forest daisybush  
shrub to 5m; numerous white daisy flowers at ends of branches



GJ *Olearia viscosa*

viscid daisybush  
shrub to 2m; leaves elliptical, 5-8cm long, sticky, dark green above, light green, hairy under; daisy flower heads with 4-6 white "petals" in crowded terminal clusters



RS *Oxalis perennans*

grassland woodsorrel  
Small herb to 20cm; leaves trifoliate hearts often folded; flowers 5-petals, yellow, broad petals 12mm wide



RS *Oxylobium ellipticum*

golden shaggy pea  
shrub to 2.5m leaves elliptical, grey or rusty below; golden pea flowers clustered at ends of branches



GJ *Ozothamnus obcordatus*

yellow everlastingbush  
Shrub .5-1.5m, heart-shaper alternate leaves, glossy on top, hairy below, terminal tight clusters of yellow flowers massed in spring



RW *Pimelea nivea*

bushmans bootlace  
shrub to 2m; leaves round, dark green, shiny above, white & hairy below; flowers tubular, in spherical heads



GJ [\*Pomaderris apetala\*](#)

common dogwood  
shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.



GJ [\*Pomaderris pilifera\*](#)

shrub to 4m high; leaves ovate, to 5cm long, hairy under; flowers cream/yellow, 5-petalled, in pyramidal clusters



GJ [\*Pteridium esculentum\*](#)

subsp. esculentum  
bracken  
common fern to 2.5m tall; leathery much divided frond



GJ [\*Pterostylis melagramma\*](#)

blackstripe greenhood  
herb, grows as scattered plants. Central sepal and petals form a hood over the column and lip. Lateral sepals ending in fine points.



GJ [\*Pterostylis pedunculata\*](#)

maroonhood  
orchid with single green flower with maroon "nose" on stem to 25cm



RW [Pultenaea juniperina](#)

prickly beauty  
shrub to 2.5m; leaves to 12mm, sharp pointed; golden pea flowers at ends of branches



RW [Pultenaea pedunculata](#)

matted bushpea  
shrub; prostrate; golden pea flowers on stalks



GJ [Senecio linearifolius](#)

common fireweed  
perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters



GJ [Stackhousia monogyna](#)

forest candles  
herb to 50cm. several erect stems; leaves narrow; flowers white tubular in dense spikes at ends of stems.



BC [Styliidium graminifolium](#)

narrowleaf triggerplant  
herb to 50cm; leaves narrow, strap-like; flowers pink, four-petaled, in spikes





GJ [\*Styphelia humifusa\*](#)

native cranberry  
ground cover; prickly leaves; red tube flowers in winter



RS [\*Tasmania lanceolata\*](#)

mountain pepper  
tree to 5m; leaves lance-shaped on red stems; flowers yellow;  
fruit red turning black



GJ [\*Tetratheca pilosa\*](#)

hairy pinkbells  
shrub to 60 cm tall; pink flowers pendulous on stalks



AS [\*Veronica formosa\*](#)

common speedwell bush  
shrub to 2 m; leaves crowded, green, to 1.5 cm long; flowers 4  
petals usually pale blue/mauve, clustered.



GJ [\*Viola hederacea\*](#)

ivyleaf violet  
herb; perennial, spreading; kidney shaped leaves; violet  
flowers on stalks



GJ *Wahlenbergia stricta*

tall bluebell

Branching herb to 60cm; leaves ovate, hairy with wavy margins; 5-petaled bell flowers light blue with white centre; clumping, long taproot



GJ *Zieria arborescens*

stinkwood

shrub/tree to 8 m; leaves with 3 leaflets to 10 cm with unpleasant smell when crushed; flowers with 4 white/pink petals.