

## PLANT LIST Western Explorer

Created 12-Jun-13 Updated 9-May-23

By APST North West, Dick Burns

# **Goto Photos**

| Scientific name                 | status | Common Name                | Description   |
|---------------------------------|--------|----------------------------|---|
| <u>Lagarostrobos franklinii</u> | е      | huon pine                  | conifer with drooping branches, to 30m high;<br>leaves tiny, overlapping, stem-clasping; cones<br>small                                     |
| Phyllocladus aspleniifoliu      | е      | celerytop pine             | conifer tree to 20m; "leaves" diamond shaped,<br>thick, often lobed; female flowers fleshy in groups<br>attached to"leaves", white & red    |
| <u>Acacia dealbata</u>          |        | silver wattle              | tree with grey green feathery leaves; golden flowers  |
| Acacia melanoxylon              |        | blackwood                  | tree to 30m; leaves with parallel veins; round flower heads   |
| Acacia mucronata                |        | caterpillar wattle         | shrub/tree to 10m; leaves leathery, narrow, to15cm; flowers cream/yellow in spikes  |
| Acacia mucronata                |        | caterpillar wattle         | erect shrub/small tree; leaves narrow linear to<br>15cm long with short narrow point; yellow flowers<br>in spikes                           |
| <u>Acacia verticillata</u>      |        | prickly moses              | shrub/tree to 6 m; phyllodes in whorls, sharp; flowers yellow, in spikes.   |
| Acaena novae-zelandiae          |        | common buzzy               | herb; leaves divided; balls of flower/seeds with hooks  |
| Acradenia frankliniae           |        | whitey wood                | small tree to 10m high; leaves with 3 leaflets; flowers white, 5-petalled, in terminal clusters   |
| Agastachys odorata              | е      | fragrant<br>candlebush     | shrub to 3m high; leaves hairless, oblong, to 8cm long; white flowers in erect spikes up to 12cm long                                       |
| Allocasuarina zephyrea          | е      | western sheoak             | shrub to 2m; leaves are small teeth on needle-like branchlets; flowers m & f separate; cones to 3.5cm                                       |
| Amperea xiphoclada              |        | broom spurge               | almost leafless with angles stems, forms clumps resembling grass tussock  |
| Anodopetalum biglandulo         | е      | horizontal                 | shrub, or tree to 15m high; trunk usually bends over; leaves opposite, narrow elliptical, to 6cm long; flowers 4-petalled, cream/pale green |
| Anopterus glandulosus           | е      | tasmanian laurel           | shrub/small tree to 4m; leaves glossy, to 17cm; flowers In clusters,6-petalled, bell shaped, white/pink                                     |
| <u>Aotus ericoides</u>          |        | golden pea                 | shrub to 1.5m; leaves narrow to 12mm long,<br>margins downrolled; yellow pea flower with red<br>throat                                      |
| <u>Archeria eriocarpa</u>       | е      | hairy rainforest-<br>heath | shrub to 2.5m high; leaves to 9mm long, elliptical, edges finely toothed; flowers tubular, white/pink, to 7mm long                          |

| Aristotelia peduncularis     | е | heartberry             | straggling shrub to 1.5m; leaves to 70mm. lance-<br>shaped, edges serrated; flowers white, bell-<br>shaped,petals three-toothed; fruit heart shaped,<br>white, red or black |
|------------------------------|---|------------------------|---|
| Atherosperma moschatui       |   | sassafras              | tree to 25m; leaves to 8cm elliptical, margins often toothed; flowers white, in pairs, pendulous, 4-petalled. Male and female flowers on same or separate trees             |
| Baeckea leptocaulis          | е | slender<br>heathmyrtle |   |
| Banksia marginata            |   | silver banksia         | tree with typical banksia cones or yellow flower spikes   |
| Bauera rubioides             |   | wiry bauera            | sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink  |
| Billardiera macrantha        |   | forest appleberry      | vine clambers over other plants; leaves lance-like to 5cm; flowers tubular, yellow/green; fruit blue/purple   |
| <u>Billardiera mutabilis</u> |   | green appleberry       | vine; narrow leaves; yellowish bell-shaped flowers; yellow fruit  |
| Blandfordia punicea          | е | christmas bells        | lily-like herb; leaves strap-like to 1.5m; flowers<br>tubular, red/orange externally yellow internally to<br>45mm long  |
| Boronia nana                 |   |                        |   |
| Cassinia aculeata            |   | dolly bush             | shrub to 3 m; large clusters of small white flowers   |
| Cenarrhenes nitida           | е | native plum            | shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes   |
| Clematis aristata            |   | mountain clematis      | climber; leaves multi-lobed; large white star-like flowers  |
| Coprosma quadrifida          |   | native currant         | erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange  |
| Drosera binata               |   | forked sundew          | herb; leaves forked, on long stem, blades with<br>glistening hairs; flowers white, to 2cm diam, in<br>groups of up to 40  |
| Drosera pygmaea              |   | dwarf sundew           | tiny carnivorous herb; leaves round, fringed with hairs, in basal rosette; tiny single white flower   |
| Epacris curtisiae            | е | northwest heath        | shrub to 1m high; to 6mm long, edges transparent, tip pointed; flowers white, tubular   |
| Epacris impressa             |   | common heath           | shrub; white, red or pink tubular flowers with dimples at base  |
| Epacris lanuginosa           |   | swamp heath            | erect narrow shrub to 1.5m; leaves narrow lance-<br>shaped with sharp point; flowers white, tubular in<br>clusters  |
| Eucalyptus obliqua           |   | stringybark            | tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;  |
| Eucryphia lucida             | е | leatherwood            | tree to 12m; leaves green above whitish below, ends blunt; flowers with 4 rounded white petals & numerous reddish stamens   |
| <u>Eucryphia milliganii</u>  | е | dwarf leatherwood      | shrub/small tree to 3m high; leaves opposite, oblong, shiny green above, whitish under; flowers white with numerous showy burgundy-tipped stamens                           |
|                              |   |                        |   |

|   | wedgepea                   | herb; pea flower yellow inside and blackish outside  |
|---|----------------------------|--|
| е | beaked<br>needlebush       | shrub to 3m high; leaves needle-like, sharply pointed, to 5cm long; flowers yellow, spider-like; fruit woody, S-shaped   |
|   | scrambling<br>guineaflower | shrub, scrambling to 2m high; leaves elliptic, to 8mm long, hairy; flowers yellow, 6mm diam, petals with notched tips  |
|   | spreading<br>guineaflower  | prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous   |
|   |                            |  |
| е | smoky teatree              | upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery   |
|   | woolly teatree             | shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base   |
| е | shiny teatree              | shrub to 4m; leaves shiny green, to 2cm. Elliptical; flowers white large, 5 petals; fruit hard, scaly, flattopped, 5 slits   |
| е | river teatree              | shrub to 4m; narrow, rolled margins, to 25mm; flowers, white, single; capsule 5 slits, convex top  |
|   | common teatree             | shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody   |
|   | white beardheath           | shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches   |
|   | common beard-<br>heath     | shrub to 1 m; small white flowers; petals woolly above   |
|   | matted lobelia             | prostrate, ground-covering perennial herb; leaves small, round; flowers whiite or blue, split tube   |
|   | swamp<br>honeymyrtle       | shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in termianl globular heads  |
|   | scented paperbark          | shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes   |
|   | goldey wood                | shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups  |
|   | satinwood                  | shrub/tree to 4 m; leaves to 8 cm, green upper surface, silvery below; flowers white/cream, 5 petals with prominent stamens.   |
|   | myrtle beech               | tree to 50m; leaves roundish, new growth red; flowers inconspicuous  |
|   | tall shaggypea             | shrub to 6m; leaves to 8cm. edges turned down, dark green above, silky under; pea flowers golden, in clusters  |
|   | twining silkpod            | vigorous climbing vine; leaves to 10cm,lighter green under; flowers small, yellow/orange, in clusters  |
|   | e                          | needlebush scrambling guineaflower  spreading guineaflower  e smoky teatree woolly teatree e shiny teatree  common teatree white beardheath common beardheath matted lobelia  swamp honeymyrtle scented paperbark goldey wood satinwood  myrtle beech tall shaggypea |

| Persoonia juniperina           |   | prickly geebung            | shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers  |
|--------------------------------|---|----------------------------|--|
| <u>Philotheca virgata</u>      |   | twiggy waxflower           | shrub to 2m; stems warty; leaves narrow oblong to 2cm; flowers white star-shaped, 4-5 petals   |
| Pimelea cinerea                | е | grey riceflower            | shrub to 2m high; leaves opposite, elliptical, to 3cm long, flat; flowers white, tubular, in few-flowered, terminal heads  |
| Pimelea drupacea               |   | cherry riceflower          | shrub to 3m;   |
| <u>Pimelea linifolia</u>       |   | slender riceflower         |  |
| <u>Pittosporum bicolor</u>     |   | cheesewood                 | tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow   |
| Pomaderris aspera              |   | hazel dogwood              | shrub/tree to 15m; small branches densely rusty hairy; leaves to 12cm; rusty hairy under; flowers cream in bunches (panicles)  |
| <u>Prostanthera lasianthos</u> |   | christmas bush             | shrub/small tree to 5m high; leaves to 8cm long, lance-shaped, dark green above, lighter under; flowers white to pale lilac, purple spots In throat, in showy clusters |
| Pultenaea juniperina           |   | prickly beauty             | shrub to 2.5m; leaves to 12mm, sharp pointed; goledn pea flowers at ends of branches   |
| <u>Richea pandanifolia</u>     | е |                            | heath to 10m high; leaves strap-like, to 2m long; flowers white/pink maturing to deep pink, in spike to 25cm long  |
| Sprengelia incarnata           |   | pink swampheath            | erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters  |
| <u>Stylidium graminifolium</u> |   | narrowleaf<br>triggerplant | herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes  |
| Tasmannia lanceolata           |   | mountain pepper            | tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black  |
| <u>Blechnum nudum</u>          |   | fishbone waterfern         | fronds light green divided only once, fertile fronds different   |
| <u>Blechnum wattsii</u>        |   | hard waterfern             | fronds dark green, divided only once, fertile fronds different   |
| Dicksonia antarctica           |   | soft treefern              | Tall fern, trunks to several metres tall   |
| Microsorum pustulatum          |   | kangaroo fern              | growing on trunks of other plants or rocks   |
| Polystichum proliferum         |   | mother shieldfern          | note bulbils (new FERN) on fronds  |
| Pteridium esculentum           |   | bracken                    | common fern to 2.5m tall; leathery much divided frond  |
| Baloskion tetraphyllum         |   | southern cordrush          | rush to 1m; leaves replaced by brown sheaths along flowering stems; flowers in terminal clusters   |
| Chiloglottis cornuta           |   | green bird-orchid          | orchid with pair of opposite, broad ovate leaves;<br>flowers green, on scapes to 4cm high  |
| <u>Dianella tasmanica</u>      |   | forest flaxlily            | perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry                                    |
| Diplarrena moraea              |   | white flag-iris            | strap-like leaves; white flowers   |

| Drymophila cyanocarpa     |   | turquoise berry         |   |
|---------------------------|---|-------------------------|---|
| Gahnia grandis            |   | cutting grass           | tufted perennial with narrow grass-like leaves with<br>sharp, rough edges; flowers in spikes on culms to<br>3m    |
| Gymnoschoenus sphaerc     |   | buttongrass             | sedge with dense tufts of leaves to 60cm high;<br>flowers in tight spherical clusters on stallks to<br>100cm high |
| Isophysis tasmanica       | е | tasmanian<br>purplestar | herb to 30cm high; leaves tapered, in fan-shaped tufts, flowers purple, star-shaped, on stem longer than leaves   |
| <u>Libertia pulchella</u> |   | pretty grassflag        | perennial herb; leaves narrow in fans to 15cm long; flowers small, white, 6-petalled, in small clusters           |
| Patersonia fragilis       |   | short purpleflag        |   |
| Xyris operculata          | е | tall yelloweye          |   |



## PLANT LIST Western Explorer

Created 12-Jun-13 Updated 09-May-23

By APST North West, Dick Burns

#### **Goto List**



#### GJ <u>Lagarostrobos franklinii</u>

huon pine conifer with drooping branches, to 30m high; leaves tiny, overlapping, stem-clasping; cones small



## GJ Phyllocladus aspleniifolius

celerytop pine conifer tree to 20m; "leaves" diamond shaped, thick, often lobed; female flowers fleshy in groups attached to "leaves", white & red



## GJ Acacia dealbata

silver wattle tree with grey green feathery leaves; golden flowers



## GJ Acacia melanoxylon

blackwood tree to 30m; leaves with parallel veins; round flower heads



#### RW Acacia mucronata

caterpillar wattle shrub/tree to 10m; leaves leathery, narrow, to15cm; flowers cream/yellow in spikes



## RW Acacia mucronata

subsp. mucronata caterpillar wattle erect shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes



## GJ Acacia verticillata

subsp. verticillata prickly moses shrub/tree to 6 m; phyllodes in whorls, sharp; flowers yellow, in spikes.



#### RS Acaena novae-zelandiae

common buzzy herb; leaves divided; balls of flower/seeds with hooks



#### GJ Acradenia frankliniae

whitey wood small tree to 10m high; leaves with 3 leaflets; flowers white, 5petalled, in terminal clusters



## GJ Agastachys odorata

fragrant candlebush shrub to 3m high; leaves hairless, oblong, to 8cm long; white flowers in erect spikes up to 12cm long



#### GJ Allocasuarina zephyrea

western sheoak shrub to 2m; leaves are small teeth on needle-like branchlets; flowers m & f separate; cones to 3.5cm



## GJ Amperea xiphoclada

broom spurge almost leafless with angles stems, forms clumps resembling grass tussock



#### RW <u>Anodopetalum biglandulosum</u>

horizontal

shrub, or tree to 15m high; trunk usually bends over; leaves opposite, narrow elliptical, to 6cm long; flowers 4-petalled, cream/pale green



#### GJ <u>Anopterus glandulosus</u>

tasmanian laurel shrub/small tree to 4m; leaves glossy, to 17cm; flowers In clusters,6-petalled, bell shaped, white/pink



#### GJ Aotus ericoides

golden pea shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat



#### GJ Archeria eriocarpa

hairy rainforest-heath shrub to 2.5m high; leaves to 9mm long, elliptical, edges finely toothed; flowers tubular, white/pink, to 7mm long



## GJ Aristotelia peduncularis

heartberry straggling shrub to 1.5m; leaves to 70mm. lance-shaped, edges serrated; flowers white, bell-shaped,petals threetoothed; fruit heart shaped, white, red or black



#### GJ Atherosperma moschatum

sassafras

tree to 25m; leaves to 8cm elliptical, margins often toothed; flowers white, in pairs, pendulous, 4-petalled. Male and female flowers on same or separate trees



## GJ Baeckea leptocaulis

slender heathmyrtle



#### GJ Banksia marginata

silver banksia tree with typical banksia cones or yellow flower spikes



# GJ <u>Bauera rubioides</u>

wiry bauera sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink



## GJ Billardiera macrantha

forest appleberry vine clambers over other plants; leaves lance-like to 5cm; flowers tubular, yellow/green; fruit blue/purple



## GJ Billardiera mutabilis

green appleberry vine; narrow leaves; yellowish bell-shaped flowers; yellow fruit



#### GJ Blandfordia punicea

christmas bells lily-like herb; leaves strap-like to 1.5m; flowers tubular, red/orange externally yellow internally to 45mm long



#### GJ Boronia nana



# GJ Cassinia aculeata

dolly bush shrub to 3 m; large clusters of small white flowers



## GJ Cenarrhenes nitida

native plum shrub/small tree to 8m; leaves to 15cm, edges toothed; flowers small, white in spikes



## GJ Clematis aristata

mountain clematis climber; leaves multi-lobed; large white star-like flowers



## GJ Coprosma quadrifida

native currant erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange



#### GJ Drosera binata

forked sundew herb; leaves forked, on long stem, blades with glistening hairs; flowers white, to 2cm diam, in groups of up to 40



#### GJ Drosera pygmaea

dwarf sundew tiny carnivorous herb; leaves round, fringed with hairs, in basal rosette; tiny single white flower



#### GJ Epacris curtisiae

northwest heath shrub to 1m high; to 6mm long, edges transparent, tip pointed; flowers white, tubular



## GJ Epacris impressa

common heath shrub; white, red or pink tubular flowers with dimples at base



#### GJ Epacris lanuginosa

swamp heath erect narrow shrub to 1.5m; leaves narrow lance-shaped with sharp point; flowers white, tubular in clusters



## GJ Eucalyptus obliqua

stringybark tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;



# GJ Eucryphia lucida

leatherwood tree to 12m; leaves green above whitish below, ends blunt; flowers with 4 rounded white petals & numerous reddish stamens



## GJ Eucryphia milliganii

dwarf leatherwood shrub/small tree to 3m high; leaves opposite, oblong, shiny green above, whitish under; flowers white with numerous showy burgundy-tipped stamens



#### BC Gompholobium huegelii

common wedgepea herb; pea flower yellow inside and blackish outside



#### GJ Hakea epiglottis

beaked needlebush shrub to 3m high; leaves needle-like, sharply pointed, to 5cm long; flowers yellow, spider-like; fruit woody, S-shaped



#### GJ Hibbertia empetrifolia

scrambling guineaflower shrub, scrambling to 2m high; leaves elliptic, to 8mm long, hairy; flowers yellow, 6mm diam, petals with notched tips



#### RS Hibbertia procumbens

spreading guineaflower prostrate shrub spreading to 30cm; leaves to 2cm long, edges rolled under; flowers large, yellow very numerous

Leptecophylla oxycedrus



#### GJ Leptospermum glaucescens

smoky teatree upright shrub/tree to 8m; leaves grey-green to 2cm; flowers white with red centres; fruit small, reddish, leathery



#### RS <u>Leptospermum lanigerum</u>

woolly teatree shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base



#### GJ <u>Leptospermum nitidum</u>

shiny teatree shrub to 4m; leaves shiny green, to 2cm. Elliptical; flowers white large, 5 petals; fruit hard, scaly, flat-topped, 5 slits



#### GJ <u>Leptospermum riparium</u>

river teatree shrub to 4m; narrow, rolled margins, to 25mm; flowers, white, single; capsule 5 slits, convex top



#### GJ Leptospermum scoparium

common teatree shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody



#### BC <u>Leucopogon collinus</u>

white beardheath shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches



#### BC Leucopogon virgatus

common beard-heath shrub to 1 m; small white flowers; petals woolly above



## GJ *Lobelia pedunculata*

matted lobelia prostrate, ground-covering perennial herb; leaves small, round; flowers whiite or blue, split tube



### GJ <u>Melaleuca squamea</u>

swamp honeymyrtle shrub to 3m; leaves to 8mm, hairy; flowers mauve/white in termianl globular heads



#### GJ Melaleuca squarrosa

scented paperbark shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes



## RW <u>Monotoca glauca</u>

goldey wood shrub to 3m; leaves to 10mm, sharp points; flowers white, 5 petalled, in small groups



#### GJ Nematolepis squamea

subsp. squamea satinwood

shrub/tree to 4 m; leaves to 8 cm, green upper surface, silvery below; flowers white/cream, 5 petals with prominent stamens.



#### RS Nothofagus cunninghamii

myrtle beech tree to 50m; leaves roundish, new growth red; flowers inconspicuous



## GJ Oxylobium arborescens

tall shaggypea shrub to 6m; leaves to 8cm. edges turned down, dark green above, silky under; pea flowers golden, in clusters



## GJ <u>Parsonsia brownii</u>

twining silkpod vigorous climbing vine; leaves to 10cm,lighter green under; flowers small, yellow/orange, in clusters



#### GJ Persoonia juniperina

prickly geebung shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers



## GJ Philotheca virgata

twiggy waxflower shrub to 2m; stems warty; leaves narrow oblong to 2cm; flowers white star-shaped, 4-5 petals



#### GJ Pimelea cinerea

grey riceflower shrub to 2m high; leaves opposite, elliptical, to 3cm long, flat; flowers white, tubular, in few-flowered, terminal heads



## BC Pimelea drupacea

cherry riceflower shrub to 3m;



## GJ Pimelea linifolia

slender riceflower



#### AS Pittosporum bicolor

cheesewood

tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow



#### GJ Pomaderris aspera

hazel dogwood shrub/tree to 15m; small branches densely rusty hairy; leaves to 12cm; rusty hairy under; flowers cream in bunches (panicles)



#### GJ Prostanthera lasianthos

christmas bush shrub/small tree to 5m high; leaves to 8cm long, lance-shaped, dark green above, lighter under; flowers white to pale lilac, purple spots In throat, in showy clusters



#### RW Pultenaea juniperina

prickly beauty shrub to 2.5m; leaves to 12mm, sharp pointed; goledn pea flowers at ends of branches



#### GJ Richea pandanifolia

heath to 10m high; leaves strap-like, to 2m long; flowers white/pink maturing to deep pink, in spike to 25cm long



#### GJ Sprengelia incarnata

pink swampheath erect shrub to 2m; leaves hard, pointed, sheathing stem; flowers pink/white, in terminal clusters



## BC Stylidium graminifolium

narrowleaf triggerplant herb to 50cm; leaves narrow, strap-like; flowers pink, fourpetalled, in spikes



#### RS <u>Tasmannia lanceolata</u>

mountain pepper tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black



#### GJ <u>Blechnum nudum</u>

fishbone waterfern fronds light green divided only once, fertile fronds different



#### GJ Blechnum wattsii

hard waterfern fronds dark green, divided only once, fertile fronds different



## GJ Dicksonia antarctica

soft treefern
Tall fern, trunks to several metres tall



#### GJ Microsorum pustulatum

kangaroo fern growing on trunks of other plants or rocks



#### GJ Polystichum proliferum

mother shieldfern note bulbils (new FERN) on fronds



#### GJ <u>Pteridium esculentum</u>

subsp. esculentum bracken common fern to 2.5m tall; leathery much divided frond



## GJ Baloskion tetraphyllum

southern cordrush rush to 1m; leaves replaced by brown sheaths along flowering stems; flowers in terminal clusters



## BC Chiloglottis cornuta

green bird-orchid orchid with pair of opposite, broad ovate leaves; flowers green, on scapes to 4cm high



# BC <u>Dianella tasmanica</u>

forest flaxlily perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry



## GJ *Diplarrena moraea*

white flag-iris strap-like leaves; white flowers



## GJ Drymophila cyanocarpa

turquoise berry



## GJ Gahnia grandis

cutting grass tufted perennial with narrow grass-like leaves with sharp, rough edges; flowers in spikes on culms to 3m



## GJ <u>Gymnoschoenus sphaerocephalus</u>

buttongrass sedge with dense tufts of leaves to 60cm high; flowers in tight spherical clusters on stallks to 100cm high



#### MG *Isophysis tasmanica*

tasmanian purplestar herb to 30cm high; leaves tapered, in fan-shaped tufts, flowers purple, star-shaped, on stem longer than leaves



# GJ *Libertia pulchella*

pretty grassflag perennial herb; leaves narrow in fans to 15cm long; flowers small, white, 6-petalled, in small clusters



## GJ Patersonia fragilis

short purpleflag



## BC Xyris operculata

tall yelloweye