

List

Scientific name	status	Common Name	Description
<i>Acacia genistifolia</i>		spreading wattle	shrub; golden flowers in spheres; stiff dagger-like leaves
<i>Acacia longifolia</i>		coastal wattle	
<i>Acacia melanoxylon</i>		blackwood	tree to 30m; leaves with parallel veins; round flower heads
<i>Acacia myrtifolia</i>		redstem wattle	shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads
<i>Acacia suaveolens</i>		sweet wattle	shrub to 2 m; phyllodes blue/green to 15 cm; flowers round, cream, in axils, sweet scented.
<i>Acacia terminalis</i>		sunshine wattle	shrub to 4m high; leaves feathery; flowers in bunches of spherical heads
<i>Acetosella vulgaris</i>	i	sheep sorrel	
<i>Acrotriche serrulata</i>		ants delight	dark green low shrub; prickly leaves; flowers underneath
<i>Allocasuarina littoralis</i>		black sheoak	
<i>Allocasuarina monilifera</i>	e	necklace sheoak	
<i>Amperea xiphoclada</i>		broom spurge	almost leafless with angles stems, forms clumps resembling grass tussock
<i>Aotus ericoides</i>		golden pea	shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat
<i>Austrostipa pubinodis</i>		tall speargrass	
<i>Banksia marginata</i>		silver banksia	tree with typical banksia cones or yellow flower spikes
<i>Bossiaea cinerea</i>		showy bossia	
<i>Brachyscome graminea</i>		grass daisy	herb perennial, to 70cm high; leaves narrow, to 14cm long, bright green; flower head white/mauve/pink, yellow centred, on long stalk
<i>Burchardia umbellata</i>		milkmaids	herb; leaves grass-like; white 6-petalled flowers with maroon centres
<i>Calytrix tetragona</i>		common fringemyrtle	shrub; star-like white flowers
<i>Cassinia aculeata</i>		dolly bush	shrub to 3 m; large clusters of small white flowers
<i>Cassytha glabella</i>		slender dodderlaurel	slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks
<i>Cassytha melantha</i>		large dodderlaurel	"monkey twine", parasitic on other plants
<i>Cassytha pubescens</i>		downy dodderlaurel	parasitic twiner; appears leafless; flowers small, white, crowded in groups/spikes
<i>Centrolepis strigosa</i>		hairy bristlewort	tiny tufted grass-like plant; hairy leaves;

List

<i>Comesperma volubile</i>		blue lovecreeper	wiry climber; small leaves; blue flowers along stems
<i>Conospermum hookeri</i>	e	tasmanian smokebush	ozothamnus-like bush, distinctive white flowers
<i>Correa reflexa</i>	e	common correa	shrub, variable from prostrate to 3 m; leaves to 5 cm, reflexed with indented veins; flowers tubular, pendant, greenish.
<i>Deyeuxia quadriseta</i>		reed bentgrass	
<i>Dillwynia glaberrima</i>		smooth parrotpea	slender shrub to 90cm; leaves hairless, narrow cylindrical; golden pea flowers
<i>Dodonea viscosa</i>		broadleaf hopbush	tree to 6m; sticky oblong leaves to 8cm; distinctive fruit with 3 or 4 wings
<i>Epacris impressa</i>		common heath	shrub; white, red or pink tubular flowers with dimples at base
<i>Erica lusitanica</i>	i	spanish heath	woody shrub to 1.5m, abundant small white flowers black inside the tube
<i>Eriochilus cucullatus</i>		autumn-orchid	to 30 cm tall pink flower like a parson's bands
<i>Eucalyptus amygdalina</i>	e	black peppermint	tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+
<i>Eucalyptus ovata</i>		black gum	large gum tree; rough grey bark; oval leaves
<i>Eucalyptus sieberi</i>	e	ironbark	
<i>Eucalyptus viminalis</i>		white gum	large gum tree; white trunk; broad leaves
<i>Euryomyrtus ramosissima</i>		rosy heathmyrtle	shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam, 5 white/pink petals
<i>Exocarpos cupressiformis</i>		common native-cherry	tree; conifer-like foliage; edible orange coloured fruit
<i>Gahnia radula</i>		thatch sawsedge	
<i>Gompholobium huegelii</i>		common wedgepea	herb; pea flower yellow inside and blackish outside
<i>Goodenia ovata</i>		hop native-primrose	shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups
<i>Hakea teretifolia</i>		dagger hakea	
<i>Hibbertia riparia</i>		erect guineaflower	shrub; narrow leaves; golden 5-petalled flowers
<i>Leptospermum scoparium</i>		common teatree	shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody
<i>Leucopogon collinus</i>		white beardheath	shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches
<i>Leucopogon ericoides</i>		pink beardheath	
<i>Lobelia anceps</i>		angled lobelia	perennial herb, prostrate, scrambling; stem with flattened ridges; flowers small, blue, two-lipped
<i>Lomandra longifolia</i>		sagg	tussock of strap-like leaves with notched ends; flowers in spiny clusters
<i>Melaleuca ericifolia</i>		coast paperbark	tree; white papery bark, profuse white flowers in summer
<i>Melaleuca gibbosa</i>		slender honeymyrtle	shrub to 3m; leaves crowded, to 6mm; flowers mauve/pink bottle brushes to 3cm long

List

<i>Melaleuca squarrosa</i>		scented paperbark	shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers yellow/cream in terminal bottle brushes
<i>Monotoca elliptica</i>		tree broomheath	
<i>Monotoca scoparia</i>		prickly broomheath	
<i>Olearia lirata</i>		forest daisybush	shrub to 5m; numerous white daisy flowers at ends of branches
<i>Olearia ramulosa</i>		twiggy daisybush	shrub to 2 m; leaves small with rolled edges; flowers white, numerous with 6-10 ray florets.
<i>Persoonia juniperina</i>		prickly geebung	shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers
<i>Philotheca virgata</i>		twiggy waxflower	shrub to 2m; stems warty; leaves narrow oblong to 2cm; flowers white star-shaped, 4-5 petals
<i>Phyllota diffusa</i>	e	heath bushpea	spreading shrub to 20cm tall; leaves cylindrical, linear, tightly rolled under; yellow pea flowers with red markings
<i>Pimelea linifolia</i>		slender riceflower	
<i>Plantago coronopus</i>	i	buck's horn plantain	
<i>Platylobium triangulare</i>		arrow flatpea	scrambling shrub; leaves triangular with sharp tips; flowers orange/yellow pea with bracts that don't conceal the stem.
<i>Pomaderris apetala</i>		common dogwood	small tree; rough leaves; flowers with no petals
<i>Pteridium exculentum</i>			
<i>Pultenaea dentata</i>		swamp bushpea	shrub to 90cm tall; leaves to 10mm long, crowded near ends of branches; yellow, pea flowers in small terminal bunches
<i>Pultenaea tenuifolia</i>		slender bushpea	prostrate shrub; leaves to 8mm long, narrow with upper channel; yellow/red pea flowers, solitary, near branch ends
<i>Samolus repens</i>		creeping brookweed	herb spreading by rooting; leaves fleshy, spoon-shaped, to 3cm; flowers white/pink, 5 petals
<i>Stylidium graminifolium</i>		narrowleaf triggerplant	herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes
<i>Styphelia adscendens</i>		golden heath	prostrate shrub to 50cm; leaves to 3cm, pointed, edges hairy; flowers tubular, yellow/green, hairy inside
<i>Styphelia adscendens</i>		golden heath	prostrate shrub to 50cm; leaves to 3cm, pointed, edges hairy; flowers tubular, yellow/green, hairy inside
<i>Styphelia humifusa</i>		native cranberry	ground cover; prickly leaves; red tube flowers in winter
<i>Tetratheca labillardierei</i>		glandular pinkbells	



PLANT LIST

Winifred Curtis Reserve, Scamander

Created 22-Oct-22
Updated 23-May-23
By Alex Buchanan, Dick Burns (edited APS)

[Goto List](#)



GJ [*Acacia genistifolia*](#)

spreading wattle
shrub; golden flowers in spheres; stiff dagger-like leaves



AS [*Acacia longifolia*](#)

subsp. Longifolia
coastal wattle



GJ [*Acacia melanoxylon*](#)

blackwood
tree to 30m; leaves with parallel veins; round flower heads



GJ [*Acacia myrtifolia*](#)

redstem wattle
shrub to 2m; stems red; leaves to 5cm, leathery, single vein;
flowers cream in spherical heads



GJ [*Acacia suaveolens*](#)

sweet wattle
shrub to 2 m; phyllodes blue/green to 15 cm; flowers round,
cream, in axils, sweet scented.



GJ [*Acacia terminalis*](#)

sunshine wattle
shrub to 4m high; leaves feathery; flowers in bunches of
spherical heads



GJ [*Acetosella vulgaris*](#)

sheep sorrel



GJ [*Acrotriche serrulata*](#)

ants delight
dark green low shrub; prickly leaves; flowers underneath



GJ [*Allocasuarina littoralis*](#)

black sheoak



GJ [*Allocasuarina monilifera*](#)

necklace sheoak



GJ [*Amperea xiphioclada*](#)

broom spurge
almost leafless with angles stems, forms clumps resembling
grass tussock



GJ [*Aotus ericoides*](#)

golden pea
shrub to 1.5m; leaves narrow to 12mm long, margins
downrolled; yellow pea flower with red throat



GJ [*Austrostipa pubinodis*](#)

tall speargrass



GJ [*Banksia marginata*](#)

silver banksia
tree with typical banksia cones or yellow flower spikes



GJ [*Bossiaea cinerea*](#)

showy bossia



GJ [*Brachyscome graminea*](#)

grass daisy
herb perennial, to 70cm high; leaves narrow, to 14cm long, bright green; flower head white/mauve/pink, yellow centred, on long stalk



GJ [*Burchardia umbellata*](#)

milkmaids
herb; leaves grass-like; white 6-petalled flowers with maroon centres



BC [*Calytrix tetragona*](#)

common fringemyrtle
shrub; star-like white flowers



GJ [Cassinia aculeata](#)

dolly bush
shrub to 3 m; large clusters of small white flowers



GJ [Cassytha glabella](#)

slender dodderlaurel
slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks



GJ [Cassytha melantha](#)

large dodderlaurel
"monkey twine", parasitic on other plants



GJ [Cassytha pubescens](#)

downy dodderlaurel
parasitic twiner; appears leafless; flowers small, white, crowded in groups/spikes



GJ [Centrolepis strigosa](#)

hairy bristlewort
tiny tufted grass-like plant; hairy leaves;



GJ [*Comesperma volubile*](#)

blue lovecreeper
wiry climber; small leaves; blue flowers along stems



GJ [*Conospermum hookeri*](#)

tasmanian smokebush
ozothamnus-like bush, distinctive white flowers



BC [*Correa reflexa*](#)

common correa
shrub, variable from prostrate to 3 m; leaves to 5 cm, reflexed with indented veins; flowers tubular, pendant, greenish.

[*Deyeuxia quadriseta*](#)

reed bentgrass



GJ [*Dillwynia glaberrima*](#)

smooth parrotpea
slender shrub to 90cm; leaves hairless, narrow cylindrical; golden pea flowers



GJ [*Dodonea viscosa*](#)

broadleaf hopbush

tree to 6m; sticky oblong leaves to 8cm; distinctive fruit with 3 or 4 wings



GJ [*Epacris impressa*](#)

common heath

shrub; white, red or pink tubular flowers with dimples at base



GJ [*Erica lusitanica*](#)

spanish heath

woody shrub to 1.5m, abundant small white flowers black inside the tube



GJ [*Eriochilus cucullatus*](#)

autumn-orchid

to 30 cm tall pink flower like a parson's bands



GJ [*Eucalyptus amygdalina*](#)

black peppermint

tree to 30 m with fine rough bark; leaves narrow; buds 7-15+



GJ *Eucalyptus ovata*

var. ovata
black gum
large gum tree; rough grey bark; oval leaves



GJ *Eucalyptus sieberi*

ironbark



GJ *Eucalyptus viminalis*

subsp. Viminalis
white gum
large gum tree; white trunk; broad leaves



GJ *Euryomyrtus ramosissima*

rosy heathmyrtle
shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam,
5 white/pink petals



GJ *Exocarpos cupressiformis*

common native-cherry
tree; conifer-like foliage; edible orange coloured fruit

[Gahnia radula](#)

thatch sawsedge



BC [Gompholobium huegelii](#)

common wedgepea
herb; pea flower yellow inside and blackish outside



GJ [Goodenia ovata](#)

hop native-primrose
shrub to 2m; leaves bright green, to 6cm, edges toothed;
flowers yellow with petals in two groups



GJ [Hakea teretifolia](#)

subsp. Hirsuta
dagger hakea



BC [Hibbertia riparia](#)

erect guineaflower
shrub; narrow leaves; golden 5-petalled flowers



GJ [*Leptospermum scoparium*](#)

common teatree
shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody



BC [*Leucopogon collinus*](#)

white beardheath
shrub to 50cm; leaves with edges turned down; flowers tiny, tubular, bearded inside, in clusters at ends of branches



GJ [*Leucopogon ericoides*](#)

pink beardheath



GJ [*Lobelia anceps*](#)

angled lobelia
perennial herb, prostrate, scrambling; stem with flattened ridges; flowers small, blue, two-lipped



GJ [*Lomandra longifolia*](#)

sagg
tussock of strap-like leaves with notched ends; flowers in spiny clusters



GJ [*Melaleuca ericifolia*](#)

coast paperbark
tree; white papery bark, profuse white flowers in summer



GJ [*Melaleuca gibbosa*](#)

slender honeymyrtle
shrub to 3m; leaves crowded, to 6mm; flowers mauve/pink
bottle brushes to 3cm long



GJ [*Melaleuca squarrosa*](#)

scented paperbark
shrub/tree to 6m; leaves to 8mm, ovate, pointed; flowers
yellow/cream in terminal bottle brushes



GJ [*Monotoca elliptica*](#)

tree broomheath



GJ [*Monotoca scoparia*](#)

prickly broomheath



GJ [*Olearia lirata*](#)

forest daisybush
shrub to 5m; numerous white daisy flowers at ends of branches



GJ [*Olearia ramulosa*](#)

twiggy daisybush
shrub to 2 m; leaves small with rolled edges; flowers white, numerous with 6-10 ray florets.



GJ [*Persoonia juniperina*](#)

prickly geebung
shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers



GJ [*Philothea virgata*](#)

twiggy waxflower
shrub to 2m; stems warty; leaves narrow oblong to 2cm; flowers white star-shaped, 4-5 petals



GJ [*Phyllota diffusa*](#)

heath bushpea
spreading shrub to 20cm tall; leaves cylindrical, linear, tightly rolled under; yellow pea flowers with red markings



GJ *Pimelea linifolia*

slender riceflower



GJ *Plantago coronopus*

buck's horn plantain



GJ *Platylobium triangulare*

arrow flatpea
scrambling shrub; leaves triangular with sharp tips; flowers
orange/yellow pea with bracts that don't conceal the stem.



GJ *Pomaderris apetala*

subsp. *Apetala*
common dogwood
small tree; rough leaves; flowers with no petals



GJ *Pteridium exculentum*



GJ *Pultenaea dentata*

swamp bushpea
shrub to 90cm tall; leaves to 10mm long, crowded near ends of branches; yellow, pea flowers in small terminal bunches



GJ *Pultenaea tenuifolia*

slender bushpea
prostrate shrub; leaves to 8mm long, narrow with upper channel; yellow/red pea flowers, solitary, near branch ends



RW *Samolus repens*

creeping brookweed
herb spreading by rooting; leaves fleshy, spoon-shaped, to 3cm; flowers white/pink, 5 petals



BC *Styliidium graminifolium*

narrowleaf triggerplant
herb to 50cm; leaves narrow, strap-like; flowers pink, four-petaled, in spikes



GJ *Styphelia adscendens*

golden heath
prostrate shrub to 50cm; leaves to 3cm, pointed, edges hairy; flowers tubular, yellow/green, hairy inside



GJ [*Styphelia adscendens*](#)

golden heath
prostrate shrub to 50cm; leaves to 3cm, pointed, edges hairy;
flowers tubular, yellow/green, hairy inside



GJ [*Styphelia humifusa*](#)

native cranberry
ground cover; prickly leaves; red tube flowers in winter



GJ [*Tetratheca labillardierei*](#)

glandular pinkbells