

PLANT LIST Bluff River Gorge

Created 21-Jan-15 Updated 26-May-23 By APST, DPIPWE

Goto Photos

| Scientific name | status | Common Name | Description |
|---------------------------------|--------|--------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Acacia dealbata | | silver wattle | tree with grey green feathery leaves; golden flowers |
| Acacia genistifolia | | spreading wattle | shrub; golden flowers in spheres; stiff dagger-like leaves |
| Acacia melanoxylon | | blackwood | tree to 30m; leaves with parallel veins; round flower heads |
| Acacia mucronata | | caterpillar wattle | shrub/tree to 10m; leaves leathery, narrow, to15cm; flowers cream/yellow in spikes |
| <u>Acacia verticillata</u> | | prickly moses | shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical yellow spikes |
| Acaena novae-zelandiae | | common buzzy | herb; leaves divided; balls of flower/seeds with hooks |
| Adiantum aethiopicum | | common maidenhair | delicate plant with fan-shaped leaves |
| <u>Ajuga australis</u> | | australian bugle | |
| <u>Allocasuarina monilifera</u> | е | necklace sheoak | shrub to 4m; leaves like tiny teeth aroung joints in neele-like branchlets; fruit, cylindrical cones with pointed ends |
| Allocasuarina verticillata | | drooping sheoak | tree with "leaves" hanging down or drooping |
| <u>Aotus ericoides</u> | | golden pea | shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat |
| Asterotrichion discolor | | tasmanian currajong | |
| Banksia marginata | | silver banksia | tree with typical banksia cones or yellow flower spikes |
| Bauera rubioides | | wiry bauera | sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink |
| <u>Bedfordia salicina</u> | е | tasmanian blanketleaf | shrub/tree to 5m; leaves dark green above silver hairy below; yellow daisy flowers in groups |
| Billardiera longiflora | е | purple appleberry | |
| Blechnum wattsii | | hard waterfern | fronds dark green, divided only once, fertile fronds different |
| Boronia anemonifolia | | stinky boronia | shrub to 2m high; leaves dark green, with 3 leaflets, to 1.5cm long; flowers 4-petalled, white/pink |
| Bulbine glauca | | bluish bulbine-lily | herb; soft hollow leaves tufted at base; spike of 6- petalled yellow flowers, no tuber |
| <u>Bursaria spinosa</u> | | prickly box | small tree; distinctive "purses" (seed cases); white starry flowers |

| <u>Caladenia carnea</u> | | pink fingers | herb to 25 cm; single narrow narrow; 1 to 6 showy pink flowers |
|---------------------------|---|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Cardamine gunnii | | tuberous bittercress | |
| Carex appressa | | tall sedge | |
| Carpobrotus rossii | | native pigface | herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres |
| Cassinia aculeata | | dolly bush | shrub to 3 m; large clusters of small white flowers |
| Cassytha glabella | | slender dodderlaurel | slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks |
| Chrysocephalum apiculat | | common everlasting | perennial herb to 50cm; stem & leaves densely hairy; golden daisy flowers in clusters |
| Chrysocephalum semipa | | clustered everlasting | herb to 90 cm; leaves small hairy; daisy flowers in terminal clusters |
| <u>Clematis aristata</u> | | mountain clematis | climber; leaves multi-lobed; large white star-like flowers |
| Comesperma volubile | | blue lovecreeper | wiry climber; small leaves; blue flowers along stems |
| Coprosma quadrifida | | native currant | erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange |
| Coronidium scorpioides | | curling everlasting | herb with single golden daisy flower heads on long stems |
| <u>Cyathodes glauca</u> | е | purple cheeseberry | shrub to 3m; leaves pointed, to 5cm, green above whitish below; flowers tubular, white; fruit fleshy, white to red |
| Cyphanthera tasmanica | t | tasmanian rayflower | Shrub with short hairs on leaves, making them bluish and felt like, with distinctive, 5 lobed "starfish" white flowers with blue throats |
| <u>Daviesia latifolia</u> | | hop bitterpea | shrub; broad leaves with obvious venation; gold & brown pea flowers |
| Daviesia sejugata | | leafy spiky bitterpea | |
| <u>Dianella tasmanica</u> | | forest flaxlily | perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry |
| <u>Dichondra repens</u> | | kidneyweed | creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers |
| Dicksonia antarctica | | soft treefern | Tall fern, trunks to several metres tall |
| <u>Diplarrena moraea</u> | | white flag-iris | strap-like leaves; white flowers |
| <u>Dodonaea viscosa</u> | | broadleaf hopbush | tree to 6m; sticky oblong leaves to 8cm; distinctiive fruit with 3 or 4 wings |
| <u>Drosera gunniana</u> | | pale sundew | erect herb to 30cm high; leaves at base round on stem crescent shaped, fringed with glistening hairs; flowers white or pink |
| Epacris impressa | | common heath | shrub; white, red or pink tubular flowers with dimples at base |
| Eucalyptus amygdalina | е | black peppermint | tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+ |

| Eucalyptus globulus | tasmanian bluegum | tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed |
|-------------------------------|------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Eucalyptus obliqua | stringybark | tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical; |
| Eucalyptus ovata | black gum | large gum tree; rough grey bark; oval leaves |
| Eucalyptus viminalis | white gum | tree to 50 m, bark rough at base then smooth; leaves green; buds 3 |
| Euryomyrtus ramosissima | rosy heathmyrt | le shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam, 5 white/pink petals |
| Exocarpos cupressiformis | common native cherry | fruit |
| Geranium potentilloides | geranium | herb; lobed leaves; pink flowers; "storksbill" fruit |
| Gonocarpus teucrioides | forest raspwort | perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen. |
| <u>Goodenia lanata</u> | trailing native- primrose | prostrate herb; leaves to 7cm, dark green above lighter below; flowers golden, asymmetric on long stem |
| <u>Goodenia ovata</u> | hop native- primrose | shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups |
| <u>Hibbertia riparia</u> | erect guineaflo | wer shrub; narrow leaves; golden 5-petalled flowers |
| Indigofera australis | native indigo | shrub to 1.5m high; leaves feather-like, to 10 leaflets; pea flowers pink/mauve, crowded along branches |
| <u>Lepidosperma concavum</u> | sand swordsed | lge |
| <u>Leptomeria drupacea</u> | erect currantbu | ish Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish. |
| <u>Leptospermum lanigerum</u> | woolly teatree | shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base |
| <u>Leptospermum scopariun</u> | common teatre | e shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody |
| <u>Linum marginale</u> | native flax | herb; slender stem to 50 cm tall; blue flowers 2 cm diam. on long stems |
| <u>Lomandra longifolia</u> | sagg | tussock of strap-like leaves with notched ends; flowers in spiny clusters |
| Lomatia tinctoria | e guitarplant | shrub; divided leaves very variable in form; white flowers |
| Olearia argophylla | musk daisybus | h shrub/tree to 15 m; large leaves with silver back; flowers in large crowded heads. |
| <u>Olearia lirata</u> | forest daisybus | sh shrub to 5m; numerous white daisy flowers at ends of branches |
| Olearia phlogopappa | dusty daisybus | h shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam. |

| <u>Olearia viscosa</u> | | viscid daisybush | shrub to 2m; leaves elliptical, 5-8cm long, sticky, dark green above, light green, hairy under; daisy flower heads with 4-6 white "petals" in crowded terminal clusters |
|----------------------------------|---|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Oxylobium ellipticum | | golden shaggypea | shrub to 2.5m leaves elliptical, grey or rusty below; golden pea flowers clustered at ends of branches |
| Ozothamnus obcordatus | | yellow everlastingbush | Shrub .5-1.5m, heart-shaper alternate leaves, glossy on top, hairy below, terminal tight clusters of yellow flowers massed in spring |
| Pelargonium australe | | southern storksbill | herb growing in rock crevices; leaves kidney- shaped; flowers pink/white |
| <u>Pimelea nivea</u> | е | bushmans bootlace | shrub to 2m; leaves round, dark green, shiny above, white & hairy below; flowers tubular, in spherical heads |
| Polystichum proliferum | | mother shieldfern | note bulbils (new FERN) on fronds |
| Pomaderris elliptica | | yellow dogwood | shrub/tree to 8 m; leaves to 10 cm, smooth, rusty under; flowers yellow, clustered. |
| Pomaderris intermedia | t | | similar to P eliptica except entire leaf undersurface is hairy in P intermedia |
| <u>Pomaderris pilifera</u> | | | shrub to 4m high; leaves ovate, to 5cm long, hairy under; flowers cream/yellow, 5-petalled, in pyramidal clusters |
| Pteridium esculentum | | bracken | common fern to 2.5m tall; leathery much divided frond |
| <u>Pterostylis nutans</u> | | nodding greenhood | orchid with single green nodding flowe on stem to 30cm |
| <u>Pultenaea juniperina</u> | | prickly beauty | shrub to 2.5m; leaves to 12mm, sharp pointed; goledn pea flowers at ends of branches |
| Pultenaea pedunculata | | matted bushpea | shrub; prostrate; golden pea flowers on stalks |
| Senecio linearifolius | | common fireweed | perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters |
| Solanum laciniatum | | kangaroo apple | shrub; lobed leaves; large purple flowers; yellow/orange fruit |
| Stackhousia monogyna | | forest candles | herb to 50cm. several erect stems; leaves narrow; flowers white tubular in dense spikes at ends of stems. |
| Stellaria multiflora | t | | |
| Stenanthera pinifolia | | | Small shrub, pine-needle like leaves and creamy white flowers. Used to be Astroloma pinifolia |
| Stylidium graminifolium | | narrowleaf triggerplant | herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes |
| Styphelia ericoides | | pink beardheath | erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside |
| Tasmannia lanceolata | | mountain pepper | tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black |
| <u>Tetratheca labillardierei</u> | | glandular pinkbells | |

| Veronica formosa | common speedwell bush | shrub to 2 m; leaves crowded, green, to 1.5 cm long; flowers 4 petals usually pale blue/mauve, clustered. |
|----------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Viola hederacea | ivyleaf violet | herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks |
| Wahlenbergia stricta | | |
| Zieria arborescens | stinkwood | shrub/tree to 8 m; leaves with 3 leaflets to 10 cm with unpleasant smell when crushed; flowers with 4 white/pink petals. |



PLANT LIST Bluff River Gorge

Created 21-Jan-15 Updated 26-May-23 By APST, DPIPWE

Goto List



GJ Acacia dealbata

silver wattle tree with grey green feathery leaves; golden flowers



GJ Acacia genistifolia

spreading wattle shrub; golden flowers in spheres; stiff dagger-like leaves



GJ Acacia melanoxylon

blackwood tree to 30m; leaves with parallel veins; round flower heads



RW Acacia mucronata

caterpillar wattle shrub/tree to 10m; leaves leathery, narrow, to15cm; flowers cream/yellow in spikes



GJ Acacia verticillata

prickly moses shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical yellow spikes



RS <u>Acaena novae-zelandiae</u>

common buzzy herb; leaves divided; balls of flower/seeds with hooks



GJ Adiantum aethiopicum

common maidenhair delicate plant with fan-shaped leaves



GJ Ajuga australis

australian bugle



GJ Allocasuarina monilifera

necklace sheoak shrub to 4m; leaves like tiny teeth aroung joints in neele-like branchlets; fruit, cylindrical cones with pointed ends



GJ Allocasuarina verticillata

drooping sheoak tree with "leaves" hanging down or drooping



GJ Aotus ericoides

golden pea shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat





GJ Asterotrichion discolor

tasmanian currajong



GJ Banksia marginata

silver banksia tree with typical banksia cones or yellow flower spikes



GJ Bauera rubioides

wiry bauera sprawling wiry shrub; leaves opposite, each with three leaflets; flowers white to pink



GJ Bedfordia salicina

tasmanian blanketleaf shrub/tree to 5m; leaves dark green above silver hairy below; yellow daisy flowers in groups



GJ <u>Billardiera longiflora</u>

purple appleberry



GJ Blechnum wattsii

hard waterfern fronds dark green, divided only once, fertile fronds different



GJ Boronia anemonifolia

stinky boronia shrub to 2m high; leaves dark green, with 3 leaflets, to 1.5cm long; flowers 4-petalled, white/pink



GJ Bulbine glauca

bluish bulbine-lily herb; soft hollow leaves tufted at base; spike of 6-petalled yellow flowers, no tuber



GJ Bursaria spinosa

prickly box small tree; distinctive "purses" (seed cases); white starry flowers



JC Caladenia carnea

pink fingers herb to 25 cm; single narrow narrow; 1 to 6 showy pink flowers



GJ Cardamine gunnii

tuberous bittercress

Carex appressa

tall sedge



GJ Carpobrotus rossii

native pigface herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres



GJ Cassinia aculeata

dolly bush shrub to 3 m; large clusters of small white flowers



GJ Cassytha glabella

slender dodderlaurel slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks



GJ Chrysocephalum apiculatum

common everlasting perennial herb to 50cm; stem & leaves densely hairy; golden daisy flowers in clusters



GJ Chrysocephalum semipapposum

clustered everlasting herb to 90 cm; leaves small hairy; daisy flowers in terminal clusters



GJ Clematis aristata

mountain clematis climber; leaves multi-lobed; large white star-like flowers



GJ Comesperma volubile

blue lovecreeper wiry climber; small leaves; blue flowers along stems



GJ Coprosma quadrifida

native currant erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange



RS Coronidium scorpioides

curling everlasting herb with single golden daisy flower heads on long stems



RS Cyathodes glauca

purple cheeseberry shrub to 3m; leaves pointed, to 5cm, green above whitish below; flowers tubular, white; fruit fleshy, white to red



GJ Cyphanthera tasmanica

tasmanian rayflower

Shrub with short hairs on leaves, making them bluish and felt like, with distinctive, 5 lobed "starfish" white flowers with blue throats



GJ Daviesia latifolia

hop bitterpea

shrub; broad leaves with obvious venation; gold & brown pea flowers



BC *Daviesia sejugata*

leafy spiky bitterpea



BC Dianella tasmanica

forest flaxlily

perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry



GJ <u>Dichondra repens</u>

kidneyweed

creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers



GJ Dicksonia antarctica

soft treefern
Tall fern, trunks to several metres tall



GJ <u>Diplarrena moraea</u>

white flag-iris strap-like leaves; white flowers



GJ <u>Dodonaea viscosa</u>

broadleaf hopbush tree to 6m; sticky oblong leaves to 8cm; distinctiive fruit with 3 or 4 wings



GJ <u>Drosera gunniana</u>

pale sundew erect herb to 30cm high; leaves at base round on stem crescent shaped, fringed with glistening hairs; flowers white or pink



GJ Epacris impressa

common heath shrub; white, red or pink tubular flowers with dimples at base



GJ Eucalyptus amygdalina

black peppermint tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+



GJ Eucalyptus globulus

tasmanian bluegum tree to 70m high, trunk rough at base, smooth, greyish/white above; leaves lance-shaped to 30cm long; fruit large, ribbed



GJ Eucalyptus obliqua

stringybark tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;



GJ Eucalyptus ovata

black gum large gum tree; rough grey bark; oval leaves



GJ Eucalyptus viminalis

white gum tree to 50 m, bark rough at base then smooth; leaves green; buds 3



GJ Euryomyrtus ramosissima

rosy heathmyrtle shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam, 5 white/pink petals



GJ Exocarpos cupressiformis

common native-cherry tree; conifer-like foliage; edible orange coloured fruit



RW Geranium potentilloides

geranium herb; lobed leaves; pink flowers; "storksbill" fruit



GW Gonocarpus teucrioides

forest raspwort perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.



RS Goodenia lanata

trailing native-primrose prostrate herb; leaves to 7cm, dark green above lighter below; flowers golden, asymmetric on long stem



GJ Goodenia ovata

hop native-primrose shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups



BC Hibbertia riparia

erect guineaflower shrub; narrow leaves; golden 5-petalled flowers



RW Indigofera australis

native indigo shrub to 1.5m high; leaves feather-like, to 10 leaflets; pea flowers pink/mauve, crowded along branches



ann <u>Lepidosperma concavum</u>

sand swordsedge



GJ <u>Leptomeria drupacea</u>

erect currantbush

Much branched shrub to 2 m; leaves are tiny scales on stem; flowers very small, cream; fruit fleshy, reddish.



RS Leptospermum lanigerum

woolly teatree shrub or small tree; leaves hairy; flowers white, hairy at base; fruit hairy at base



GJ Leptospermum scoparium

common teatree shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody



GJ <u>Linum marginale</u>

native flax herb; slender stem to 50 cm tall; blue flowers 2 cm diam. on long stems



GJ Lomandra longifolia

sagg tussock of strap-like leaves with notched ends; flowers in spiny clusters



GJ Lomatia tinctoria

guitarplant shrub; divided leaves very variable in form; white flowers



GJ Olearia argophylla

musk daisybush shrub/tree to 15 m; large leaves with silver back; flowers in large crowded heads.



GJ Olearia lirata

forest daisybush shrub to 5m; numerous white daisy flowers at ends of branches



GJ Olearia phlogopappa

dusty daisybush shrub to 1.5m; leaves hairy under, margins somewhat toothed; white daisy flowers to 2 cm diam.



GJ Olearia viscosa

viscid daisybush shrub to 2m; leaves elliptical, 5-8cm long, sticky, dark green above, light green, hairy under; daisy flower heads with 4-6 white "petals" in crowded terminal clusters



RS Oxylobium ellipticum

golden shaggypea shrub to 2.5m leaves elliptical, grey or rusty below; golden pea flowers clustered at ends of branches



GJ Ozothamnus obcordatus

yellow everlastingbush Shrub .5-1.5m, heart-shaper alternate leaves, glossy on top, hairy below, terminal tight clusters of yellow flowers massed in spring



GJ Pelargonium australe

southern storksbill herb growing in rock crevices; leaves kidney-shaped; flowers pink/white



RW <u>Pimelea nivea</u>

bushmans bootlace shrub to 2m; leaves round, dark green, shiny above, white & hairy below; flowers tubular, in spherical heads



GJ Polystichum proliferum

mother shieldfern note bulbils (new FERN) on fronds



GJ Pomaderris elliptica

yellow dogwood shrub/tree to 8 m; leaves to 10 cm, smooth, rusty under; flowers yellow, clustered.



GJ Pomaderris intermedia

similar to P eliptica except entire leaf undersurface is hairy in P intermedia



GJ Pomaderris pilifera

shrub to 4m high; leaves ovate, to 5cm long, hairy under; flowers cream/yellow, 5-petalled, in pyramidal clusters



GJ Pteridium esculentum

subsp. esculentum bracken common fern to 2.5m tall; leathery much divided frond



GJ Pterostylis nutans

nodding greenhood orchid with single green nodding flowe on stem to 30cm



RW Pultenaea juniperina

prickly beauty shrub to 2.5m; leaves to 12mm, sharp pointed; goledn pea flowers at ends of branches



RW Pultenaea pedunculata

matted bushpea shrub; prostrate; golden pea flowers on stalks



GJ <u>Senecio linearifolius</u>

common fireweed perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters



GJ Solanum laciniatum

kangaroo apple shrub; lobed leaves; large purple flowers; yellow/orange fruit



GJ Stackhousia monogyna

forest candles



GJ Stellaria multiflora



GJ <u>Stenanthera pinifolia</u>

Small shrub, pine-needle like leaves and creamy white flowers. Used to be Astroloma pinifolia



BC Stylidium graminifolium

narrowleaf triggerplant herb to 50cm; leaves narrow, strap-like; flowers pink, fourpetalled, in spikes



GJ Styphelia ericoides

pink beardheath erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside



RS <u>Tasmannia lanceolata</u>

mountain pepper tree to 5m; leaves lance-shaped on red stems; flowers yellow; fruit red turning black



GJ <u>Tetratheca labillardierei</u>

glandular pinkbells



AS Veronica formosa

common speedwell bush shrub to 2 m; leaves crowded, green, to 1.5 cm long; flowers 4 petals usually pale blue/mauve, clustered.



GJ Viola hederacea

ivyleaf violet herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks



GJ Wahlenbergia stricta



GJ Zieria arborescens

stinkwood shrub/tree to 8 m; leaves with 3 leaflets to 10 cm with unpleasant smell when crushed; flowers with 4 white/pink petals.