

List



PLANT LIST

Orford Luther Point to Stapleton Point Track

Created 21-Jan-15
 Updated 26-May-23
 By APST, R Skabo, C Howells

[Goto Photos](#)

Scientific name	status	Common Name	Description
Acacia dealbata		silver wattle	tree with grey green feathery leaves; golden flowers
Acacia genistifolia		spreading wattle	shrub; golden flowers in spheres; stiff dagger-like leaves
Acacia mucronata		caterpillar wattle	erect shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes
Acacia myrtifolia		redstem wattle	shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads
Acacia suaveolens		sweet wattle	shrub to 2 m; phyllodes blue/green to 15 cm; flowers round, cream, in axils, sweet scented.
Acacia verticillata		prickly moses	shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical yellow spikes
Acaena novae-zelandiae		common buzzy	herb; leaves divided; balls of flower/seeds with hooks
Allocasuarina littoralis		black sheoak	tree; fruit like small pine cones; segmented needle-like "leaves"
Allocasuarina verticillata		drooping sheoak	tree with "leaves" hanging down or drooping
Amperea xiphioclada		broom spurge	almost leafless with angles stems, forms clumps resembling grass tussock
Aotus ericoides		golden pea	shrub to 1.5m; leaves narrow to 12mm long, margins downrolled; yellow pea flower with red throat
Arthropodium milleflorum		pale vanilla-lily	herb to 50 cm; grass-like leaves; flowers white/mauve drooping
Banksia marginata		silver banksia	tree with typical banksia cones or yellow flower spikes
Billardiera longiflora	e	purple appleberry	vine to 3m, clammers over other plants; leaves lance-like to 3cm; flowers tubular 2.5cm, yellow/green; fruit blue, sometimes white
Bossiaea cinerea		showy bossia	shrub with gold/brown pea flowers
Bursaria spinosa		prickly box	small tree; distinctive "purses" (seed cases); white starry flowers
Callitris rhomboidea		oyster bay pine	Narrow tree to 6m, green leaves to 2-5mm in whorls of 3, pear shaped female cones 2cm, with 6 pointed scales of similar size
Carpobrotus rossii		native pigface	herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres
Cassytha glabella		slender dodderlaurel	slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks

List

<i>Clematis aristata</i>	mountain clematis	climber; leaves multi-lobed; large white star-like flowers
<i>Comesperma volubile</i>	blue lovecreeper	wiry climber; small leaves; blue flowers along stems
<i>Coprosma quadrifida</i>	native currant	erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange
<i>Coronidium scorpioides</i>	curling everlasting	herb with single golden daisy flower heads on long stems
<i>Dianella brevicaulis</i>	shortstem flaxlily	strap-like leaves; blue & yellow flowers; blue berries, stamen tips dark
<i>Dianella tasmanica</i>	forest flaxlily	perennial to 1.5m; leaves long, narrow, margins serrated; flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry
<i>Dichondra repens</i>	kidneyweed	creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers
<i>Diplarrena moraea</i>	white flag-iris	strap-like leaves; white flowers
<i>Disphyma crassifolium</i>	roundleaf pigface	spreading perennial herb; leaves succulent, round in x-section; large, pink/purple, white centres
<i>Dodonaea viscosa</i>	native hop	shrub/small tree to 6m high; leaves glossy, oblong, to 6cm long; flowers small, yellow; fruit 3-winged, green to reddish
<i>Drosera gunniana</i>	pale sundew	erect herb to 30cm high; leaves at base round on stem crescent shaped, fringed with glistening hairs; flowers white or pink
<i>Epacris impressa</i>	common heath	shrub; white, red or pink tubular flowers with dimples at base
<i>Eucalyptus amygdalina</i>	e black peppermint	tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+
<i>Eucalyptus globulus</i>	tasmanian blue gum	Tree 15-70m; bark rough at base, shed in strips, yellow-grey trunk; white flowers; buds usually single glaucous and warty
<i>Eucalyptus obliqua</i>	stringybark	tree to 90m; trunk & branches covered in soft, ridged bark; leaves very unsymmetrical;
<i>Eucalyptus viminalis</i>	white gum	tree to 50 m, bark rough at base then smooth; leaves green; buds 3
<i>Euchiton japonicus</i>	common cottonleaf	perennial herb to 40cm; stems white, cottony hairy; leaves hairy under; daisy flowers in terminal groups
<i>Euryomyrtus ramosissima</i>	rosy heathmyrtle	shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam, 5 white/pink petals
<i>Exocarpos cupressiformis</i>	common native-cherry	tree; conifer-like foliage; edible orange coloured fruit
<i>Gahnia radula</i>	thatch sawsedge	Narrow tufted perennial sedge; leaves to 70cm; flowers brown to black on ends of leafy stems; nuts brown to black
<i>Geranium potentilloides</i>	geranium	herb; lobed leaves; pink flowers; "storksbill" fruit
<i>Glossodia major</i>	waxlip orchid	herb to 30 cm; single hairy leaf; 1 or 2 large purple/mauve flowers

List

<i>Gonocarpus micranthus</i>	common raspwort	Low growing herb to 15cm, raspy texture; small opposite ovate leaves 4-8mm; tiny red flowers near ends of stems; found in wet areas
<i>Gonocarpus teucroides</i>	forest raspwort	perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.
<i>Goodenia lanata</i>	trailing native-primrose	prostrate herb; leaves to 7cm, dark green above lighter below; flowers golden, asymmetric on long stem
<i>Goodenia ovata</i>	hop native-primrose	shrub to 2m; leaves bright green, to 6cm, edges toothed; flowers yellow with petals in two groups
<i>Hibbertia riparia</i>	erect guineaflower	shrub; narrow leaves; golden 5-petalled flowers
<i>Kennedia prostrata</i>	running postman	herb; prostrate & sprawling; leaves with 3 leaflets; crimson pea flower
<i>Leptospermum scoparium</i>	common teatree	shrub to 4m; leaves to 2cm with prickly pointed tips; flowers white; fruit with 5 slits, top convex, woody
<i>Leucopogon parviflorus</i>	coast beardheath	shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside
<i>Leucopogon virgatus</i>	common beard-heath	shrub to 1 m; small white flowers; petals woolly above
<i>Linum marginale</i>	native flax	herb; slender stem to 50 cm tall; blue flowers 2 cm diam. on long stems
<i>Lissanthe strigosa</i>	peachberry	shrub; 50 cm tall; prickly leaves up to 17mm with hard point; flowers pink in bud then white tubular
<i>Lomandra longifolia</i>	sagg	tussock of strap-like leaves with notched ends; flowers in spiny clusters
<i>Myoporum insulare</i>	common boobialla	coastal shrub/tree to 3 m; leaves elliptic to 8 cm; flowers 5 white petals with magenta spots.
<i>Olearia ciliata</i>	fringed daisybush	shrub to 40 cm; narrow leaves; solitary white to mauve flowers on long stem
<i>Oxalis perennans</i>	grassland woodsorrel	Small herb to 20cm; leaves trifoliate hearts often folded; flowers 5-petals, yellow, broad petals 12mm wide
<i>Pelargonium australe</i>	southern storksbill	herb growing in rock crevices; leaves kidney-shaped; flowers pink/white
<i>Persoonia juniperina</i>	prickly geebung	shrub; to 1.5 m tall; light green prickly leaves; delicate golden flowers
<i>Pimelea humilis</i>	dwarf riceflower	dwarf shrub to 20cm tall; white flowers grouped in terminal heads
<i>Pimelea linifolia</i>	slender riceflower	Wiry shrub to 1.5m; leaves elliptical, shiny, opposite 8-20mm; flowers cream, tubular in terminal heads with orange stamens
<i>Pittosporum bicolor</i>	cheesewood	tree to 8m, conical habit; leaves dark green above, lighter below; flowers bell-shaped, brown & yellow
<i>Poa labillardierei</i>	tussock grass	Large, coarse, densely tufted perennial; flower stems rounded, erect, flowers cream or brown above the leaves

List

<i>Pomaderris apetala</i>	common dogwood	shrub/tree to 10 m; leaves to 10 cm with deep veins, white under; flowers cream/green in branched clusters.
<i>Pteridium esculentum</i>	bracken	common fern to 2.5m tall; leathery much divided frond
<i>Rhagodia candolleana</i>	coastal saltbush	scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped; flowers terminal clusters followed by flat dark red fruits.
<i>Rhytidosporum procumbens</i>	starry appleberry	dwarf shrub to 10 cm; leaves crowded, stalkless, dark green; flowers starry with 5 white petals
<i>Senecio linearifolius</i>	common fireweed	perennial herb to 2m; leaves narrow linear; yellow daisy flowers in clusters
<i>Stylidium graminifolium</i>	narrowleaf triggerplant	herb to 50cm; leaves narrow, strap-like; flowers pink, four-petalled, in spikes
<i>Styphelia ericoides</i>	pink beardheath	erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside
<i>Styphelia humifusa</i>	native cranberry	ground cover; prickly leaves; red tube flowers in winter
<i>Tetragonia implexicoma</i>	bower spinach	sprawling undershrub; leaves diamond shaped, succulent to 4 cm; flowers yellow with 4 petals, on long stems.
<i>Tetratheca labillardierei</i>	glandular pinkbells	Glandular, hairy shrub to 50cm; leaves alternate, 6-10mm, dark green, rough, finely toothed; flowers mauve bells with black stamens.
<i>Themeda triandra</i>	kangaroo grass	Tufted perennial grass, up to 120cm
<i>Veronica calycina</i>	hairy speedwell	perennial herb to 25cm high; leaves hairy, 1-2.5cm long, coarsely toothed; flowers reddish purple, in small groups
<i>Viola hederacea</i>	ivy leaf violet	herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks
<i>Wahlenbergia stricta</i>	tall bluebell	Branching herb to 60cm; leaves ovate, hairy with wavy margins; 5-petalled bell flowers light blue with white centre; clumping, long taproot
<i>Xanthorrhoea australis</i>	southern grasstree	Stem to 3m, may be branched, tuft of long, 3mm, angular sectioned leaves, yellow-brown flowers in spike standing up to 2.5, above leaves



PLANT LIST

Orford Luther Point to Stapleton Point Track

Created 21-Jan-15
Updated 26-May-23
By APST, R Skabo, C Howells

[Goto List](#)



GJ [*Acacia dealbata*](#)

silver wattle
tree with grey green feathery leaves; golden flowers



GJ [*Acacia genistifolia*](#)

spreading wattle
shrub; golden flowers in spheres; stiff dagger-like leaves



RW [*Acacia mucronata*](#)

subsp. longifolia
caterpillar wattle
erect shrub/small tree; leaves narrow linear to 15cm long with short narrow point; yellow flowers in spikes



GJ [Acacia myrtifolia](#)

redstem wattle

shrub to 2m; stems red; leaves to 5cm, leathery, single vein; flowers cream in spherical heads



GJ [Acacia suaveolens](#)

sweet wattle

shrub to 2 m; phyllodes blue/green to 15 cm; flowers round, cream, in axils, sweet scented.



GJ [Acacia verticillata](#)

prickly moses

shrub 50cm to 6m high; leaves in whorls, narrow pungent pointed, to 2cm long; flowers in cylindrical yellow spikes



RS [Acaena novae-zelandiae](#)

common buzzy


herb; leaves divided; balls of flower/seeds with hooks



RS? [Allocasuarina littoralis](#)

black sheoak

tree; fruit like small pine cones; segmented needle-like "leaves"



GJ [Allocasuarina verticillata](#)

drooping sheoak
tree with "leaves" hanging down or drooping



GJ [Amperea xiphoclada](#)

broom spurge
almost leafless with angles stems, forms clumps resembling
grass tussock



GJ [Aotus ericoides](#)

golden pea
shrub to 1.5m; leaves narrow to 12mm long, margins
downrolled; yellow pea flower with red throat



GJ [Arthropodium milleflorum](#)

pale vanilla-lily
herb to 50 cm; grass-like leaves; flowers white/mauve
drooping



GJ [Banksia marginata](#)

silver banksia
tree with typical banksia cones or yellow flower spikes



GJ [Billardiera longiflora](#)

purple appleberry
vine to 3m, clammers over other plants; leaves lance-like to 3cm; flowers tubular 2.5cm, yellow/green; fruit blue, sometimes white



GJ [Bossiaea cinerea](#)

showy bossia
shrub with gold/brown pea flowers



GJ [Bursaria spinosa](#)

prickly box
small tree; distinctive "purses" (seed cases); white starry flowers



GJ [Callitris rhomboidea](#)

oyster bay pine
Narrow tree to 6m, green leaves to 2-5mm in whorls of 3, pear shaped female cones 2cm, with 6 pointed scales of similar size




GJ [Carpobrotus rossii](#)

native pigface
herb, prostrate, spreading; leaves fleshy, triangular x-section; flowers large, pink/purple, white centres



GJ *Cassytha glabella*

slender dodderlaurel
slender parasitic twiner; appears leafless; tiny white flowers in bunches on short stalks




GJ *Clematis aristata*

mountain clematis
climber; leaves multi-lobed; large white star-like flowers



GJ *Comesperma volubile*

blue lovecreeper
wiry climber; small leaves; blue flowers along stems



GJ *Coprosma quadrifida*

native currant
erect shrub to 4m; leaves to 10mm; flowers, male & female on separate plants, 4 white petals; fruit shiny red/orange



RS *Coronidium scorpioides*

curling everlasting
herb with single golden daisy flower heads on long stems



GJ *Dianella brevicaulis*

shortstem flaxlily
strap-like leaves; blue & yellow flowers; blue berries, stamen tips dark



BC *Dianella tasmanica*

forest flaxlily
perennial to 1.5m; leaves long, narrow, margins serrated;
flowers on long stalks, 6-petalled, blue; fruit a blue/purple shiny berry



GJ *Dichondra repens*

kidneyweed
creeping herb, forming patches; kidney shaped leaves; tiny green/white flowers



GJ *Diplarrena moraea*

white flag-iris
strap-like leaves; white flowers



GJ *Disphyma crassifolium*

roundleaf pigface
spreading perennial herb; leaves succulent, round in x-section; large, pink/purple, white centres



GJ [*Dodonaea viscosa*](#)

subsp. *spathulata*

native hop

shrub/small tree to 6m high; leaves glossy, oblong, to 6cm long; flowers small, yellow; fruit 3-winged, green to reddish



GJ [*Drosera gunniana*](#)

pale sundew

erect herb to 30cm high; leaves at base round on stem crescent shaped, fringed with glistening hairs; flowers white or pink



GJ [*Epacris impressa*](#)

common heath

shrub; white, red or pink tubular flowers with dimples at base



GJ [*Eucalyptus amygdalina*](#)

black peppermint

tree 15 to 30 m with fine rough bark; leaves narrow; buds 7-15+



GJ [*Eucalyptus globulus*](#)

subsp. *globulus*

tasmanian blue gum

Tree 15-70m; bark rough at base, shed in strips, yellow-grey trunk; white flowers; buds usually single glaucous and warty



GJ *Eucalyptus obliqua*

stringybark
tree to 90m; trunk & branches covered in soft, ridged bark;
leaves very unsymmetrical;



GJ *Eucalyptus viminalis*

white gum
tree to 50 m, bark rough at base then smooth; leaves green;
buds 3



GM *Euchiton japonicus*

common cottonleaf
perennial herb to 40cm; stems white, cottony hairy; leaves
hairy under; daisy flowers in terminal groups



GJ *Euryomyrtus ramosissima*

rosy heathmyrtle
shrub to 50cm; leaves linear to 10mm; flowers ca 10mm diam,
5 white/pink petals



GJ *Exocarpos cupressiformis*

common native-cherry
tree; conifer-like foliage; edible orange coloured fruit

[Gahnia radula](#)

thatch sawsedge

Narrow tufted perennial sedge; leaves to 70cm; flowers brown to black on ends of leafy stems; nuts brown to black



RW [Geranium potentilloides](#)

geranium

herb; lobed leaves; pink flowers; "storksbill" fruit



GJ [Glossodia major](#)

waxlip orchid

herb to 30 cm; single hairy leaf; 1 or 2 large purple/mauve flowers



GJ [Gonocarpus micranthus](#)

common raspwort

Low growing herb to 15cm, raspy texture; small opposite ovate leaves 4-8mm; tiny red flowers near ends of stems; found in wet areas



GW [Gonocarpus teucroides](#)

forest raspwort

perennial herb to 60 cm; leaves oval and rough to touch; flowers on leafy spikes with petals often fallen.



RS [Goodenia lanata](#)

trailing native-primrose
prostrate herb; leaves to 7cm, dark green above lighter below;
flowers golden, asymmetric on long stem



GJ [Goodenia ovata](#)

hop native-primrose
shrub to 2m; leaves bright green, to 6cm, edges toothed;
flowers yellow with petals in two groups



BC [Hibbertia riparia](#)

erect guineaflower
shrub; narrow leaves; golden 5-petalled flowers



GJ [Kennedia prostrata](#)

running postman
herb; prostrate & sprawling; leaves with 3 leaflets; crimson pea
flower



GJ [Leptospermum scoparium](#)

common teatree
shrub to 4m; leaves to 2cm with prickly pointed tips; flowers
white; fruit with 5 slits, top convex, woody



GJ *Leucopogon parviflorus*

coast beardheath
shrub to 3m; leaves to 3cm, blunt pointed, margins rolled down; flowers white, tubular, bearded inside



BC *Leucopogon virgatus*

common beard-heath
shrub to 1 m; small white flowers; petals woolly above



GJ *Linum marginale*

native flax
herb; slender stem to 50 cm tall; blue flowers 2 cm diam. on long stems



GJ *Lissanthe strigosa*

subsp. subulata
peachberry
shrub; 50 cm tall; prickly leaves up to 17mm with hard point; flowers pink in bud then white tubular



GJ *Lomandra longifolia*

sagg
tussock of strap-like leaves with notched ends; flowers in spiny clusters



GJ [*Myoporum insulare*](#)

common boobialla
coastal shrub/tree to 3 m; leaves elliptic to 8 cm; flowers 5
white petals with magenta spots.



GJ [*Olearia ciliata*](#)

fringed daisybush
shrub to 40 cm; narrow leaves; solitary white to mauve flowers
on long stem



RS [*Oxalis perennans*](#)

grassland woodsorrel
Small herb to 20cm; leaves trifoliate hearts often folded;
flowers 5-petals, yellow, broad petals 12mm wide



GJ [*Pelargonium australe*](#)

southern storksbill
herb growing in rock crevices; leaves kidney-shaped; flowers
pink/white



GJ [*Persoonia juniperina*](#)

prickly geebung
shrub; to 1.5 m tall; light green prickly leaves; delicate golden
flowers



GJ *Pimelea humilis*

dwarf riceflower
dwarf shrub to 20cm tall; white flowers grouped in terminal heads



GJ *Pimelea linifolia*

slender riceflower
Wiry shrub to 1.5m; leaves elliptical, shiny, opposite 8-20mm;
flowers cream, tubular in terminal heads with orange stamens



AS *Pittosporum bicolor*

cheesewood
tree to 8m, conical habit; leaves dark green above, lighter
below; flowers bell-shaped, brown & yellow

Poa labillardierei

tussock grass
Large, coarse, densely tufted perennial; flower stems rounded,
erect, flowers cream or brown above the leaves




GJ *Pomaderris apetala*

common dogwood
shrub/tree to 10 m; leaves to 10 cm with deep veins, white
under; flowers cream/green in branched clusters.



GJ *Pteridium esculentum*

subsp. esculentum
bracken
common fern to 2.5m tall; leathery much divided frond



GJ *Rhagodia candolleana*

subsp. candolleana
coastal saltbush
scrambling shrub to 2 m; leaves fleshy, oval to arrow shaped;
flowers terminal clusters followed by flat dark red fruits.



RW *Rhytidosporum procumbens*

starry appleberry
dwarf shrub to 10 cm; leaves crowded, stalkless, dark green;
flowers starry with 5 white petals



GJ *Senecio linearifolius*

common fireweed
perennial herb to 2m; leaves narrow linear; yellow daisy
flowers in clusters



BC *Stylidium graminifolium*

narrowleaf triggerplant
herb to 50cm; leaves narrow, strap-like; flowers pink, four-
petalled, in spikes




GJ *Styphelia ericoides*

pink beardheath
erect woody shrub to 1m; leaves to 13mm, edges turned down; flowers numerous along branches, white, tubular, hairy inside



GJ *Styphelia humifusa*

native cranberry
ground cover; prickly leaves; red tube flowers in winter




GJ *Tetragonia implexicoma*

bower spinach
sprawling undershrub; leaves diamond shaped, succulent to 4 cm; flowers yellow with 4 petals, on long stems.



GJ *Tetratheca labillardierei*

glandular pinkbells
Glandular, hairy shrub to 50cm; leaves alternate, 6-10mm, dark green, rough, finely toothed; flowers mauve bells with black stamens.



GJ *Themeda triandra*

kangaroo grass
Tufted perennial grass, up to 120cm



GJ [*Veronica calycina*](#)

hairy speedwell
perennial herb to 25cm high; leaves hairy, 1-2.5cm long, coarsely toothed; flowers reddish purple, in small groups



GJ [*Viola hederacea*](#)

ivyleaf violet
herb; perennial, spreading; kidney shaped leaves; violet flowers on stalks



GJ [*Wahlenbergia stricta*](#)

tall bluebell
Branching herb to 60cm; leaves ovate, hairy with wavy margins; 5-petalled bell flowers light blue with white centre; clumping, long taproot



GJ [*Xanthorrhoea australis*](#)

southern grasstree
Stem to 3m, may be branched, tuft of long, 3mm, angular sectioned leaves, yellow-brown flowers in spike standing up to 2.5, above leaves